

SAFETY DATA SHEET < Lotsauglitze® / 3S-Wick® Desoldering Braid> according to Regulation (EC) No. 1907/2006

SECTION 1: IDENTIFICATION OF THE SUBSTANCE AND OF THE COMPANY

1.1 Product Identifier

Brand name:	Lotsauglitze® / 3S-Wick® Desoldering braid
Spirig Article:	Part numbers: LS/00 , LS/AA, LS/AB, LS/BB
ERSA Article:	OWICKNC1.5/10 / OWICKNC2.2/10 / OWICKNC2.7/10
Synonyms:	Desoldering Braid, Desoldering Wick, Solder Removal Wick
Product type:	Solid

1.2 Relevant identified uses of the substance or mixture and uses advised against Not applicable

1.3 Details of the supplier of the safety data sheet

Spirig Ernest Dipl. Ing., Hohlweg 1, 8640 Rapperswil, Switzerland Company: Telephone: +41 55 222 6900 Fax: +41 55 222 6969 E-mail address: spirig@spirig.com 1.4 Emergency telephone number

Emergency Phone #: +41 79 423 3950

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Not classified

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Signal word:	No signal word
Hazard Statements:	EU208 contains rosin. Can cause allergic reactions.
Prevention:	not applicable
Response:	not applicable
Storage:	not applicable
Disposal:	not applicable

2.3 Other hazards

None

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substance/Mixture: mixture Ingredients According to Regulation (EC) No 1272/2008 **Classification / Hazard Statement** Concentration Rosin Not hazardous EU208 contains rosin. Can cause allergic reactions. (CAS-Nr.: 8050-09-7 Copper wire Not hazardous _ CAS-Nr. 7440-50-8 Einecs-Nr. 231-159-6

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.



SAFETY DATA SHEET < Lotsauglitze® / 3S-Wick® Desoldering Braid> according to Regulation (EC) No. 1907/2006

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

In case of eye contact

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

If swallowed

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Specific treatment: No specific treatment.

Protection of first-aiders: No action shall be taken involving any personal risk or without suitable training.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishig media

Suitable extinguishing media: Use an extinguishing agent suitable for the surrounding fire. Unsuitable extinguishing media: None known.

5.2 Specific hazards arising from the chemical

Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Hazardous thermal decomposition products:

Decomposition products may include the following materials: metal oxide/oxides

5.3 Special protective actions for fire-fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full facepiece operated in positive pressure mode.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel:

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

6.2 Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

6.3 Methods and materials for containment and cleaning up

Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Protective measures

Put on appropriate personal protective equipment (see Section 8). Avoid release to the environment.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.



SAFETY DATA SHEET < Lotsauglitze® / 3S-Wick® Desoldering Braid> according to Regulation (EC) No. 1907/2006

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and wellventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific Use

See section 1.2

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

None

8.2 Occupational exposure limits

None

8.3 Appropriate engineering Controls

Good general ventilation should be sufficient to control worker exposure to airborne contaminants. See also section 7 and 8.

Individual protection measures

Hygiene measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye / face protection:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with sideshields. Hand protection:

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Body protection:

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection:

Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

5.1 information on basic physical and chemical properties				
Form:	solid, copper wires			
Color	coppery			
Odor:	wood rosin			
Odor threshold:	no data available			
pH:	not applicable			
Melting point/range:	+1083°C			
Boiling point/range:	-			
Flash point:	> 260°C(closed cup)			
Evaporation rate:	no data available			
Flammability (solid, gas):	Not flammable			
Vapor pressure:	no data available			
Relative Vapor density:	no data available			
Density:	no data available			
Water solubility:	no data available			
Solubility/qualitative:	no data available			
Partition coefficient: n-octanol/wate	er: no data available			
Auto-ignition temperature:	no data available			
Thermal decomposition:	no data available			



Print: 16.07.2020 SAFETY DATA SHEET < Lotsauglitze® / 3S-Wick® Desoldering Braid> according to Regulation (EC) No. 1907/2006

Viscosity, dynamic:		
Explosive properties:		
Explosivity:		
Oxidizing properties:		

no data available no data available Product is not explosive none

9.2 Other information

No further information available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

The product is stable ..

10.3 Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid

No specific data.

10.5 Incompatible materials

Reactive or incompatible with the following materials: Strong oxidizing agents

10.6 Hazardous decomposition products Zersetzungsprodukte

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity:	not available	,			
Irritation/corrosion:	not available				
Conclusion/summary:					
conclusion/summary.	Skin: Mav ca	use sensitization	by skin contact		
		Eyes: May cause mild eye irritation.			
		Respiratory: May cause sensitization by inhalation. Inhalation of this material may cause			
Sensitization:	not available	sensitive individuals to develop eczema and/or occupational asthma.			
Mutagenicity:	not available	not available			
Carcinogenicity: Reproductive toxicity:					
		not available			
Teratogenicity:	not available pxicity (single exposure): not available				
			not available		
Specific target organ to	not available	exposure).	not available		
Aspiration hazard: Information on the likely			not available		
Potential acute health e		sure.	not available		
Potential acute health e			irritation		
	Eye contact: Inhalation:	May cause eye			
	Innalation.	by inhalation.	to eyes, skin and respiratory system. May cause sensitization		
	Skin contact:	,	irritation. May ague appointization by skip contact. May ague		
		Skin contact: May cause skin irritation. May cause sensitization by skin contact. May caus			
	allergic skin reactions with repeated exposure.				
Symptome related to th	Ingestion: No known significant effects or critical hazards. ymptoms related to the physical, chemical and toxicological characteristics				
Symptoms related to th	Eve contact:		oms may include the following: irritation, redness		
	,				
	Inhalation:Adverse symptoms may include the following: respiratory tract irritation May cause sensitization by inhalation.Skin contact:Adverse symptoms may include the following: irritation, sensitizer				
	Skin contact.		gic reactions in certain individuals.		
	Ingestion:	No specific data			
	General:		icant effects or critical hazards		
Carcinogenicity:					
Mutagenicity:	No known significant effects or critical hazards No known significant effects or critical hazards				
Teratogenicity:	No known significant effects or critical hazards				
Developmental effects:	No known significant effects or critical hazards				
Fertility effects:	No known significant effects or critical hazards				
SECTION 12: ECOLOGICAL INFORMATION					

Seite 4 von 6



12.1 Toxicity

not available 12.2. Persistence and degradability

not available

12.3 Bioaccumulative potential

not available

12.4 Mobility in soil

not available

12.5 Results of PBT and vPvB assessment

Result: This substance is not considered to be persistent, bioaccumulating nor toxic (PBT)., This substance is not considered to be very persistent and very bioaccumulating (vPvB).

12.6 Other adverse effects

No known significant effects or critical hazards

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Disposal methods: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transportation concerning IMDG, IATA, ADR/RID

14.1 UN-Nummer	Not regulated
14.2 UN proper shipping name	Copper Wire
14.3 Transport hazard class(es)	no
14.4 Packing group	none
14.5 Environmental hazards	
Labelling according 5.2.1.8 ADR:	no
Labelling according 5.2.1.8 RID:	no
Labelling according 5.2.1.6.3 IMDC	G: no
Classification as environmental hazardous according 2.9.3 IMDG:	
Labelling "P" according 2.10 IMDG	B: no
14.6 Special precautions for use	er
	not available
447 Transment in built as a subling	to Annow II of MADDOL 72/70 and the IC

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:

not available

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific fort he substance or mixture

Applicable EU Directives and Regulations:

1907/2006 [... on the Registration, Evaluation, Authorisation and Restriction of Chemicals ...and amendments thereto] 2004/42/CE [on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC.1

96/82/EC as extended by 2003/105/EC [... on the control of major-accident hazards involving dangerous substances]. Product contains a substance that falls within the criteria defined in Annex I. Refer to Directive for details of requirements taking into account the volume of product stored on site.

98/24/EC [... on the protection of workers from the risk related to chemical agents at work ...]. Refer to Directive for details of requirements.

1272/2008 [on classification, labelling and packaging of substances and mixtures.. and amendments thereto]

Refer to the relevant EU/national regulation for details of any actions or restrictions required by the above

Seite 5 von 6



Print: 16.07.2020 SAFETY DATA SHEET < Lotsauglitze® / 3S-Wick® Desoldering Braid> according to Regulation (EC) No. 1907/2006

Regulation(s)/Directive(s).

SECTION 16: OTHER INFORMATION

Other Information

Full text of H-Statements referred to under sections 2 and 3:

EU208 Contains rosin. Can cause allergic reactions.

Further information

Reason for the last update: General update Made: 12.12.1995

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. This text is a translation of the German original version (see German SDS) which in any case overrules the english version. The receiver of our product is singulary responsible for adhering to existing laws and regulations. The SDB is intellectual property of the Spirig Ernest Dipl. Ing. and is only valid for the product delivered by us. Any change of this MSDS is only allowed with a written authorization of Spirig Ernest Dipl. Ing.

Seite 6 von 6