Heatsink Extruded

multicomp PRO



Specifications

Packages Cooled Thermal Resistance External Height - Imperial External Height - Metric External Width - Imperial Mounting Type

Diagram

Description


Compact, vertical mounting extruded heatsink with solderable fixing pins and notched base. Pre-drilled for a single TO-220 package or via clip available separately.

Features

- Choice of thermal resistance
- Notched base
- Solderable mounting pins
- · Pre-drilled mounting holes
- Black anodize finish

	TO 220
•	10-220

- : 10.2°C/W
- : 1.5"
- : 38mm
- : 1.358"
- : Vertical with solderable fixing pins 3-hole pre-drilled
 - Using Clip HHS-3010



Dimensions : Millimetres

Important Notice : This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.

Newark.com/multicomp-pro Farnell.com/multicomp-pro sg.element14.com/b/multicomp-pro



Description

Heatsink TO220 10.2°C/W Notched

Part Number

MC33292