


LINK MODULE, SCREW ELECTRICAL AND MECHANICAL, FOR 3RV2.2 AND 3RT2.2, DC OPERATION OR 3RW3 SOFT STARTER OR 3RF34 SOLID-STATE CONTACTOR (MULTI-UNIT PACKAGING)




General technical data:





product brand name	SIRIUS
Product designation	link module
Design of the product	actuating voltage contactor: DC
Size of the circuit-breaker	S00, S0
Size of contactor	S0

Installation/ mounting/ dimensions:

Mounting type	screw fixing
---------------	--------------

Certificates/ approvals:

General Product Approval			Declaration of Conformity	Test Certificates	
 CSA	 UL		 EG-Konf.	<a href="#">Special Test Certificate</a>	<a href="#">Declaration of the Compliance with the order</a>

Test Certificates	Shipping Approval				
<a href="#">Type Test Certificates/Test Report</a>	 ABS	 BUREAU VERITAS	 GL	 PRS	 RINA

other		
<a href="#">Declaration of Conformity</a>	<a href="#">Environmental Confirmations</a>	<a href="#">other</a>

### Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/industrial-controls/catalogs>

**Industry Mall (Online ordering system)**

<http://www.siemens.com/industrymall>

**Cax online generator**


<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RA29211B>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**


<http://support.automation.siemens.com/WW/view/en/3RA29211B/all>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)**

<http://www.automation.siemens.com/bilddb/index.aspx?attID9=3RA29211B&lang=en>



last modified:



09.03.2015