R-TECH

Uni-directional Electret Condenser Microphone with Solder Pads



DESCRIPTION

Uni-directional microphone, PCB surface mount.

DISTINCTIVE FEATURES

- · PCB Surface mount with solder pads
- 6mm diameter
- Frequency range 50~16000Hz
- A weighted >58dB

• Signal to noise ratio (F=1KHz 1Pa)

APPLICATIONS

Suitable for Audio, consumer electronics & portable devices. Also useful for corded and cordless phones, PDAs, notebooks, mobile phones & headsets.

6mm A SMT Uni



ELECTRICAL SPECIFICATION

Standard Operating Voltage	2V	
Maximum Operating Voltage	10V	
Maximum current consumption	0.5mA	
Output impedance	< 2.2KΩ	
Frequency	50~16000Hz	
Sensitivity	-47±3dB (@F=1KHz, 0dB=1V/Pa)	
Sensitivity reduction	–3dB (@1.5V–3.0V)	
Signal to noise ratio	>58dB (F=1KHz 1Pa) A weighted	
Electrets type	Foil Type	
Internal Filtering Capacitors	C1 = 10pF, C2 = 33pF	

GENERAL SPECIFICATION

Туре	Electret Condenser Microphone Capsule	
Directivity	Uni-directional	
RoHS Compliant	Yes	



8-8-

MATERIALS

Material

Aluminium



ENVIRONMENTAL/OPERATING SPECIFICATION

Storage temperature	-20°C~+60°C
Operating temperature	-20°C~+60°C




TERMINALS


Termination	Solder Pads
-------------	-------------




Units	mm - unless stated otherwise	
Dimensions	Ø6.0±0.2 x 2.2±0.2mm	
Weight	0.907 grams	







Typical Frequency Response Curve



PART NUMBER TABLE

(

Part Number	UNSPSC	EAN	Country of Origin
52-4620	52161520	5053556008919	China

For further information on pricing, delivery, and long-term stock agreements please contact your local business development person, telephone our main office on **01206 838000** or email **Sales@Rapidonline.com**.



Tried & trusted technology

Important Notice: This data sheet and its contents (the "Information") belong to Rapid Electronics Limited or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but Rapid Electronics Limited assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where Rapid Electronics Limited were aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict Rapid Electronics Limited's liability for death or personal injury resulting from its negligence.