

Revision Date 14-Mar-2018

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

EVO-STIK THE DOG'S B\*LL\*CKS ADHESIVE AND SEALANT CRYSTAL

Supercedes Date: 14-Mar-2018 Revision Number 1

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

## 1.1. Product Identifier

Product Name EVO-STIK THE DOG'S B\*LL\*CKS ADHESIVE AND SEALANT CRYSTAL

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use** Adhesives and/or sealants.

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

## **Company Name**

Bostik GmbH An der Bundesstrasse 16 33829 Borgholzhausen, Germany Tel: +49 (0) 5425 / 801 0 Fax: +49 (0) 5425 / 801 140

E-mail address SDS.box-EU@bostik.com

## 1.4. Emergency telephone number

United Kingdom	+44 (1785) 272650
Ireland	+353 (1) 8624900 (Monday- Friday 9am-5pm)

## Section 2: HAZARD IDENTIFICATION

## 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

### 2.2. Label Elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

## Signal Word

No signal word

#### Special provisions concerning the labelling of certain mixtures

EUH210 - Safety data sheet available on request

## 2.3. Other Hazards

#### **General Hazards**

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

#### PBT and vPvB assessment

EVO-STIK THE DOG'S B\*LL\*CKS ADHESIVE AND SEALANT CRYSTAL

Supercedes Date: 14-Mar-2018 Revision Number 1

The components in this formulation do not meet the criteria for classification as PBT or vPvB

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical Name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Silane, ethenyltrimethoxy-	220-449-8	2768-02-7	1- <2.5	Acute Tox. 4 (H332) Flam. Liq. 3 (H226) STOT RE 2 (H373)		01-2119513215-52 -XXXX
Bis(2,2,6,6-tetramethyl-4-pi peridyl)sebacate	258-207-9	52829-07-9	0.1 - <1	Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)		01-2119537297-32 -XXXX

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classifed, however, the substance is listed in section 3 as it has an OEL.

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## Section 4: FIRST AID MEASURES

## 4.1. Description of first aid measures

General Advice If medical advice is needed, have product container or label at hand.

**Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get

medical attention if symptoms occur.

**Skin Contact** Wash off immediately with soap and plenty of water. In the case of skin irritation or

allergic reactions see a doctor.

**Eye contact** Immediately flush with plenty of water. After initial flushing, remove any contact lenses

and continue flushing for at least 15 minutes. Consult an ophthalmologist.

Ingestion Call a doctor or poison control centre immediately. If swallowed, rinse mouth with water

(only if the person is conscious). Small amounts of toxic methanol are released by

hydrolysis.

**Self-Protection of the First Aider** First aider: Pay attention to self-protection.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

EVO-STIK THE DOG'S B\*LL\*CKS ADHESIVE AND

**SEALANT CRYSTAL** 

Supercedes Date: 14-Mar-2018 Revision Number 1

\_\_\_\_\_\_

curing.

## Section 5: FIRE-FIGHTING MEASURES

#### 5.1. Extinguishing media

### Suitable Extinguishing Media

Carbon dioxide (CO2). Extinguishing powder. Water spray or fog. Alcohol resistant foam.

### **Unsuitable Extinguishing Media**

Do not use straight streams

## 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of toxic/corrosive gases and vapours.

Hazardous Combustion Products Carbon monoxide. Carbon dioxide (CO2).

#### 5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Do not allow run-off from fire-fighting to enter drains or water courses.

## Section 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

#### **Personal Precautions**

Use personal protection equipment. Avoid contact with skin, eyes or clothing.

## For emergency responders

Use personal protection recommended in Section 8.

#### 6.2. Environmental precautions

Prevent product from entering drains. Do not allow to enter into soil/subsoil.

## 6.3. Methods and material for containment and cleaning up

Methods for Containment Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder,

sawdust).

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

6.4. Reference to other sections

Reference to other sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 13: DISPOSAL CONSIDERATIONS

## Section 7: HANDLING AND STORAGE

## 7.1. Precautions for safe handling

## Advice on safe handling

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

## **General Hygiene Considerations**

Keep away from food, drink and animal feedingstuffs. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse.

## 7.2. Conditions for safe storage, including any incompatibilities

EVO-STIK THE DOG'S B\*LL\*CKS ADHESIVE AND

**SEALANT CRYSTAL** 

Supercedes Date: 14-Mar-2018 Revision Number 1

## **Storage Conditions**

Keep away from food, drink and animal feedingstuffs. Protect from moisture. Keep container tightly closed and dry.

### 7.3. Specific end use(s)

#### Specific Use(s)

Adhesives, sealants.

#### Other Information

Recommendation(s). Observe technical data sheet.

### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

**Exposure Limits** Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing.

Chemical Name	European Union	Ireland	United Kingdom
Methyl alcohol	TWA: 200 ppm	TWA: 200 ppm	STEL: 250 ppm
67-56-1	TWA: 260 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup>	STEL: 333 mg/m <sup>3</sup>
	S*	STEL: 600 ppm	TWA: 200 ppm
		STEL: 780 mg/m <sup>3</sup>	TWA: 266 mg/m <sup>3</sup>
		Skin	Skin

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available.

(PNEC)

8.2. Exposure controls

**Engineering Controls** Ensure adequate ventilation, especially in confined areas.

### **Personal Protective Equipment**

**Eye/Face Protection** Wear safety glasses with side shields (or goggles). Eye protection must conform to

standard EN 166

**Hand Protection** Wear suitable gloves. Gloves must conform to standard EN 374. Recommended Use:.

Neoprene™. Nitrile rubber. Butyl rubber. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Gloves should be replaced regularly and if there is any sign of damage to the glove material. The breakthrough time for the mentioned glove material is in

Remarks • Method

general greater than 480 min.

Skin and Body Protection

Wear suitable protective clothing.

Respiratory Protection Ensure adequate ventilation, especially in confined areas. In case of inadequate

ventilation wear respiratory protection.

Environmental Exposure Controls Do not allow uncontrolled discharge of product into the environment.

### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

## 9.1. Information on basic physical and chemical properties

Physical StateLiquidAppearancePasteColourColourlessOdourCharacteristic

Odour Threshold No information available

<u>Property</u> <u>Values</u>

pH
 Mo information available
 Melting point / freezing point
 No information available

United Kingdom, Ireland - BE

EVO-STIK THE DOG'S B\*LL\*CKS ADHESIVE AND

**SEALANT CRYSTAL** 

**Vapour Density** 

Supercedes Date: 14-Mar-2018 Revision Number 1

No information available

Not applicable for liquids

Boiling point / boiling range
Flash Point

No information available > 61 °C / > 141.8 °F

Evaporation Rate No information available Flammability (solid, gas) No information available

Flammability Limit in Air
Upper flammability limit:
Lower flammability limit
Vapour Pressure

No information available
No information available

Relative Density 1.05

Water Solubility Reacts with water

Solubility in Other Solvents
Partition Coefficient
Autoignition Temperature
Explosive Properties
Explosive Limits
Product cures with moisture
No information available
No information available
No information available
No information available

Upper No information available No information available No information available No information available No information available

Dynamic Viscosity No information available

9.2. Other information

Softening Point
Molecular Weight
Solvent content (%)
Solid content (%)
No information available
No information available
No information available

**Density** 1.05 g/cm³ **Bulk Density** No data available

VOC content (%)

## Section 10: STABILITY AND REACTIVITY

## 10.1. Reactivity

Product cures with moisture.

## 10.2. Chemical stability

Stable under normal conditions.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

## 10.3. Possibility of hazardous reactions

#### **Possibility of Hazardous Reactions**

None known.

## 10.4. Conditions to avoid

Protect from moisture.

## 10.5. Incompatible materials

Water.

## 10.6. Hazardous decomposition products

EVO-STIK THE DOG'S B\*LL\*CKS ADHESIVE AND SEALANT CRYSTAL

Supercedes Date: 14-Mar-2018 Revision Number 1

None under normal use and recommended storage conditions.

## Section 11: TOXICOLOGY INFORMATION

## 11.1. Information on toxicological effects

## Information on likely routes of exposure

#### **Product Information**

.

InhalationBased on available data, the classification criteria are not met.Eye contactBased on available data, the classification criteria are not met.Skin ContactBased on available data, the classification criteria are not met.IngestionBased on available data, the classification criteria are not met.SensitisationBased on available data, the classification criteria are not met.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin Corrosion/Irritation**Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

**Sensitisation** Based on available data, the classification criteria are not met.

**Germ Cell Mutagenicity** Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

**Reproductive Toxicity**Based on available data, the classification criteria are not met.

**STOT - Single Exposure** Based on available data, the classification criteria are not met.

**STOT - Repeated Exposure** Based on available data, the classification criteria are not met.

Aspiration hazard Not applicable.

Numerical measures of toxicity

**Acute Toxicity** 

The following values are calculated based on chapter 3.1 of the GHS document mg/kg

ATEmix (dermal) > 5000 mg/kg ATEmix (inhalation-vapour) 358.00 mg/l

**Component Information** 

Toxicity Data Data obtained on the component(s) include

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Silane, ethenyltrimethoxy-	LD 50 = 7120 -7236 mg/kg (Rat)	= 3360 μL/kg (Rabbit)	-
2768-02-7	OECD 401		
Bis(2,2,6,6-tetramethyl-4-piperidyl)	LD50 (rat)> 2000 mg/kg	LD50 (rat) > 3 170 mg/kg	= 500 mg/m <sup>3</sup> ( Rat ) 4 h
sebacate	OECD 423	OECD 402	, ,
52829-07-9			

## Section 12: ECOLOGICAL INFORMATION

EVO-STIK THE DOG'S B\*LL\*CKS ADHESIVE AND SEALANT CRYSTAL

Supercedes Date: 14-Mar-2018 Revision Number 1

**12.1. Toxicity** 

**Ecotoxicity** Classification is shown in section 2 of this SDS

#### **Component Information**

Data obtained on the component(s) include

Chemical Name	Algae/aquatic plants	Fish	Crustacea	M-Factor
Silane, ethenyltrimethoxy-	EC 50 (72h) > 957 mg/l	L50 (96h) = 191 mg/l	EC50(48hr) 168.7mg/l	
2768-02-7	(Desmodesmus subspicatus)	(Oncorhynchus mykiss)	(Daphnia magna)	
	EU Method C.3			
Bis(2,2,6,6-tetramethyl-4-pi	EC50 72Hr 0.705 mg/l	LC50 (96h) = 5.29 mg/l	LC50 48Hr 8.58 mg/l (Daphnia	
peridyl)sebacate	(Pseudokirchnerella	(Oryzias latipes)	magna)	
52829-07-9	subcapitata)			

### 12.2. Persistence and degradability

No information available.

#### 12.3. Bioaccumulative potential

No information available.

Partition coefficient No information available

12.4. Mobility in soil

Mobility in soil No information available.

## 12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

## 12.6. Other adverse effects

No information available

#### **Endocrine Disruptor Information**

This product does not contain any known or suspected endocrine disruptors.

## Section 13: DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

Waste from Residues/Unused

Products

Uncured product should be disposed of as hazardous waste. Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Handle contaminated packages in the same way as the product itself.

**European Waste Catalogue** 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Other Information Waste codes should be assigned by the user based on the application for which the

product was used.

## Section 14: TRANSPORTATION INFORMATION

ADR

14.1 UN/ID no Not regulated

**EVO-STIK THE DOG'S B\*LL\*CKS ADHESIVE AND** 

SEALANT CRYSTAL

**Revision Number 1** Supercedes Date: 14-Mar-2018

14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing Group Not regulated 14.5 Environmental Hazard Not applicable 14.6 Special Provisions None

14.1 UN Number Not regulated 14.2 Proper Shipping Name Not regulated Not regulated 14.3 Transport hazard class(es) 14.4 Packing Group Not regulated

14.5 Marine Pollutant Νn 14.6 Special Provisions None

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

RID

14.1 UN Number Not regulated 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing Group Not regulated 14.5 Environmental Hazard Not applicable 14.6 Special Provisions None

ICAO (air)

14.1 UN/ID no Not regulated Not regulated 14.2 Proper Shipping Name 14.3 Hazard Class Not regulated Not regulated 14.4 Packing Group 14.5 Environmental Hazard Not applicable None

14.6 Special Provisions

IATA

14.1 UN/ID no Not regulated 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing Group Not regulated 14.5 Environmental Hazard Not applicable

None 14.6 Special Provisions

## Section 15: REGULATORY INFORMATION

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

## Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

## EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EVO-STIK THE DOG'S B\*LL\*CKS ADHESIVE AND SEALANT CRYSTAL

Supercedes Date: 14-Mar-2018 Revision Number 1

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

## EU-REACH (1907/2006) - Annex XIV - List of substances subject to Authorization

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

#### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

## **Persistent Organic Pollutants**

Not applicable

### 15.2. Chemical safety assessment

No information available

## Section 16: OTHER INFORMATION

## Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H332 - Harmful if inhaled

H226 - Flammable liquid and vapour

H373 - May cause damage to organs through prolonged or repeated exposure

H318 - Causes serious eye damage

H400 - Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

#### Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: Exposure controls and personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals STOT (RE): Specific target organ toxicity - Repeated exposure STOT (SE): Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

## Key literature references and sources for data

Classification and labeling data calculated from data received from raw material suppliers

Prepared By Product Safety & Regulatory Affairs

Revision Date 14-Mar-2018

Indication of changes

**Revision Note** SDS sections updated: 2, 3.

Training Advice When working with hazardous materials, regular training of operators is required by law

Further information No information available

EVO-STIK THE DOG'S B\*LL\*CKS ADHESIVE AND SEALANT CRYSTAL

Supercedes Date: 14-Mar-2018 Revision Number 1

This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**