

Final Product/Process Change Notification Document #:FPCN23066XA

Issue Date:05 Nov 2021

Title of Change:	Henkel Green Compound 2nd source Qualification for SOD123, SOT553, SOT563, SOT143 and SC59 package.		
Proposed First Ship date:	01 Mar 2022 or earlier if approved by customer		
Contact Information:	Contact your local ons	Contact your local onsemi sales office or PCN.Support@onsemi.com or Alex.Zhang@onsemi.com	
PCN Samples Contact:	Contact your local onsemi Sales Office or < PCN.samples@onsemi.com>. Sample requests are to be submitted no later than 30 days from the date of first notification, Initial PCN or Final PCN, for this change. Samples delivery timing will be subject to request date, sample quantity and special customer packing/label requirements.		
Additional Reliability Data:	Contact your local onsemi Sales Office or c.l.yang@lps.com.cn		
Type of Notification:	This is a Final Product/Process Change Notification (FPCN) sent to customers. FPCNs are issued 90 days prior to implementation of the change. onsemi will consider this change accepted, unless an inquiry is made in writing within 30 days of delivery of this notice. To do so, contact PCN.Support@onsemi.com		
Marking of Parts/ Traceability of Change:	No update marking of parts, it is traceability of date code.		
Change Category:	Assembly Change		
Change Sub-Category(s):	Material Change		
Sites Affected:			
onsemi Sites		External Foundry/Subcon Sites	
Leshan Phoenix Semiconductor, China		None	

Description and Purpose:

This Product Change Notification is to announce the Henkel Green Compound 2nd source Qualification for SOD123, SOT563, SOT563, SOT143 and SC59 package.

	Before Change Description	After Change Description
Mold Compound	Mold Compound Hitachi GE200F	Hitachi GE200F
Wiola compound	THEODIN GEEGO	Henkel GR640 HV

There is no product marking change as a result of this change.

TEM001793 Rev. E Page 1 of 2



Final Product/Process Change Notification Document #:FPCN23066XA

Issue Date:05 Nov 2021

Reliability Data Summary:

QV DEVICE NAME: SMBT2000T1G

RMS: 39349 & 43095 PACKAGE: SC74

Test	Specification	Condition	Interval	Results
HTRB	JESD22-A108	Ta=150°C, 100% max rated V	2016 <u>brs</u>	0/231
HTSL	JESD22-A103	Ta= 150°C	2016 <u>brs</u>	0/231
IOL	MIL-STD-750 (M1037) AEC-Q101	Ta=+25°C, delta Ti=100°C On/off = 2 min	30K <u>cyc</u>	0/231
TC	JESD22-A104	Ta= -65°C to +150°C	2000 <u>ςχς</u>	0/231
HAST	JESD22-A110	130°C, 85% RH, 18.8psig, bias	192 <u>brs</u>	0/231
uHAST	JESD22-A118	130°C, 85% RH, 18.8psig, unbiased	96 <u>brs</u>	0/231
PC	J-STD-020 JESD-A113	MSL 1 @ 260 °C	-	•
RSH	JESD22- B106	Ta = 265C, 10 sec	-	0/30
SD	JSTD002	Ta = 245C, 5 sec	-	0/30

QV DEVICE NAME: SMMBTA42LT1G

RMS: 41152 PACKAGE: SOT23

Test	Specification	Condition	Interval	Results
HTRB	JESD22-A108	Ta=150°C, 100% max rated V	2016 <u>brs</u>	0/231
HTSL	JESD22-A103	Ta= 150°C	2016 <u>brs</u>	0/231
IOL	MIL-STD-750 (M1037) AEC-Q101	Ta=+25°C, delta Ti=100°C On/off = 2 min	30K <u>cyc</u>	0/231
TC	JESD22-A104	Ta= -65°C to +150°C	2000 <u>ςχς</u>	0/231
HAST	JESD22-A110	130°C, 85% RH, 18.8psig, bias	192 <u>brs</u>	0/231
uHAST	JESD22-A118	130°C, 85% RH, 18.8psig, unbiased	96 <u>brs</u>	0/231
PC	J-STD-020 JESD-A113	MSL 1 @ 260 °C	-	-
RSH	JESD22- B106	Ta = 265C, 10 sec	-	0/30
SD	JSTD002	Ta = 245C, 5 sec	-	0/30

Electrical Characteristics Summary:

Electrical characteristics are not impacted.

List of Affected Parts:

Note: Only the standard (off the shelf) part numbers are listed in the parts list. Any custom parts affected by this PCN are shown in the customer specific PCN addendum in the PCN email notification, or on the **PCN Customized Portal**.

Part Number	Qualification Vehicle
MSA1162GT1G	SMBT2000T1G + SMMBTA42LT1G
MSD601-RT1G	SMBT2000T1G + SMMBTA42LT1G

TEM001793 Rev. E Page 2 of 2