


### Advantages

- Fastenings at angles up to 30° per side
  - Quick feeding of the key into the screw thanks to feeding from various angles
  - The key does not slip out of the screw, which reduces the risk of accidents
  - No deformation of the screw head thanks to precision fitting of the ball end
- Fastenings at angles up to 25° per side
  - Higher torque transmission due to maximum core diameter
  - Elongated profile positioning for further use of the L-key
- Thanks to the combination of MagicRing® with the Wiha ball end, inserting and removing screws is possible, even in hard-to-reach locations
  - Securely holds screws made of steel and non-magnetic materials such as stainless steel, titanium, aluminium and plastics in any position
  - Can be used for all standard screws
  - Use for applications in which magnetised fastening tools cannot and may not be used (magnetic environment)!
  - Fastenings at angles up to 25° per side
- Securely holds screws made of steel and non-magnetic materials such as stainless steel, titanium, aluminium and plastics in any position
  - TORX® and TORX PLUS® screws manufactured according to Camcar Textron specifications
  - Use for applications in which magnetised fastening tools cannot and may not be used (magnetic environment)!
- Reduction of the short L-key arm, especially for hard-to-reach screws and confined spaces
  - Increase in the hand working space of over 30% and thus a reduction of the risk of injury to the knuckles and fingertips thanks to a 95° bend of the L-key
  - Improved access through a reduction of the L-key head height of up to 15%
  - Ball end geometry enables fastening at an angle of up to 25°
- Handles and holders in the same colour depending on the output size
  - This provides an overview of the tool assortment



# Wiha hexagon L-key (metric).

For Allen screws (metric).



## Hex L-key, long.

Blade: Chrome-vanadium steel, through-hardened, black finish.

Standards: Based on ISO 2936L.

Order-No.	●	↔	⌞	⌞
06358	0.7	67	6	5
06359	0.9	70	9	5
06360	1.3	80	13	5
06059	1.5	91	15	5
06361	2	101	18	5
06362	2.5	113	20	5
06363	3	128	23	5
06364	4	142	29	10
06365	5	163	33	10
06366	6	184	38	10
06367	7	194	41	5
06368	8	206	44	10
06369	10	231	50	5
06370	12	259	57	5
06371	14	291	70	5

## Wiha Info

### Colour-coding system:

- red:**  
metric hex blades
- yellow:**  
inch hex blades
- green:**  
TORX® blades
- light green:**  
TORX PLUS® blades