

Product group:	SEMIPACK	Rev.: 0
No.: PN20-030	Change of housing and gasket material for SEMIPACK3 pressure contact modules	16 Apr 2020

Dear valued partner,

Thank you for using SEMIKRON products. Within our continuous improvement activities we are working to enhance performance, quality and reliability of our products. This notification is to inform you of a relevant change.

We would like to express our sincere appreciation for your cooperation regarding the following changes and want to assure you that SEMIKRON will work closely with you to support your requirements during this transition.

Please respond to this notification by indicating your decision on the below approval form, sign it and return it to your SEMIKRON sales partner before 17 May 2020.

Subject of change: Change of housing and gasket material

SEMIKRON

SEMIPACK3 pressure contact modules

product type:

DescriptionReplacement of NORYLTM by Ultradur[®] as housing material for SEMIPACK3of change:pressure contact modules. Ultradur[®] is a standard material for many other
SEMIKRON power modules such as SEMIPACK2 or SEMIPACK 1, 5th gen.

The new housing material manifests itself by brighter shade of white colour. All function and reliability related properties of the modules with new housing will be kept unchanged. There will be no change of module datasheets.





	Along with the change of material housing, the material of the gasket between housing and baseplate will be changed. The new gasket is based on an acrylic foam material, which is replacing a polyurethane foam based gasket.
Reason for change:	Securing of the supply chain
Impact of change:	 No change of form, fit, function, except for slightly brighter shade of the housing colour different optical appearance of the black gasket edge
Identification of change:	The product part numbers and description will remain unchanged, the changed product can be identified via the date code
Time schedule for change:	Introduction of the new housing and the new gasket in the production at the earliest from CW25 on. Engineering samples will be available from CW20 onwards. Final lifetime test results will be available in CW24.
Last time order date:	-
Last time delivery date:	-
Qualification:	Changes released according to SEMIKRON qualification plan
Supporting documentation:	Qualification test summary

Author: K

Kosiba, Rastislav

Please respond to this notification by returning the attached customer approval form to your local sales partner.



According to the standard J-STD-046 no response to this notification within 30 days after receipt constitutes acceptance of the change.



Products Affected:

The following table shows the affected products and the last transactions (orders, frame orders or quotations), where available with customer part number, order or quote request reference, product quantity and date of transaction.

Part No.	Variant	Article Description	Successor Part No.	Transaction Type	Customer Reference	Document Date	Quantity	Customer Part No.
07898510		SKKT 330/16 E SPa 3 by SKSK		Order	632539	07/12/2017	3	
07898520		SKKT 250/18 E SPa 3 by SKSK		Order	473542	05/31/2018	3	
07898525		SKKT 250/16 E SPa 3 by SKSK		Order	599174	03/05/2020	216	
07898530		SKKT 250/12 E SPa 3 by SKSK		Order	835817	05/06/2019	3	
07898645		SKKD 260/16 SPa 3 by SKSK		Order	894940	04/11/2017	3	



Customer Approval Form for PN20-030 Rev. 0						
Please che	eck the appropriate box below	/:				
🗌 We agi	ree with this proposed change an	d its schedule.				
🗌 We ha	ve objections:					
Billing add	170551					
		Name:				
Company:	Newark					
Address:	217 Wilcox Avenue - -					
	SC 29341 Gaffney United States					
Signature:		Date:				
Customer No.:	SKD32277	Supplier No. : 01401				
Signature	/approval authority different	from billing address?	Yes 🗌			
Company:		Name:				
Address:						
Signature:		Date:				
Please ret	urn to your local SEMIKRON s	ales contact:				
Name:	Price, Daniel	Phone: -				
E-mail:	Daniel.Price@semikron.com	Fax: -				