

HID-HeavyDuty BSN semi-parallel for SON/ CDO/MH/HPI

HID-HeavyDuty BSN 50 L33 230V 50Hz HD1-118

Encapsulated electromagnetic copper/iron ballasts for use with an external semi-parallel ignitor for CDM, CDO, MH, HPI (Plus) and SON lamps (no ignitor needed for SON-I lamps)



Product data

• General Characteristics

Rated Number of Lamps	1 piece
Rated Ballast-Lamp	50
Power	
Rated Lamptype	SON
Application code	L33
Line Voltage	230 V
Line Frequency	50 Hz
Design	HD1-118

• Operating Characteristics

Input current with PF-correct.	0.30 A
Input current w/o PF- correct.	0.76 A
Mains voltage safety	-10%/+10%
(AC) Mains voltage	-8%/+6%
performance (AC) PowerFactor 100%	0.87 -
output power PowerFactor w/o PF	0.35 -
compens. Power losses gear	10.7 W


• Wiring Characteristics

Connector type	Screw
Striplength	7.0 mm
Wcs Ballast contacts	0.70-6.00 mm2

• Temperature Characteristics

Active temperature	No
protection	

Dimensional drawing





T-storage T-winding maximum (tw) Delta-T normal conditions	-30 (min), 130 (max) C 130 (max) C 60 C	
Approval & Application Chars		
CE marking ENEC certificate	Yes Yes	
Product Dimensions		
Length A1 Fixing Hole Distance Length A2 Width B1 Height C1 Fixing Hole Diameter D1	118.0 mm 103.0 mm 65.0 mm 53.0 mm 6.2 mm	
• Product Data		
Order code Full product code Full product name Order product name Pieces per pack Packing configuration Packs per outerbox Bar code on pack - EAN1	913657010426 913657010426 BSN 50 L33 230V 50Hz HD1-118 BSN 50 L33 230V 50Hz HD1-118 1 6 6 8711500920249	
	07445000/0070	

Bar code on outerbox - EAN3

Logistic code(s) -12NC

Net weight per piece

Product	A1 (Norm)	A2 (Norm)	B1 (Norm)	C1 (Norm)	D1 (Norm)
BSN 50 L33 230V 50Hz HD1-118	118.0	103.0	65.0	53.0	6.2

8711500062079

913657010426

1.000 kg



 $\textcircled{\mbox{\sc c}}$ 2011 Koninklijke Philips Electronics N.V. All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

www.philips.com/lighting