Bits for TORX® Screws











EAN: 4013288226013 **Size:** 75x68x20 mm

Part number:05057777001Weight:133 gArticle number:Bit-Box 20 TX HFCountry of origin:CZ

Customs tariff 82079030

number:

- For TORX® socket screws
- Holding function for recessed TORX® screws
- Also suitable for Würth ASSY screws as well as Altenloh SPAX T-STAR plus screws
- 1/4" hexagon drive (Wera connecting series 1)
- With Take it easy tool finder: colour coding by size
- In practical Bit-Box for simple removal

Premium bits for TORX® socket screws in a useful bit box. With holding function for TORX® screws as per the Acument Intellectual Properties specification. Also suitable for Würth ASSY screws as well as Altenloh SPAX T-STAR plus screws. 1/4" hexagonal, suitable for holding tools as per DIN ISO 1173-D 6.3.

Bits for TORX® Screws



Bit-Box



The slide switch allows a simple and gradual removal and reinsertion of the bits. The transparent reverse side means that it is easy to know how many bits are still in the box.

Holding function for recessed TORX® screws



The HF tools developed by Wera are ideal because they feature an optimised geometry of the original TORX® profile. The wedging forces resulting from the surface pressure between the drive tip and the screw profile mean that TORX® screws made according to Acument Intellectual Properties specifications are securely held on the tool!

Take it easy tool finder system



Depending on their size, the 867 TORX® HF bits have different coloured bands with size stamping which make the required bit quickly accessible.

Also for ASSY and SPAX T-STAR plus screws



The Wera 867/1 TX HF bits are also suitable for Würth ASSY screws as well as Altenloh SPAX T-STAR plus screws.

Bit-Box 20 TX HF, TX 20 x 25 mm, 20 pieces

Bits for TORX® Screws



Set contents:

867/1 TORX® HF Bits with holding function, TX 20 x 25 mm

05066142001 20x TX 20 x 25 mm



Web link

 $https://products.wera.de/en/bits_holders_adaptors_and_sets_the_range_of_bits_bits_for_torx_screws_bit-box_20_tx_hf.html$