

Final Product Change Notification

Issue Date: 07-Apr-2019 **Effective Date:** 05-Jul-2019 Dear *Emma Tempest*,

Here's your personalized quality information concerning products Premier Farnell PLC purchased from NXP. For detailed information we invite you to <u>view this</u> notification online

This notice is NXP Company Proprietary.

201904001F01



QUALITY

Change Category				
[]Wafer Fab Process	[] Assembly Process	[] Product Marking	[] Test Location	[] Design
[] Wafer Fab Materials	[] Assembly Materials	[] Mechanical Specification	[]Test Process	[] Errata
[] Wafer Fab Location	[] Assembly Location	[] Packing/Shipping/Labelin	[] Test g Equipmen	[X] Electrical t spec./Test coverage
[] Firmware	[] Other			0
33907 / 33908 and FS6407 / FS6408 Data Sheet Update Proposal: Modification of VCCA Output Voltage Foldback Threshold				

Description of Change

NXP Semiconductors proposes data sheet updates for the Power System Basis Chip products associated with this notification, for parameter VCCA Output Voltage Foldback Threshold. In order to improve product performance, NXP proposes the following specification value updates:

VCCA Output Voltage Foldback Threshold:

- Increase Min value from 0.5 V to 0.6 V
- Increase Max value from 1.1 V to 1.2 V

The proposed new values have been evaluated versus applications conditions and are considered low risk. The attached presentation shows the specification extract associated with these parameters. The new VCCA Output Voltage Foldback Threshold values will be incorporated in the next data sheet specification revisions.

The current data sheet specification revisions are: MC33907-MC33908D2 Rev 5.0 MC34FS6407-08 Rev 3.0

Corresponding ZVEI Delta Qualification Matrix ID: SEM-DS-01.

Reason for Change

The proposed VCCA Output Voltage Foldback Threshold specification updates improve product performance:

- Current limit foldback is a reduction of the current limit in case of VCCA voltage is very low to limit the power dissipation.

- The foldback current limitation is activated only when VCCA < VCCA_FB_TH, which means in real life a VCCA short to GND.

- Proposed higher VCCA_FB_TH specification values are safer for the device since it reduces the current for a higher voltage value.

Identification of Affected Products

Product identification does not change.

Shipment of products tested with updated limits will occur upon PCN acceptance.

Product Availability				
Sample Information				
Not applicable				
Production				
Planned first shipment 08-Jul-2019				
Anticipated Impact on Form, Fit, Function, Reliability or Quality				
Enhanced functionality associated with VCCA Output Voltage Foldback Threshold				
Data Sheet Revision A new datasheet will be issued				
Disposition of Old Products				
Existing inventory will be shipped until depleted				
Additional information				
Affected products and sales history information: see attached file Self qualification: <u>view online</u> Additional documents: <u>view online</u>				
Timing and Logistics				
In compliance with JEDEC J-STD-046, your acknowledgement of this change is expected by 07-May-2019.				
Contact and Support				
For all inquiries regarding the ePCN tool application or access issues, please <u>contact NXP "Global Quality</u> <u>Support Team"</u> .				
For all Quality Notification content inquiries, please contact your local NXP Sales Support team.				

For specific questions on this notice or the products affected please contact our specialist directly:

Name Jay Woodruff

Position AAA SPM/DES Change Management

e-mail address jay.woodruff@nxp.com

At NXP Semiconductors we are constantly striving to improve our product and processes to ensure they reach the highest possible Quality Standards. Customer Focus, Passion to Win.

NXP Quality Management Team.

About NXP Semiconductors

NXP Semiconductors N.V. (NASDAQ: NXPI) provides High Performance Mixed Signal and Standard Product solutions that leverage its leading RF, Analog, Power Management, Interface, Security and Digital Processing expertise. These innovations are used in a wide range of automotive, identification, wireless infrastructure, lighting, industrial, mobile, consumer and computing applications.

You have received this email because you are a designated contact or subscribed to NXP Quality Notifications. NXP shall not be held liable if this Notification is not correctly distributed within your organization.

This message has been automatically distributed. Please do not reply.

View Notification	Subscription	<u>Support</u>
NXP Privacy Policy Terms of Use		
NXP Semiconductors		

High Tech Campus, 5656 AG Eindhoven, The Netherlands

© 2006-2010 NXP Semiconductors. All rights reserved.