



Customer Information Notification

202109022I : CBTU02043 Datasheet Operating Cold Temperature Range Increase (-10C to 85C) to (-40C to 85C)

Note: This notice is NXP Company Proprietary.

Issue Date: Sep 27, 2021 **Effective date:** Sep 28, 2021

Here is your personalized notification about a NXP general announcement.
For detailed information we invite you to [view this notification online](#)

Management summary

Updated Section 2 "Features and Benefits", Table 2 "Ordering Options", Table 6 "Operating Conditions" and Table 8 "Dynamic and Static Characteristics" of the CBTU02043 Datasheet.

Change Category

<input type="checkbox"/> Wafer Fab Process	<input type="checkbox"/> Assembly Process	<input type="checkbox"/> Product Marking	<input type="checkbox"/> Test Process	<input type="checkbox"/> Design
<input type="checkbox"/> Wafer Fab Materials	<input type="checkbox"/> Assembly Materials	<input type="checkbox"/> Mechanical Specification	<input type="checkbox"/> Test Equipment	<input checked="" type="checkbox"/> Errata
<input type="checkbox"/> Wafer Fab Location	<input type="checkbox"/> Assembly Location	<input type="checkbox"/> Packing/Shipping/Labeling	<input type="checkbox"/> Test Location	<input type="checkbox"/> Electrical spec./Test coverage
<input type="checkbox"/> Firmware	<input type="checkbox"/> Other			

PCN Overview

Description

Updated the following Datasheet sections:

Section 2 "Features and Benefits"
Operating temperature range: -40C to 85C

Table 2 "Ordering Options"
Temperature range increased from (-10C to 85C) to (-40C to 85C).

Table 6 "Operating Conditions"
Temperature range increased from (-10C to 85C) to (-40C to 85C).

Table 8 "Dynamic and Static Characteristics"
Added condition for High and Low level input leakage current.

Reason

Ensure the customers use the proper operating temperature range of -40C to 85C instead of -10C to 85C.

Identification of Affected Products

Product identification does not change

Anticipated Impact on Form, Fit, Function, Reliability or Quality

Operating temperature range increased from (-10C to 85C) to (-40C to 85C).

Data Sheet Revision

A new datasheet will be issued

Disposition of Old Products

Existing inventory will be shipped until depleted

The Datasheet changes won't affect the CBTU02043 product inventory.

Additional information

Additional documents: [view online](#)

Remarks

The CBTU02043 device functionality won't be affected by these changes.

Contact and Support

For all inquiries regarding the ePCN tool application or access issues, please contact NXP "Global Quality Support Team".

For all Quality Notification content inquiries, please contact your local NXP Sales Support team.

For specific questions on this notice or the products affected please contact our specialist directly:

Name Emilio Polo
Position Customer Quality Engineer
e-mail address emilio.polo@nxp.com

At NXP Semiconductors we are constantly striving to improve our product and processes to ensure they reach the highest possible Quality Standards. Customer Focus, Passion to Win.

NXP Quality Management Team.

About NXP Semiconductors

NXP Semiconductors N.V. (NASDAQ: NXPI) provides High Performance Mixed Signal and Standard Product solutions that leverage its leading RF, Analog, Power Management, Interface, Security and Digital Processing expertise. These innovations are used in a wide range of automotive, identification, wireless infrastructure, lighting, industrial, mobile, consumer and computing applications.

You have received this email because you are a designated contact or subscribed to NXP Quality Notifications. NXP shall not be held liable if this Notification is not correctly distributed within your organization.

This message has been automatically distributed. Please do not reply .

NXP Semiconductors
High Tech Campus, 5656 AG Eindhoven, The Netherlands

© 2006- 2021 NXP Semiconductors. All rights reserved.

Changed Orderable Part#	12NC	Product Type	Product Description	Package Outline	Package Description	Product Status	Customer Specific Indicator	New Orderable Part#	12NC New	Product Type New	Product Description New	Product Line	Notes
CBTU02043HEJ	935308355118	CBTU02043HE	USB 3.1 Gen 1 Type C switch	H(U)QFN16	SOT1832-1	RFS	No					BLC6	