



15-Nov-2022

PCN #: PCN-22-158433

Subject : High performance P series

Description of Change : Please be aware of an upcoming specification change to the listed part numbers.

Before: parts carried CSA mark.

After: parts without CSA mark.

Reference performance test data:

Reason : In our efforts to streamline the Safety Agency Approvals on these products, TE has decided to remove the CSA Mark.

Key Dates :

Contact By Date:21-Nov-2022

Implementation Date:21-Nov-2022

Product Affected	Alias Part Number	Substitute Part Number	AliasSub Part Number
6609109-9	"PE000SL6C"		
2-1609109-6	"PM0S0SLXC"		
2-1609109-5	"PM0S0DLXC"		
3-1609109-3	"PM0S0DZXC"		
3-1609109-4	"PM0S0SZXC"		
2-1609109-4	"PM000SLXC"		
1-1609109-9	"PM000DL6C"		
2-1609109-0	"PM000SL6C"		
2-1609109-8	"PM000SZ6C"		

6609109-1	"PE000DL6C "		
3-1609109-0	"PM0S0SZ6C "		
6609109-4	"PE0S0DLXC "		
3-1609109-2	"PM000SZXC "		
2-1609109-2	"PM0S0SL6C "		
2-1609109-3	"PM000DLX C"		
6609108-1	"PE000DZ6C "		
6609108-6	"PE0S0SZXC "		
6609108-4	"PE0S0SZ6C"		
6609109-3	"PE0S0SL6C"		
6609108-7	"PE000SZXC "		
6609108-8	"PE000DZXC "		
2-1609109-1	"PM0S0DL6C "		
2-1609109-7	"PM000DZ6C "		
6609108-5	"PE0S0DZXC "		
1-6609109-0	"PE000SLXC "		
6609109-7	"PE000SZ6C"		
2-1609109-9	"PM0S0DZ6C "		
3-1609109-1	"PM000DZX C"		
6609109-6	"PE000DLXC "		
6609108-2	"PE0S0DZ6C "		
6609109-2	"PE0S0DL6C "		
6609109-5	"PE0S0SLXC "		

The dates on the product change notification (PCN) are best estimate dates determined at the time of issuance. Actual implementation dates may vary from such dates.

The change described in the PCN can be withdrawn, without notice, for any or all of the products identified on the PCN.

TE Connectivity corporate policy is for PCNs to be valid for 60 days and obsolescence notices to be valid for 180 days after date of issue.

For confirmation or additional information on the change, please contact the TE Connectivity Product Information Center at 800-522-6752 or your TE Connectivity Sales Representative.

Alert document created by IHS Markit based on content provided by TE Connectivity.