

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18

**MATERIAL**

Glass-fibre reinforced polyamide based (PA) technopolymer, grey-black colour, matte finish.

**CAPS**

Technopolymer in Ergostyle colours, matte finish; supplied with the handle, press-fit assembly, removable by a screwdriver.

Available also as accessories sold separately (see table ECA.).

Code	Description	Caps for
29831-*	ECA.B1-*	EBR.150

\* Complete with colour index (C1, ..., C17).

**STANDARD EXECUTION**

Pass-through assembly holes for cylindrical head screws with hexagon socket.

**APPLICATIONS**



EBR. handle can be assembled with: EBR-SW handles with electric switch, EBR-PN pneumatic valve, EBR-CH safety lock.

**TECHNICAL DATA**

Tensile stress and impact strength: the values F1, F2, L1 and L2 indicated in the table were obtained during breaking tests carried out with the appropriate dynamometric equipment under the test conditions shown in the figure with ambient temperature.



ERGOSTYLE® ELESAs Original design



\*Complete with colour index, example: 260511-C2 EBR.150-8-C2

<span style="display: inline-block; width: 15px; height: 15px; background-color: black; border: 1px solid black;"></span> C1	<span style="display: inline-block; width: 15px; height: 15px; background-color: orange; border: 1px solid black;"></span> C2	<span style="display: inline-block; width: 15px; height: 15px; background-color: grey; border: 1px solid black;"></span> C3	<span style="display: inline-block; width: 15px; height: 15px; background-color: yellow; border: 1px solid black;"></span> C4	<span style="display: inline-block; width: 15px; height: 15px; background-color: cyan; border: 1px solid black;"></span> C5	<span style="display: inline-block; width: 15px; height: 15px; background-color: red; border: 1px solid black;"></span> C6	<span style="display: inline-block; width: 15px; height: 15px; background-color: green; border: 1px solid black;"></span> C17
RAL7021	RAL2004	RAL7035	RAL1021	RAL5024	RAL3000	RAL6017

Code	Description	L	f	d	d1	D	h	h1	h2	B	l1	F1 [N]	F2 [N]	L1 [J]	L2 [J]	
260511-*	EBR.150-8-*	160	132±0.5	8.5	13.5	28	44	10	30	8.5	89	2800	2900	35	8	73