

EU-Type Examination Certificate for Personal Protective Equipment (PPE)

Name and address of certificate holder:

UVEX Arbeitsschutz GmbH
Würzburger Str. 181 – 189
DE – 90766 Fürth

no. **1803059 02 86**

Certificate Number

KP

Issue date:

2018-04-21

Valid until: *

2023-04-20

Name and address of manufacturer:

UVEX Arbeitsschutz GmbH
Würzburger Str. 181 – 189
DE – 90766 Fürth

Description of PPE:

Safety footwear according to EN ISO 20345

Type:

Uvex 1 (Typ 91)

Category:

S1, SRC

Certification Category: **

II

Applied standards:

DIN EN ISO 20344:2013 (EN ISO 20344:2011)**DIN EN ISO 20345:2012 (EN ISO 20345:2011)**

* Validity according to EU Regulation 2016/425 (Personal Protective Equipment, Annex V, 6.1

** according EU Regulation 2016/425 for Personal Protective Equipment, Article 19

See annex for type-identical articles!

Testing laboratory [expertises]:

PFI [1706992-01/02-20-01, 1706992-03-20-01, 1706989-01/03-20-01, 1702661-01-00-01/02, 1603849-01/03-20-01, 1603743-01/03-20-01a, 1504074-01-20-01/02, 1504074-02-20-01/02, 1504074-03-20-01/02, 1502323-01-00-01/02, 1500750-01-00-01/02, 1404382-01-20-01, 1311378-01-00-01, 1310943-01/02-20-01, 1204818-01-20-01, 1301251-01/03-20-01/02, 1301251-04/06-20-01, 1204818-01-20-02, 1209399-01/04/09/11-20-01, 1209399-02/05/10/12/14/15/16-20-01, 1604794-03-00-01, 1604793-02-00-01, 1602126-02-00-01+1207893-01-00-01, 1604793-09-00-01, 1604794-01-00-01, 1604793-03-00-01, 1604793-04-00-01, 1604793-01-00-01, 1604793-05-00-01, 1706774-01-00-01, 1800747-01-00-01]
INTERTEK [GZHT90585129]

Remarks:

none

The tested type complies with the essential requirements of Annex II of EU Regulation 2016/425 (Personal Protective Equipment).

Dr. Markus Scherer
Certifier PPE

Prüf- und Forschungsinstitut Pirmasens e.V.
Certification Body
Notified Body according to Article 24 of
EU Regulation 2016/425
ID: 0193

Dr. Sigurd Riemer
Department Manager Certification Body

EU-Type Examination Certificate for Personal Protective Equipment (PPE)

no. **1803059 02 86**

KP

Certificate Number

Description of type:

Issue date: **2018-04-21**

Valid until: * **2023-04-20**

Type:	Uvex 1 (Typ 91)
Category / Protective Function:	S1, SRC
Make:	Strobel, direct moulded
Size range:	35 - 52
Outsole:	PU-/PU-two-layer-sole Outsole: Uvex 1, Code 544 black Midsole: Standard, Code 834 darkgrey/ Code 828 darkgrey/ Code 827 black Insert: TPU, Code 738, col. blau  Insert: TPU, Code 739, col. lime  Insert: TPU, Code 737, col. red 
Toe Cap:	Plastic cap, Contender 459c, col. light grey, Code 756
Insole:	Textile, Biagioli X13-0880A1 Ibitech 252K coated, Code 600, col. beige
Insock:	Full insock, Uvex 1 3D, textile cover with PU foam: - width 10, Code 551, col. black/red - width 11, Code 518, col. black/silver - width 12, Code 552, col. black/blue - width 14, Code 596, col. black/orange Full insock, Uvex tune-up: - Low, Code 1706, col. black/blue - Mid, Code 1708, col. black/grey - High, Code 1709, col. black/orange
Anti penetration insert:	Not applicable

Annex to EU-Type Examination Certificate for Personal Protective Equipment (PPE)

to no. **1803059 02 86 01** KP
Certificate Number Annex

Identical articles of type:

Uvex 1 (Typ 91)

Issue date: **2018-04-21**
Valid until: * **2023-04-20**

* Validity according to EU Regulation 2016/425 (Personal Protective Equipment, Annex V, 6.1)

Articles description:	Design	Additional requirements / marking
8530.7/8/9/0 	A	-
8531.5/7/8/9/0 	A	-
8532.5/7/8/9/0 	B	-
8533.7/8/9/0 	B	-
8542.7/8/9/0 	A	-

Annex to EU-Type Examination Certificate for Personal Protective Equipment (PPE)

to no. **1803059 02 86 01** KP

Certificate Number

Annex

Identical articles of type:

Issue date: **2018-04-21**

Valid until: * **2023-04-20**

Uvex 1 (Typ 91)

* Validity according to EU Regulation 2016/425 (Personal Protective Equipment, Annex V, 6.1)

Articles description:	Design	Additional requirements / marking
8543.7/8/9/0 	A	-
8546.7/8/9/0 	A	-
8547.7/8/9/0 	B	-

The following test reports have been used in addition to those listed in the EU-Type Examination Certificate for the articles mentioned in this annex.

none

This annex is only valid together with the corresponding EU-Type Examination Certificate
(Certificate Number as shown on top of this page)



Dr. Markus Scherer
Certifier PPE

CE

Prüf- und Forschungsinstitut Pirmasens e.V.
Certification Body
Notified Body according to Article 24 of
EU Regulation 2016/425
ID: 0193



Dr. Sigurd Riemer
Department Manager Certification Body



ESD - Certificate



Name and address of certificate holder: UVEX Arbeitsschutz GmbH Würzburger Str. 181 – 189 DE – 90766 Fürth	No. 1803062-75-86 KP
	Issue date: 2018-04-21 Valid until: 2023-04-20 to Type Examination Certificate 1803059-02-86
Name and address of manufacturer: UVEX Arbeitsschutz GmbH Würzburger Str. 181 – 189 DE – 90766 Fürth	Description of article: Safety Footwear according EN ISO 20345
	Type: Uvex 1 (Typ 91)
	Applied standards:: EN 61340-4-3: 2002, EN 61340-5-1: 2008
	categorisation: Electrostatic Dissipative Footwear
	Climatic class: 1
article(s): 8530.7/8/9/0, 8531.5/7/8/9/0, 8532. 5/7/8/9/0, 8533.7/8/9/0, 8542.7/8/9/0, 8543.7/8/9/0, 8546.7/8/9/0, 8547.7/8/9/0	
applied expertises [Test laboratory: Expertise(s) No]: PFI [1603849-04-20-01, 1603851-05-20-01, 1504074-04-20-01]	
remarks: none	

The samples as described above have been assessed and found to be in conformance with the requirements regarding specific ESD protection elements for the handling of electronic parts and devices.

Dr. Markus Scherer
Certifier PPE

Dr. Sigurd Riemer
Department Manager Certification Body