# **Solid carbide torus milling cutter** 4 flutes, RockTec 65-coated



# Application

Torus milling cutter for processing materials up to 65 HRC, e.g. for die and mould making.

# Version

- Solid carbide ultra-fine grain
- Cutting edge finish
- HA shank in line with DIN 6535
- With clearance
- Type H
- Chip angle -5° -7°
- RockTec 65-coated
- Radius tolerance = 0/-0.010 mm

# Advantage

- Best chip removal and temperature resistance
- RockTec 65 coating for maximum service life

Application	Application Steel (N/mm²)			Stainless steel		Alu		Brass					Graphite		Titan-	Nickel-		Hard mat.	
	<700	<1000	<1300	marten.	austen.	short	long	short	long	short	long	tics	G(C)FK	GjMW	alloy	alloy	alloy	<55 HRC	<65 HRC
			180	140													95	140	120

Art. No.	16976 114	
Cutting material	VHM	
Surface	RockTec 65	
Туре	Н	
Number of cutting edges	4 PCS	
Twist angle	40°	
Tool holding device	HA parallel shank	
Overall length	Normal	
Cutting edge diameter	10 mm	
Cutting edge length	22 mm	
Length	75 mm	
Shaft diameter	10 mm	
Edge radius	0.5 mm	
fz hard 52 HRC	0.08 mm	

# **EAN-Code**

4050293198911

