

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

1001® CARPET FRESH - EXOTIC FLOWERS & PINK GRAPEFRUIT

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

perfumes
Odour inhibitor

Uses advised against:

No information available at present.

1.3 Details of the supplier of the safety data sheet

WD-40 Company Limited, PO Box 440, Kiln Farm, Milton Keynes, MK11 3LF, United Kingdom
Phone:+44 (0) 1908 555400, Fax:+44 (0) 1908 266900
Compliance@wd40.co.uk, www.wd40.co.uk

IRL

P.R. Rielly Limited KarKraft House, Kilbarrack Industrial Estate, Kilbarrack, Dublin 5, Ireland
Phone:01-832 0006, Fax:01-832 0016
web@team.ie

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number

Emergency information services / official advisory body:

IRL

National Poisons Information Centre, Beaumont Hospital, Dublin 9, Ireland, Tel.:
+353 (0)1 809 2166 (Public Poisons Info Line, 8am-10pm, 7 days a week)
+353 (0)1 809 2566 (Info for Healthcare Professionals ONLY, 24 h, 7 days a week)

Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (WDC)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

| Hazard class | Hazard category | Hazard statement |
|--------------|-----------------|--|
| Aerosol | 1 | H222-Extremely flammable aerosol. |
| Aerosol | 1 | H229-Pressurised container: May burst if heated. |

2.2 Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)



Danger

H222-Extremely flammable aerosol. H229-Pressurised container: May burst if heated.

P102-Keep out of reach of children.

P210-Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211-Do not spray on an open flame or other ignition source. P251-Do not pierce or burn, even after use.

P410+P412-Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

EUH208-Contains (R)-p-mentha-1,8-diene. May produce an allergic reaction.

Without adequate ventilation, formation of explosive mixtures may be possible.

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

SECTION 3: Composition/information on ingredients

Aerosol

3.1 Substance

n.a.

3.2 Mixture

| Propan-2-ol | |
|---|---|
| Registration number (REACH) | 01-2119457558-25-XXXX |
| Index | 603-117-00-0 |
| EINECS, ELINCS, NLP | 200-661-7 |
| CAS | 67-63-0 |
| content % | 1-5 |
| Classification according to Regulation (EC) 1272/2008 (CLP) | Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 |

| Sodium-N-lauroylsarcosinate | |
|---|---|
| Registration number (REACH) | 01-2119527780-39-XXXX |
| Index | --- |
| EINECS, ELINCS, NLP | 205-281-5 |
| CAS | 137-16-6 |
| content % | 0,1-<1 |
| Classification according to Regulation (EC) 1272/2008 (CLP) | Skin Irrit. 2, H315 Eye Dam. 1, H318 Acute Tox. 2, H330 |

| (R)-p-mentha-1,8-diene | |
|---|--|
| Registration number (REACH) | --- |
| Index | 601-029-00-7 |
| EINECS, ELINCS, NLP | 227-813-5 |
| CAS | 5989-27-5 |
| content % | 0,1-<0,25 |
| Classification according to Regulation (EC) 1272/2008 (CLP) | Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1) |

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

SECTION 4: First aid measures

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 20.06.2018 / 0001

Replacing version dated / version: 20.06.2018 / 0001

Valid from: 20.06.2018

PDF print date: 20.06.2018

1001® CARPET FRESH - EXOTIC FLOWERS & PINK GRAPEFRUIT

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Typically no exposure pathway.

Rinse the mouth thoroughly with water.

Give copious water to drink - consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

Sensitive individuals:

Allergic reaction possible.

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water jet spray / alcohol resistant foam / CO2 / dry extinguisher

Unsuitable extinguishing media

High volume water jet

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of carbon

Toxic gases

Danger of bursting (explosion) when heated

Explosive vapour/air or gas/air mixtures.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary.

Cool container at risk with water.

Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Remove possible causes of ignition - do not smoke.

Ensure sufficient supply of air.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

6.2 Environmental precautions

Prevent penetration into drains, cellars, working pits or other places in which accumulation could be hazardous.

Prevent surface and ground-water infiltration, as well as ground penetration.

If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

If spray or gas escapes, ensure ample fresh air is available.

Without adequate ventilation, formation of explosive mixtures may be possible.

Active substance:

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth) and dispose of according to Section 13.

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 20.06.2018 / 0001
 Replacing version dated / version: 20.06.2018 / 0001
 Valid from: 20.06.2018
 PDF print date: 20.06.2018
 1001® CARPET FRESH - EXOTIC FLOWERS & PINK GRAPEFRUIT

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

- Ensure good ventilation.
- Avoid contact with eyes or skin.
- Keep away from sources of ignition - Do not smoke.
- Take measures against electrostatic charging, if appropriate.
- Do not use on hot surfaces.
- Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.
- Observe directions on label and instructions for use.
- Use working methods according to operating instructions.

7.1.2 Notes on general hygiene measures at the workplace

- General hygiene measures for the handling of chemicals are applicable.
- Wash hands before breaks and at end of work.
- Keep away from food, drink and animal feedingstuffs.
- Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

- Keep out of access to unauthorised individuals.
- Not to be stored in gangways or stair wells.
- Store product closed and only in original packing.
- Observe special regulations for aerosols!
- Observe special storage conditions.
- Do not store with flammable or self-igniting materials.
- Keep protected from direct sunlight and temperatures over 50°C.
- Store in a well-ventilated place.
- Store cool.

7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

| GB | Chemical Name | Propan-2-ol | Content %:1-5 |
|----|------------------------------|--|---------------|
| | WEL-TWA: 400 ppm (999 mg/m3) | WEL-STEL: 500 ppm (1250 mg/m3) | --- |
| | Monitoring procedures: | <ul style="list-style-type: none"> - Compur - KITA-122 SA(C) (549 277) - Compur - KITA-150 U (550 382) - Draeger - Alcohol 25/a i-Propanol (81 01 631) - DFG (D) (Loesungsmittelgemische), DFG (E) (Solvent mixtures 6) - 1998, 2002 - - EU project BC/CEN/ENTR/000/2002-16 card 66-3 (2004) - Draeger - Alcohol 100/a (CH 29 701) | |
| | BMGV: --- | Other information: --- | |

| IRL | Chemical Name | Propan-2-ol | Content %:1-5 |
|-----|--|--|---------------|
| | OELV-8h: 200 ppm | OELV-15min: 400 ppm | --- |
| | Monitoring procedures: | <ul style="list-style-type: none"> - Compur - KITA-122 SA(C) (549 277) - Compur - KITA-150 U (550 382) - Draeger - Alcohol 25/a i-Propanol (81 01 631) - DFG (D) (Loesungsmittelgemische), DFG (E) (Solvent mixtures 6) - 1998, 2002 - - EU project BC/CEN/ENTR/000/2002-16 card 66-3 (2004) - Draeger - Alcohol 100/a (CH 29 701) | |
| | BLV: 40 mg/l (acetone, U, d) (ACGIH-BEI) | Other information: Sk | |

| GB | Chemical Name | Petroleum gases, liquified | Content %: |
|----|--|---|------------|
| | WEL-TWA: 1000 ppm (1750 mg/m3) (Liquefied petroleum gas (LPG)) | WEL-STEL: 1250 ppm (2180 mg/m3) (Liquefied petroleum gas (LPG)) | --- |
| | Monitoring procedures: | --- | |
| | BMGV: --- | Other information: --- | |

| IRL | Chemical Name | Petroleum gases, liquified | Content %: |
|-----|---------------|----------------------------|------------|
| | | | |

Page 5 of 14
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 20.06.2018 / 0001
 Replacing version dated / version: 20.06.2018 / 0001
 Valid from: 20.06.2018
 PDF print date: 20.06.2018
 1001® CARPET FRESH - EXOTIC FLOWERS & PINK GRAPEFRUIT

| | | |
|--------------------------------|-----------------------------------|-----|
| OELV-8h: 1000 ppm (1800 mg/m3) | OELV-15min: 1250 ppm (2250 mg/m3) | --- |
| Monitoring procedures: --- | | |
| BLV: --- | Other information: --- | |

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).
 (8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).
 (8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.
 ** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.

OELV-8h = Occupational Exposure Limit Value (8-hour reference period). (IFV) = Inhalable Fraction and Vapour. (I) = Inhalable Fraction. (R) = Respirable Fraction.
 (8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). | OELV-15min = Occupational Exposure Limit Value (15-minute reference period). (IFV) = Inhalable Fraction and Vapour. (I) = Inhalable Fraction. (R) = Respirable Fraction.
 (8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BLV = Biological limit value | Other information: Carc1A, Carc1B = carcinogenic substance, Cat. 1A or 1B. Muta1A, Muta1B = mutagenic substance, Cat. 1A or 1B. Repr1A, Repr1B = Substances known to be toxic for reproduction, Cat. 1A or 1B. Sk = can be absorbed through skin. Asphx = asphyxiant. Sen = Respiratory sensitizer. BOELV = Binding Occupational Exposure Limit Values. IOELV = Indicative Occupational Exposure Limit Values.

8.2 Exposure controls

| Propan-2-ol | | | | | | |
|---------------------|--|------------------|------------|-------|-------|-------|
| Area of application | Exposure route / Environmental compartment | Effect on health | Descriptor | Value | Unit | Note |
| | Environment - freshwater | | PNEC | 140,9 | mg/l | |
| | Environment - marine | | PNEC | 140,9 | mg/l | |
| | Environment - sediment, freshwater | | PNEC | 552 | mg/kg | |
| | Environment - sediment, marine | | PNEC | 552 | mg/kg | |
| | Environment - soil | | PNEC | 28 | mg/kg | |
| | Environment - sewage treatment plant | | PNEC | 2251 | mg/l | |
| | Environment - water, sporadic (intermittent) release | | PNEC | 140,9 | mg/l | |
| Consumer | Human - dermal | Long term | DNEL | 319 | mg/kg | (1 d) |
| Consumer | Human - inhalation | Long term | DNEL | 89 | mg/m3 | |
| Consumer | Human - oral | Long term | DNEL | 26 | mg/kg | (1 d) |
| Workers / employees | Human - dermal | Long term | DNEL | 888 | mg/kg | (1 d) |
| Workers / employees | Human - inhalation | Long term | DNEL | 500 | mg/m3 | |

| Sodium-N-lauroylsarcosinate | | | | | | |
|-----------------------------|--|-----------------------------|------------|--------|--------------|------|
| Area of application | Exposure route / Environmental compartment | Effect on health | Descriptor | Value | Unit | Note |
| | Environment - freshwater | | PNEC | 0,0297 | mg/l | |
| | Environment - marine | | PNEC | 0,003 | mg/l | |
| | Environment - sediment, freshwater | | PNEC | 0,034 | mg/kg | |
| | Environment - sediment, marine | | PNEC | 0,0034 | mg/kg | |
| | Environment - sewage treatment plant | | PNEC | 10 | mg/l | |
| | Environment - soil | | PNEC | 0,012 | mg/kg | |
| Consumer | Human - oral | Long term, systemic effects | DNEL | 0,15 | mg/kg bw/day | |

| | | | | | | |
|---------------------|--------------------|-----------------------------|------|---|-------|--|
| Consumer | Human - inhalation | Long term, systemic effects | DNEL | 5 | mg/m3 | |
| Consumer | Human - inhalation | Long term, local effects | DNEL | 5 | mg/m3 | |
| Workers / employees | Human - inhalation | Long term, systemic effects | DNEL | 5 | mg/m3 | |
| Workers / employees | Human - inhalation | Long term, local effects | DNEL | 5 | mg/m3 | |

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. BS EN 14042.

BS EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection:

Chemical resistant protective gloves (EN 374).

Recommended

Safety gloves made of butyl (EN 374)

Protective Neoprene® / polychloroprene gloves (EN 374).

Protective nitrile gloves (EN 374)

Minimum layer thickness in mm:

0,5

Permeation time (penetration time) in minutes:

> 480

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions.

The recommended maximum wearing time is 50% of breakthrough time.

Protective hand cream recommended.

Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection:

If OES or MEL is exceeded.

Filter A P2 (EN 14387), code colour brown, white

Observe wearing time limitations for respiratory protection equipment.

Thermal hazards:

Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 20.06.2018 / 0001

Replacing version dated / version: 20.06.2018 / 0001

Valid from: 20.06.2018

PDF print date: 20.06.2018

1001® CARPET FRESH - EXOTIC FLOWERS & PINK GRAPEFRUIT

9.1 Information on basic physical and chemical properties

| | |
|--|------------------------------------|
| Physical state: | Aerosol. Active substance: liquid. |
| Colour: | According to specification |
| Odour: | Perfumed |
| Odour threshold: | Not determined |
| pH-value: | Not determined |
| Melting point/freezing point: | Not determined |
| Initial boiling point and boiling range: | Not determined |
| Flash point: | Not determined |
| Evaporation rate: | Not determined |
| Flammability (solid, gas): | n.a. |
| Lower explosive limit: | Not determined |
| Upper explosive limit: | Not determined |
| Vapour pressure: | Not determined |
| Vapour density (air = 1): | Not determined |
| Density: | Not determined |
| Bulk density: | n.a. |
| Solubility(ies): | Not determined |
| Water solubility: | Not determined |
| Partition coefficient (n-octanol/water): | Not determined |
| Auto-ignition temperature: | Not determined |
| Decomposition temperature: | Not determined |
| Viscosity: | Not determined |
| Explosive properties: | Product is not explosive. |
| Oxidising properties: | No |

9.2 Other information

| | |
|---------------------------|----------------|
| Miscibility: | Not determined |
| Fat solubility / solvent: | Not determined |
| Conductivity: | Not determined |
| Surface tension: | Not determined |
| Solvents content: | Not determined |

SECTION 10: Stability and reactivity

10.1 Reactivity

The product has not been tested.

10.2 Chemical stability

Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

No dangerous reactions are known.

10.4 Conditions to avoid

Heating, open flame, ignition sources

Pressure increase will result in danger of bursting.

10.5 Incompatible materials

Avoid contact with strong oxidizing agents.

10.6 Hazardous decomposition products

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Possibly more information on health effects, see Section 2.1 (classification).

1001® CARPET FRESH - EXOTIC FLOWERS & PINK GRAPEFRUIT

| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
|----------------------------------|----------|-------|---------|----------|-------------|---------------------------|
| Acute toxicity, by oral route: | | | | | | n.d.a. |
| Acute toxicity, by dermal route: | | | | | | n.d.a. |
| Acute toxicity, by inhalation: | ATE | >20 | mg/l/4h | | | calculated value, Vapours |
| Acute toxicity, by inhalation: | ATE | >5 | mg/l/4h | | | calculated value, Aerosol |
| Skin corrosion/irritation: | | | | | | n.d.a. |

| | | | | | | |
|---|--|--|--|--|--|--------|
| Serious eye damage/irritation: | | | | | | n.d.a. |
| Respiratory or skin sensitisation: | | | | | | n.d.a. |
| Germ cell mutagenicity: | | | | | | n.d.a. |
| Carcinogenicity: | | | | | | n.d.a. |
| Reproductive toxicity: | | | | | | n.d.a. |
| Specific target organ toxicity - single exposure (STOT-SE): | | | | | | n.d.a. |
| Specific target organ toxicity - repeated exposure (STOT-RE): | | | | | | n.d.a. |
| Aspiration hazard: | | | | | | n.d.a. |
| Symptoms: | | | | | | n.d.a. |

| Propan-2-ol | | | | | | |
|---|-----------------|--------------|-------------|------------------------|--|--|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
| Acute toxicity, by oral route: | LD50 | 4570-5840 | mg/kg | Rat | OECD 401 (Acute Oral Toxicity) | |
| Acute toxicity, by dermal route: | LD50 | 13900 | mg/kg | Rabbit | OECD 402 (Acute Dermal Toxicity) | |
| Acute toxicity, by inhalation: | LC50 | 30 | mg/l/4h | Rat | | |
| Skin corrosion/irritation: | | | | Rabbit | OECD 404 (Acute Dermal Irritation/Corrosion) | Not irritant |
| Serious eye damage/irritation: | | | | Rabbit | OECD 405 (Acute Eye Irritation/Corrosion) | Eye Irrit. 2 |
| Respiratory or skin sensitisation: | | | | Guinea pig | OECD 406 (Skin Sensitisation) | Not sensitizing |
| Germ cell mutagenicity: | | | | Salmonella typhimurium | (Ames-Test) | Negative |
| Carcinogenicity: | | | | | | Negative |
| Reproductive toxicity: | | | | | | Negative |
| Specific target organ toxicity - repeated exposure (STOT-RE): | | | | | | Target organ(s): liver |
| Aspiration hazard: | | | | | | No |
| Symptoms: | | | | | | breathing difficulties, unconsciousness, vomiting, headaches, fatigue, dizziness, nausea |
| Specific target organ toxicity - repeated exposure (STOT-RE), oral: | NOAEL | 900 | mg/kg | Rat | OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) | |

| Sodium-N-lauroylsarcosinate | | | | | | |
|------------------------------------|-----------------|--------------|-------------|-----------------|--|-----------------|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
| Acute toxicity, by oral route: | LD50 | >5000 | mg/kg | Rat | OECD 401 (Acute Oral Toxicity) | |
| Acute toxicity, by inhalation: | LC50 | 1-5 | mg/l/4h | Rat | OECD 403 (Acute Inhalation Toxicity) | Solution 35% |
| Acute toxicity, by inhalation: | LC50 | 0,05-0,5 | mg/l/4h | Rat | OECD 403 (Acute Inhalation Toxicity) | Mist |
| Skin corrosion/irritation: | | >30 | % | Rabbit | OECD 404 (Acute Dermal Irritation/Corrosion) | Not irritant |
| Serious eye damage/irritation: | | >30 | % | Rabbit | OECD 405 (Acute Eye Irritation/Corrosion) | Eye Dam. 1 |
| Respiratory or skin sensitisation: | | | | Guinea pig | | Not sensitizing |

| | | | | | | |
|---|------|----|---------|-----|--|--|
| Specific target organ toxicity - repeated exposure (STOT-RE): | NOEL | 30 | mg/kg/d | Rat | | |
|---|------|----|---------|-----|--|--|

| (R)-p-mentha-1,8-diene | | | | | | |
|------------------------------------|-----------------|--------------|-------------|-----------------|--|---|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
| Acute toxicity, by oral route: | LD50 | >5000 | mg/kg | Rat | OECD 401 (Acute Oral Toxicity) | |
| Acute toxicity, by dermal route: | LD50 | >5000 | mg/kg | Rabbit | | |
| Respiratory or skin sensitisation: | | | | Mouse | OECD 429 (Skin Sensitisation - Local Lymph Node Assay) | Skin Sens. 1 |
| Symptoms: | | | | | | diarrhoea, rash, itching, gastrointestinal disturbances, mucous membrane irritation, nausea and vomiting. |

| Petroleum gases, liquified | | | | | | |
|-----------------------------------|-----------------|--------------|-------------|-----------------|--------------------|--------------|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
| Acute toxicity, by inhalation: | LC50 | >5 | mg/l | | | |

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

| 1001® CARPET FRESH - EXOTIC FLOWERS & PINK GRAPEFRUIT | | | | | | | |
|--|-----------------|-------------|--------------|-------------|-----------------|--------------------|--------------|
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
| 12.1. Toxicity to fish: | | | | | | | n.d.a. |
| 12.1. Toxicity to daphnia: | | | | | | | n.d.a. |
| 12.1. Toxicity to algae: | | | | | | | n.d.a. |
| 12.2. Persistence and degradability: | | | | | | | n.d.a. |
| 12.3. Bioaccumulative potential: | | | | | | | n.d.a. |
| 12.4. Mobility in soil: | | | | | | | n.d.a. |
| 12.5. Results of PBT and vPvB assessment | | | | | | | n.d.a. |
| 12.6. Other adverse effects: | | | | | | | n.d.a. |

| Propan-2-ol | | | | | | | |
|--------------------------------------|-----------------|-------------|--------------|-------------|-------------------------|--|--------------|
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
| 12.1. Toxicity to fish: | LC50 | 96h | >100 | mg/l | Leuciscus idus | | |
| 12.1. Toxicity to daphnia: | EC50 | 48h | 2285 | mg/l | Daphnia magna | | |
| 12.1. Toxicity to algae: | EC50 | 72h | >100 | mg/l | Desmodesmus subspicatus | | |
| 12.2. Persistence and degradability: | | 21d | 95 | % | | OECD 301 E (Ready Biodegradability - Modified OECD Screening Test) | |
| 12.2. Persistence and degradability: | | | 99,9 | % | | OECD 303 A (Simulation Test - Aerobic Sewage Treatment - Activated Sludge Units) | |

| | | | | | | | |
|--|---------|--|-------|------|------------------|---|-------------------------------------|
| 12.3. Bioaccumulative potential: | Log Pow | | 0,05 | | | OECD 107 (Partition Coefficient (n-octanol/water) - Shake Flask Method) | |
| 12.5. Results of PBT and vPvB assessment | | | | | | | No PBT substance, No vPvB substance |
| 12.4. Mobility in soil: | Koc | | 1,1 | | | | Expert judgement |
| Toxicity to bacteria: | EC50 | | >1000 | mg/l | activated sludge | | |
| Other information: | ThOD | | 2,4 | g/g | | | |
| Other information: | BOD5 | | 53 | % | | | |
| Other information: | COD | | 96 | % | | | References |
| Other information: | BOD | | 1171 | mg/g | | | |

| Sodium-N-lauroylsarcosinate | | | | | | | |
|--------------------------------------|----------|------|-------|------|-------------------------|--|-----------------------|
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
| 12.1. Toxicity to fish: | LC50 | 96h | 107 | mg/l | Brachydanio rerio | OECD 203 (Fish, Acute Toxicity Test) | |
| 12.1. Toxicity to daphnia: | EC50 | 48h | 29,7 | mg/l | Daphnia magna | OECD 202 (Daphnia sp. Acute Immobilisation Test) | |
| 12.1. Toxicity to algae: | EbC50 | 72h | 39 | mg/l | Desmodesmus subspicatus | OECD 201 (Alga, Growth Inhibition Test) | |
| 12.2. Persistence and degradability: | | 28d | 82 | % | | | Readily biodegradable |

| (R)-p-mentha-1,8-diene | | | | | | | |
|--------------------------------------|-----------|------|-------|------|---------------------|--|-------|
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
| 12.1. Toxicity to fish: | LC50 | 96h | 0,70 | mg/l | Pimephales promelas | OECD 203 (Fish, Acute Toxicity Test) | |
| 12.1. Toxicity to daphnia: | EC50 | 48h | 0,42 | mg/l | Daphnia magna | OECD 202 (Daphnia sp. Acute Immobilisation Test) | |
| 12.1. Toxicity to algae: | NOEC/NOEL | 96h | 4 | mg/l | | | |
| 12.2. Persistence and degradability: | | 28d | 92 | % | | OECD 301 D (Ready Biodegradability - Closed Bottle Test) | |

| Petroleum gases, liquified | | | | | | | |
|----------------------------|----------|------|--------|------|----------|-------------|-------|
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
| 12.1. Toxicity to fish: | LC50 | 96h | 147,54 | mg/l | | QSAR | |

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU)

16 05 04 gases in pressure containers (including halons) containing hazardous substances

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.
 Take full aerosol cans to problem waste collection.
 Take emptied aerosol cans to valuable material collection.

For contaminated packing material

Pay attention to local and national official regulations.
 Recommendation:
 Do not perforate, cut up or weld uncleaned container.
 Recycling
 15 01 04 metallic packaging


SECTION 14: Transport information

General statements

14.1. UN number: 1950

Transport by road/by rail (ADR/RID)

14.2. UN proper shipping name:
 UN 1950 AEROSOLS

14.3. Transport hazard class(es): 2.1 

14.4. Packing group: -

Classification code: 5F


LQ: 1 L

14.5. Environmental hazards: Not applicable

Tunnel restriction code: D

Transport by sea (IMDG-code)

14.2. UN proper shipping name:
 AEROSOLS

14.3. Transport hazard class(es): 2.1 

14.4. Packing group: -

EmS: F-D, S-U

Marine Pollutant: n.a

14.5. Environmental hazards: Not applicable

Transport by air (IATA)

14.2. UN proper shipping name:
 Aerosols, flammable

14.3. Transport hazard class(es): 2.1 

14.4. Packing group: -

14.5. Environmental hazards: Not applicable

14.6. Special precautions for user

Persons employed in transporting dangerous goods must be trained.
 All persons involved in transporting must observe safety regulations.
 Precautions must be taken to prevent damage.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Freighted as packaged goods rather than in bulk, therefore not applicable.
 Minimum amount regulations have not been taken into account.
 Danger code and packing code on request.
 Comply with special provisions.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:
 Comply with national regulations/laws governing the protection of young people at work (national implementation of the Directive 94/33/EC)!
 Comply with national regulations/laws governing maternity protection (national implementation of the Directive 92/85/EEC)!
 Comply with trade association/occupational health regulations.

Directive 2012/18/EU ("Seveso III"), Annex I, Part 1 - The following categories apply to this product (others may also need to be considered according to storage, handling etc.):

| Hazard categories | Notes to Annex I | Qualifying quantity (tonnes) of dangerous substances as referred to in Article 3(10) for the application of - Lower-tier requirements | Qualifying quantity (tonnes) of dangerous substances as referred to in Article 3(10) for the application of - Upper-tier requirements |
|-------------------|------------------|---|---|
| | | | |

Page 12 of 14
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 20.06.2018 / 0001
 Replacing version dated / version: 20.06.2018 / 0001
 Valid from: 20.06.2018
 PDF print date: 20.06.2018
 1001@ CARPET FRESH - EXOTIC FLOWERS & PINK GRAPEFRUIT

| | | | |
|-----|------|-------------|-------------|
| P3a | 11.1 | 150 (netto) | 500 (netto) |
|-----|------|-------------|-------------|

The Notes to Annex 1 of Directive 2012/18/EU, in particular those named in the tables here and notes 1-6, must be taken into account when assigning categories and qualifying quantities.

Directive 2010/75/EU (VOC): 13,6 %

Observe incident regulations.

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

F00403

Revised sections: n.a.

Employee training in handling dangerous goods is required.

These details refer to the product as it is delivered.

Employee instruction/training in handling hazardous materials is required.

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

| Classification in accordance with regulation (EC) No. 1272/2008 (CLP) | Evaluation method used |
|---|---|
| Aerosol 1, H222 | Classification according to calculation procedure. |
| Aerosol 1, H229 | Classification based on the form or physical state. |

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H330 Fatal if inhaled.

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Aerosol — Aerosols

Flam. Liq. — Flammable liquid

Eye Irrit. — Eye irritation

STOT SE — Specific target organ toxicity - single exposure - narcotic effects

Skin Irrit. — Skin irritation

Eye Dam. — Serious eye damage

Acute Tox. — Acute toxicity - inhalation

Asp. Tox. — Aspiration hazard

Skin Sens. — Skin sensitization

Aquatic Acute — Hazardous to the aquatic environment - acute

Aquatic Chronic — Hazardous to the aquatic environment - chronic

Any abbreviations and acronyms used in this document:

AC Article Categories

acc., acc. to according, according to

ACGIH American Conference of Governmental Industrial Hygienists

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)

AOEL Acceptable Operator Exposure Level

AOX Adsorbable organic halogen compounds

| | |
|----------------|--|
| approx. | approximately |
| Art., Art. no. | Article number |
| ATE | Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP) |
| BAM | Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) |
| BAuA | Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) |
| BCF | Bioconcentration factor |
| BGV | Berufsgenossenschaftliche Vorschrift (= Accident Prevention Regulation) |
| BHT | Butylhydroxytoluol (= 2,6-Di-t-butyl-4-methyl-phenol) |
| BMGV | Biological monitoring guidance value (EH40, UK) |
| BOD | Biochemical oxygen demand |
| BSEF | Bromine Science and Environmental Forum |
| bw | body weight |
| CAS | Chemical Abstracts Service |
| CEC | Coordinating European Council for the Development of Performance Tests for Fuels, Lubricants and Other Fluids |
| CESIO | Comité Européen des Agents de Surface et de leurs Intermédiaires Organiques |
| CIPAC | Collaborative International Pesticides Analytical Council |
| CLP | Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures) |
| CMR | carcinogenic, mutagenic, reproductive toxic |
| COD | Chemical oxygen demand |
| CTFA | Cosmetic, Toiletry, and Fragrance Association |
| DMEL | Derived Minimum Effect Level |
| DNEL | Derived No Effect Level |
| DOC | Dissolved organic carbon |
| DT50 | Dwell Time - 50% reduction of start concentration |
| DVS | Deutscher Verband für Schweißen und verwandte Verfahren e.V. (= German Association for Welding and Allied Processes) |
| dw | dry weight |
| e.g. | for example (abbreviation of Latin 'exempli gratia'), for instance |
| EC | European Community |
| ECHA | European Chemicals Agency |
| EEA | European Economic Area |
| EEC | European Economic Community |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EN | European Norms |
| EPA | United States Environmental Protection Agency (United States of America) |
| ERC | Environmental Release Categories |
| ES | Exposure scenario |
| etc. | et cetera |
| EU | European Union |
| EWC | European Waste Catalogue |
| Fax. | Fax number |
| gen. | general |
| GHS | Globally Harmonized System of Classification and Labelling of Chemicals |
| GWP | Global warming potential |
| HET-CAM | Hen's Egg Test - Chorionallantoic Membrane |
| HGWP | Halocarbon Global Warming Potential |
| IARC | International Agency for Research on Cancer |
| IATA | International Air Transport Association |
| IBC | Intermediate Bulk Container |
| IBC (Code) | International Bulk Chemical (Code) |
| IC | Inhibitory concentration |
| IMDG-code | International Maritime Code for Dangerous Goods |
| incl. | including, inclusive |
| IUCLID | International Uniform Chemical Information Database |
| LC | lethal concentration |
| LC50 | lethal concentration 50 percent kill |
| LCLo | lowest published lethal concentration |
| LD | Lethal Dose of a chemical |
| LD50 | Lethal Dose, 50% kill |
| LDLo | Lethal Dose Low |
| LOAEL | Lowest Observed Adverse Effect Level |
| LOEC | Lowest Observed Effect Concentration |
| LOEL | Lowest Observed Effect Level |
| LQ | Limited Quantities |
| MARPOL | International Convention for the Prevention of Marine Pollution from Ships |
| n.a. | not applicable |

n.av. not available

n.c. not checked

n.d.a. no data available

NIOSH National Institute of Occupational Safety and Health (United States of America)

NOAEC No Observed Adverse Effective Concentration

NOAEL No Observed Adverse Effect Level

NOEC No Observed Effect Concentration

NOEL No Observed Effect Level

ODP Ozone Depletion Potential

OECD Organisation for Economic Co-operation and Development

org. organic

PAH polycyclic aromatic hydrocarbon

PBT persistent, bioaccumulative and toxic

PC Chemical product category

PE Polyethylene

PNEC Predicted No Effect Concentration

POCP Photochemical ozone creation potential

ppm parts per million

PROC Process category

PTFE Polytetrafluorethylene

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)

REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)

SADT Self-Accelerating Decomposition Temperature

SAR Structure Activity Relationship

SU Sector of use

SVHC Substances of Very High Concern

Tel. Telephone

ThOD Theoretical oxygen demand

TOC Total organic carbon

TRGS Technische Regeln für Gefahrstoffe (=Technical Regulations for Hazardous Substances)

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

VbF Verordnung über brennbare Flüssigkeiten (= Regulation for flammable liquids (Austria))

VOC Volatile organic compounds

vPvB very persistent and very bioaccumulative

WEL-TWA, WEL-STEL WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period), WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period) (EH40, UK).

WHO World Health Organization

wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge.

No responsibility.

These statements were made by:

Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.