

SAFETY DATA SHEET CAT1002 - MACHINE DISHWASH

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name MACHINE DISHWASH

UFI: FF10-X0E8-200D-9XDX

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning agent.

Uses advised against Do not use for personal cleansing. Use only for intended applications.

1.3. Details of the supplier of the safety data sheet

Supplier Crown Supplies Limited

Unit 3, Vulcan Road North,

Norwich,

Norfolk, NR6 6AQ +44 (0)1603 403333

sales@crownsupplies.co.uk

Contact person For content of safety data sheet: technical@orcahygiene.com

Manufacturer Orca Hygiene

Blackhouse Circle,

Blackhouse Industrial Estate, Peterhead, AB42 1BN +44 (0)1779 871945

technical@orcahygiene.com

1.4. Emergency telephone number

Emergency telephone +44 (0)1779 871945

National emergency telephone For the emergency services - the ambulance, police and fire services - Tel: 999 / **number**When you need medical advice or treatment but it is not an emergency - Tel: 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Skin Corr. 1A - H314 Eye Dam. 1 - H318

Environmental hazards Not Classified

2.2. Label elements

Hazard pictograms



Signal word Danger

Hazard statements H314 Causes severe skin burns and eye damage.

Precautionary statements P102 Keep out of reach of children.

P264 Wash contaminated skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/ attention.
P501 Dispose of contents/ container in accordance with local regulations.

Contains sodium hydroxide

2.3. Other hazards

Other hazards None known

SECTION 3: Composition/information on ingredients

3.2. Mixtures

sodium hydroxide 5-10%

Classification

Skin Corr. 1A - H314 Eye Dam. 1 - H318

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical

attention if any discomfort continues.

Ingestion Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse

mouth thoroughly with water. Get medical attention if any discomfort continues.

Skin contact Rinse immediately with plenty of water. Remove contaminated clothing. Get medical attention

if irritation persists after washing.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Continue to rinse for at least 15 minutes. Get medical attention immediately. Show this

Safety Data Sheet to the medical personnel.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation Severe irritation of nose and throat. May cause an asthma-like shortness of breath.

Ingestion This product is corrosive. Small amounts may cause serious damage. May cause chemical

burns in mouth, oesophagus and stomach.

Skin contact May cause serious chemical burns to the skin.

Eye contact This product is corrosive. A single exposure may cause the following adverse effects: Severe

irritation, burning, tearing and blurred vision. Prolonged contact causes serious eye and tissue

damage. Corneal damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

Foam, carbon dioxide or dry powder.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion

products

Thermal decomposition or combustion products may include the following substances: Oxides

of carbon. Toxic gases or vapours.

5.3. Advice for firefighters

Protective actions during

firefighting

Control run-off water by containing and keeping it out of sewers and watercourses.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For personal protection, see Section 8. Contaminated surfaces will be extremely slippery. Personal precautions

6.2. Environmental precautions

Environmental precautions

Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if safe to do so. Absorb in vermiculite, dry sand or earth and place into containers.

Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains,

sewers or watercourses.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health

hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Provide adequate ventilation. Avoid contact with skin and eyes.

Advice on general occupational hygiene No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products. Wash at the end of each work shift

and before eating, smoking and using the toilet.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place.

Storage class Corrosive storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

sodium hydroxide

Short-term exposure limit (15-minute): WEL 2 mg/m³ WEL = Workplace Exposure Limit.

8.2. Exposure controls

Protective equipment





Appropriate engineering

controls

Provide adequate ventilation.

Eye/face protection Wear tight-fitting, chemical splash goggles or face shield.

Hand protection Wear protective gloves.

Other skin and body

protection

Wear appropriate clothing to prevent repeated or prolonged skin contact.

Hygiene measures When using do not eat, drink or smoke. Good personal hygiene procedures should be

implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Use appropriate skin cream to prevent drying of skin.

Respiratory protection Respiratory protection not required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Amber.

pH (concentrated solution): >11.5

Relative density 1.06 @ 20°C

Soluble in water.

Explosive properties Not applicable.

Comments Information given is applicable to the product as supplied.

9.2. Other information

Other information Not applicable.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Reactions with the following materials may generate heat: Water. Strong Acids. In contact

with some metals can generate hydrogen gas, which can form explosive mixtures with air.

Avoid contact with the following materials: Aluminium. Zinc. Tin.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous

The following materials may react violently with the product: Acids. Chlorohydrocarbons.

reactions

Reactions with the following materials may generate heat: Water, moisture.

10.4. Conditions to avoid

Conditions to avoid Avoid exposure to high temperatures or direct sunlight.

10.5. Incompatible materials

Materials to avoid Acids. Ammonia. Chlorohydrocarbons. Aluminium. Tin. Zinc.

10.6. Hazardous decomposition products

Hazardous decomposition

Hydrogen.

products

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects Information given is based on data of the components and of similar products.

Acute toxicity - oral

Notes (oral LD₅o) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC₅₀)

Based on available data the classification criteria are not met.

Skin corrosion/irritation

Skin corrosion/irritation Causes severe burns.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye damage.

Respiratory sensitisation

Respiratory sensitisation Not sensitising. Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisationNot classified. Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitroDoes not contain any substances known to be mutagenic.

Carcinogenicity

Carcinogenicity Does not contain any substances known to be carcinogenic.

Reproductive toxicity

Reproductive toxicity - fertility Does not contain any substances known to be toxic to reproduction.

Specific target organ toxicity - single exposure

STOT - single exposureNot classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

Inhalation Spray/mists may cause respiratory tract irritation. A single exposure may cause the following

adverse effects: Coughing. Difficulty in breathing. May cause damage to mucous membranes

in nose, throat, lungs and bronchial system.

Ingestion May cause burns in mucous membranes, throat, oesophagus and stomach.

Skin contact May cause serious chemical burns to the skin. Repeated exposure may cause skin dryness or

cracking.

Eye contact Causes burns. A single exposure may cause the following adverse effects: Corneal damage.

Contact with concentrated chemical may very rapidly cause severe eye damage, possibly loss

of sight.

SECTION 12: Ecological information

12.1. Toxicity

Toxicity Not considered toxic to fish

12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

12.4. Mobility in soil

Mobility The product is water-soluble and may spread in water systems.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information The generation of waste should be minimised or avoided wherever possible.

Disposal methodsThe packaging must be empty (drop-free when inverted). Waste packaging should be

collected for reuse or recycling. Dispose of waste to licensed waste disposal site in

accordance with the requirements of the local Waste Disposal Authority.

Waste class Waste code: 06 02 04

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 1824 UN No. (IMDG) 1824 UN No. (ICAO) 1824 UN No. (ADN) 1824

14.2. UN proper shipping name

Proper shipping name

(ADR/RID)

SODIUM HYDROXIDE SOLUTION

Proper shipping name (IMDG) SODIUM HYDROXIDE SOLUTION

Proper shipping name (ICAO) SODIUM HYDROXIDE SOLUTION

Proper shipping name (ADN) SODIUM HYDROXIDE SOLUTION

14.3. Transport hazard class(es)

ADR/RID class 8

ADR/RID classification code C5

ADR/RID label 8

IMDG class 8

ICAO class/division 8

ADN class 8

Transport labels



14.4. Packing group

ADR/RID packing group II

IMDG packing group

ICAO packing group

ADN packing group

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

IMDG Code segregation 18. Alkalis

group

EmS F-A, S-B

ADR transport category 2

Emergency Action Code 2R

Hazard Identification Number 80

(ADR/RID)

Tunnel restriction code (E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Control of Substances Hazardous to Health Regulations 2002 (as amended).

EH40/2005 Workplace exposure limits.

EU legislation Commission Regulation (EU) No 2015/830 of 28 May 2015.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended).

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March

2004 on detergents (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms PBT: Persistent, Bioaccumulative and Toxic substance. used in the safety data sheet vPvB: Very Persistent and Very Bioaccumulative.

Revision 1

SDS number 24370

Hazard statements in full H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

DIRECTIONS FOR USE

PRODUCT LOGO