



BREAKING DELAY DEVICE, UC 220/230V, F. CONT.
RELAYS A. MOTOR CONT. 3RT2

General technical data:

product brand name		SIRIUS
Product designation		opening delay device for contactor
Size of contactor		S00, S0
Design of the product		OFF delay device
Ambient temperature		
• during storage	°C	-40 ... +80
• during operation	°C	-20 ... +60
Protection against electrical shock		finger-safe
Product component protective wiring		No

Control circuit/ Control:

Type of voltage of the control supply voltage		AC/DC
Control supply voltage frequency		
• 1		
— Rated value	Hz	50
• 2 Rated value	Hz	60
Control supply voltage 1		
• for DC		
— Initial rated value	V	200
— Final rated value	V	240
• with AC		
— at 50 Hz Initial rated value	V	200
— at 50 Hz Final rated value	V	240
— at 60 Hz Final rated value	V	240

— at 60 Hz Initial rated value

V 200






Installation/ mounting/ dimensions:

mounting position	any
Mounting type	screw and snap-on mounting onto 35 mm standard mounting rail

Connections/ Terminals:

Type of electrical connection for auxiliary and control current circuit	screw-type terminals
---	----------------------

Certificates/ approvals:

General Product Approval	EMC	Declaration of Conformity	Test Certificates		
 CSA	 UL		 C-TICK	 EG-Konf.	Special Test Certificate

Shipping Approval



other

[Environmental Confirmations](#)

[Confirmation](#)



Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<http://www.siemens.com/industrymall>

Cax online generator




<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RT29162BL01>


Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/3RT29162BL01/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

<http://www.automation.siemens.com/bilddb/index.aspx?attID9=3RT29162BL01&lang=en>





last modified:

09.03.2015