

MAGNET COIL F. CONTACTORS 7,5KW AC 200V,  
50/60HZ, 220V, 60HZ FOR MOTOR CONTACTORS SZ  
S0, SCREW TERMINAL

General technical data:

product brand name		SIRIUS
Product designation		Magnet coil

Control circuit:

Type of voltage of the control supply voltage		AC
Apparent power loss of the magnet coil with AC typical	V·A	8.5
Control supply voltage		
<ul style="list-style-type: none"> <li>• 1 with AC                             <ul style="list-style-type: none"> <li>— at 50 Hz Rated value</li> <li>— at 60 Hz Rated value</li> </ul> </li> <li>• 2 with AC                             <ul style="list-style-type: none"> <li>— at 60 Hz Rated value</li> </ul> </li> </ul>	V V V	200 200 220
Operating range factor control supply voltage rated value of the magnet coil with AC		
<ul style="list-style-type: none"> <li>• at 50 Hz</li> <li>• at 60 Hz</li> </ul>		0.8 ... 1.1 0.85 ... 1.1

Certificates/ approvals:

General Product Approval	Declaration of Conformity	Test Certificates	Shipping Approval
--------------------------	---------------------------	-------------------	-------------------



[Special Test Certificate](#)



Shipping Approval	other
-------------------	-------



GL



LRS



RMRS

[Environmental Confirmations](#)

[Confirmation](#)



VDE

Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/industrial-controls/catalogs>

**Industry Mall (Online ordering system)**

<http://www.siemens.com/industrymall>

**Cax online generator**

<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mfb=3RT29245AN61>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<http://support.automation.siemens.com/WW/view/en/3RT29245AN61/all>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)**

<http://www.automation.siemens.com/bilddb/index.aspx?attID9=3RT29245AN61&lang=en>

last modified:

09.03.2015