

Leila LXM series



Ordering number FA11937 Description FA11937_LXM-RS

Family Leila Type Assembly LED XM-L Color Black Diameter 21.6 mm Height 14.6 mm Style Round **PMMA** Optic Material PC Holder Material Tape Fastening Status Ready

FWHM 14 degrees Efficiency -

cd/lm -Gerber File Available



Ordering number FA11938 Description FA11938_LXM-D

Family Type Assembly **LED** XM-L Color Black Diameter 21.6 mm Height 14.6 mm Style Round **PMMA** Optic Material PC Holder Material Fastening Tape Status Ready

FWHM 20 degrees Efficiency -

cd/lm -Gerber File Available



Ordering number FA11939 Description FA11939_LXM-M

Family Leila Type Assembly LED XM-L Color Black Diameter 21.6 mm Height 14.6 mm Round Style Optic Material **PMMA** Holder Material PC Fastening Tape

Status

Status

FWHM 30 degrees

Efficiency - cd/lm -

Gerber File Available



Ordering number FA11941 Description FA11941_LXM-REC

Ready

Family Leila Type Assembly LED XM-L Color Black Diameter 21.6 mm 14.6 mm Height Style Round Optic Material **PMMA** Holder Material PC Fastening Tape

Ready

FWHM 37+28 degrees

Efficiency cd/lm -

Gerber File Available

LEDIL A WORLD OF INNOVATION

Leila LXM series

June 30th 2011 13:47 Copyright Ledil Oy - Subject to change without prior notice - Page 2/3

http://www.ledil.com email: ledil@ledil.com FAX: +358-2-733 8001



Leila LXM series

Specially designed for XM-L series of LEDs.

Fastening to heat sink with a PU foam adhesive tape of automotive grade.

Please find fastening details by clicking link below:

http://ledil.fi/sites/default/files/Documents/Technical/Installation/20110406_DataSheet_TAPE.pdf

We advise customer to ensure the suitability and sufficiency of the bond in the end product. For example, mechanical stress, vibration and holes on the surface of the circuit boar weaken the strength of the tape.





























