

Product Search Data Sheet

Note: This datasheet may be out of date

Please download the latest datasheet of NFZ03SG102SN10# from the official website of Murata Manufacturing Co., Ltd.


https://www.murata.com/en-us/products/productdetail?partno=NFZ03SG102SN10%23


### NFZ03SG102SN10#

"#" indicates a package specification code.

#### In Production RoHS REACH

< List of part numbers with package codes > NFZ03SG102SN10B NFZ03SG102SN10D





- 1. NFZ03SG series is designed for noise suppression of audio lines such as class D amplifier. This product can suppress noise about the range from 700MHz to 2GHz without distorting audio waveform. We have set the impedance specify frequency as 900MHz in this reason.
- 2. The nickel barrier structure of the external electrodes provides excellent solder heat resistance.
- 3. Low DC resistance of NFZ03SG series meets large current. Its rated current ranges from 180mAto 305mA.

#### Applications

Other Usage	For general
-------------	-------------

#### Packaging Information

Packaging	Specifications	Minimum Order Quantity
В	Bulk(Bag)	1000
D	180mm Paper Tape	15000

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering





Note: This datasheet may be out of date

Please download the latest datasheet of NFZ03SG102SN10# from the official website of Murata Manufacturing Co., Ltd.

Co., Ltd. https://www.murata.com/en-us/products/productdetail?partno=NFZ03SG102SN10%23

# NFZ03SG102SN10#

#### "#" indicates a package specification code.

# Specifications

Shape	SMD	Impedance (at 1.7GHz)	900Ω
Size Code (in mm)	0603	Impedance (at 1.7GHz) Tolerance	(Тур.)
Size Code (in inch)	0201		
Length	0.6mm		
Length Tolerance	±0.03mm		
Width	0.3mm		
Width Tolerance	±0.03mm		
Thickness	0.3mm		
Thickness Tolerance	±0.03mm		
Rated Current	210mA		
Operating Temperature Range	-55℃ to 125℃		
Mass(typ.)	0.3mg		
Number of Circuit	1		
DC Resistance(max.)	1.3Ω		
DC Resistance	1Ω (Тур.)		
Impedance (at 900MHz)	1000Ω		
Impedance (at 900MHz) Tolerance	(Тур.)		

2 of 3

Attention
1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued
without a drage product angineers before ordering.

without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering

Therefore, prease review our product specifications or consult the approval sheet for product specifications before ordering



Product Search Data Sheet

Note: This datasheet may be out of date.


Please download the latest datasheet of NFZ03SG102SN10# from the official website of Murata Manufacturing Co. Ltd.


Co., Ltd. https://www.murata.com/en-us/products/productdetail?partno=NFZ03SG102SN10%23

### NFZ03SG102SN10#

"#" indicates a package specification code.







(Resistance element becomes dominant at high frequencies.)

Impedance-Frequency Characteristics

Equivalent Circuit

 This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
 This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

3 of 3