

1838275-4 ✓ ACTIVE

TE Internal #: 1838275-4

Standard Circular Connectors, Wire-to-Wire, 4 Position, Sealable, Wire & Cable, 2A Contact Current Rating (Max), Signal, Reverse Gender

[View on TE.com >](#)



Connectors > Circular Connectors > Standard Circular Connectors



Connector System: **Wire-to-Wire**

Number of Positions: **4**

Sealable: **Yes**

Connector & Contact Terminates To: **Wire & Cable**

Contact Current Rating (Max): **2 A**

## Features

### Product Type Features

Product Type	Connector
Prewired	No
Circular Connector Shell Type	All Plastic
Assembly Type	Electrical Connector
Connector Product Type	Connector Assembly
Assembly Requirement	Factory Assembled
Connector System	Wire-to-Wire
Sealable	Yes
Connector & Contact Terminates To	Wire & Cable
Circular Connector Type	Plug
Shell Type	Plastic

### Configuration Features

Factory Installed Backshell	Without
Number of Positions	4
Number of Power Positions	0
Number of Signal Positions	4
Contacts Preloaded	Yes

### Electrical Characteristics

Operating Voltage	500 VAC
-------------------	---------



### Body Features

Environmental Protection Type	Sealed
Environmental Protection	With
Circular Connector Insulation Material Type	PA
Hermetically Sealed	Yes

### Contact Features

Contact Current Rating (Max)	2 A
Reverse Gender	Yes
Circular Connector Contact Type	Pin

### Mechanical Attachment

Polarization Code	A
Mating Alignment Type	1 Key
Mating Retention	With

### Housing Features

Circular Connector Shell Size	15
-------------------------------	----

### Dimensions

Wire Size	.34 – .5 mm <sup>2</sup>
-----------	--------------------------

### Usage Conditions

Operating Temperature Range	-40 – 85 °C[-40 – 185 °F][-40 – 185 °F]
-----------------------------	---

### Operation/Application

Circuit Application	Signal
Shielded	No

### Packaging Features

Packaging Quantity	20
--------------------	----

### Other

Field Serviceable	Yes
-------------------	-----

### Product Compliance

For compliance documentation, visit the product page on [TE.com](https://www.te.com)>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions



China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Hand solderable with lead free solder

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

### Compatible Parts



TE Part # 1838274-4  
M12 Fld Ser CONN. Female Skt Sldr



TE Part # CAT-C73765-M1E  
M12 Field Installable Unshielded

### Customers Also Bought



TE Part #1-2823587-3  
M12 R/A CRIMPED STRAIN RELIEF




TE Part #T4171120008-001  
M12 Panel Mount Wire



TE Part #1487588-2  
USB, A-B, 28/24, WHITE, 1.5M



TE Part #1838274-4  
M12 Fld Ser CONN. Female Skt Sldr



TE Part #1-1478401-0  
BNC Str Plg PS 50Ohm Silver RG58C  
/U, 141



TE Part #1623932-8  
CFR50 5% 10K



TE Part #1676979-3  
TW 1W 1K 6.35X25PL



TE Part #1622386-1  
LR1 1% 220R



TE Part #1622466-5  
LR1 1% 3K83



TE Part #1643917-1  
703-14-00100

## Documents

### Product Drawings

[M12 Fld Ser CONN. Male Pin Sldr](#)

English

### CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG\\_CVM\\_CVM\\_1838275-4\\_B.2d\\_dxf.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_1838275-4\\_B.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_1838275-4\\_B.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Datasheets & Catalog Pages

[M8 / M12 Connector System Catalog](#)

English

### Product Specifications

[Product Specification](#)

English