

# GP Batteries

## PRODUCT SPECIFICATION

### GP Portable PowerBank Model : GL301

#### Revision History

Revision	Date	Initiator	Reason for Change
00	15 June 2012	KY Cheuk	New release
01	24 August 2012	KY Cheuk	Updated safety protections, approval

Prepared By	Approved By
KY Cheuk	Tom Tsang
Date: 24 August 2012	Date: 24 August 2012

#### **GPI International Limited**

Gold Peak Building, 8/F, 30 Kwai Wing Road,  
Kwai Chung, New Territories, Hong Kong.  
Tel: (852) 2484 3333 Fax: (852) 24805912  
Email: [gpii@goldpeak.com](mailto:gpii@goldpeak.com)  
Website: <http://www.gpbatteries.com>

# GP Batteries

**Product Specification**

**Model no.: GL301**



Micro USB Charging Cable  
(Input / Output)

---


Product Name	:	GP Portable PowerBank GL301
Description	:	Back up power for USB powered electronic devices (e.g. iPhone 4S, iPad 2)
Battery Rating	:	Li-ion 3.7V 10400mAh 38.48Wh
Input	:	1A / 5V DC (max)
Output	:	2.1A +1A (Dual Output)/ 5V DC (max)
Application	:	Charge USB powered electronic devices
Recharging Time	:	11.5 hours (approx.)
Discharging Time	:	2 hours (approx.) (The discharging time may vary for different devices)
Operation Temperature	:	0°C to 40°C
Safety Protections	:	1) Over temperature protection 2) Over power protection 3) Over / under voltage protection 4) Short circuit protection

# GP Batteries

## Product Specification

Model no.: GL301


LED Indication : **Charging the Portable PowerBank :**



**Discharging the Portable PowerBank :**

Refer to the electronic device for charging status.

**Press button to show battery status :**



Dimensions : 111 (L) x 76.8 (W) x 24 (H) mm

Weight : 260g (approx.)

Approval : CE, FCC

Warranty Period : 12 months from ex-factory date