



SITOR FUSE-LINK FOR SEMICONDUCTOR PROTECTION 200A AR, AC 690V, DC 700V SIZE 000, BRACKETS 80MM

Figure similar

| Model  |    |                          |
|--|----|--------------------------|
| product brand name   |    | SETRON                   |
| Design of an identification indicator  |    | front indicator          |
| Design of the fuse link  |    | SITOR, LV HRC design     |
| General technical data   |    |                          |
| Size of fuse system / acc. to DIN EN 60269-1                                   |    | NH000                    |
| Operating class of the fuse link   |    | aR                       |
| circuit-breaker / Design   |    | 3NE                      |
| Switching capacity   |    |                          |
| <b>Switching capacity current</b>  |    |                          |
| • for DC / acc. to IEC 60947-2 / Rated value                                   | kA | 50                       |
| • acc. to IEC 60947-2 / Rated value  | kA | 200                      |
| Dissipation  |    |                          |
| <b>Active power loss</b>   |    |                          |
| • for rated value of the current / with AC / in hot operating state / per pole | W  | 36                       |
| Electricity  |    |                          |
| rated current I <sub>n</sub> / IEC, DIN/VDE / at 40 Cel                        | A  | 200                      |
| Current / with AC / Rated value  | A  | 200                      |
| Mechanical Design  |    |                          |
| mounting position  |    | Any, preferably vertical |
| Environmental conditions   |    |                          |
| Ambient temperature  |    |                          |

- minimum
- maximum

|    |     |
|----|-----|
| °C | -20 |
| °C | 50  |

### Certificates

#### Equipment marking

- acc. to DIN EN 61346-2
- acc. to DIN EN 81346-2

F  
F

#### General Product Approval

#### Declaration of Conformity



### Further information

#### Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

#### Industry Mall (Online ordering system)

<https://eb.automation.siemens.com/mall/en/WW/Catalog/Product/3NE87251>

#### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/3NE87251/all>

#### Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3NE87251](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NE87251)

#### CAX-Online-Generator

<http://www.siemens.com/cax>

#### Tender specifications

<http://ausschreibungstexte.siemens.com/tiplv>



last modified:

11.03.2015