### **INDIVIDUAL LOUDSPEAKERS**



# **PUBLIC ADDRESS**

4" O.D. Speaker, 5 Ounce Magnet, 8Ω

### **GENERAL DESCRIPTION**

The 4C3PA is a 4" square frame loudspeaker with a cloth surround, 5 oz. magnet, and an 8 Ohm nominal impedance. Frame has black powder coat finish.

## **INTENDED USE - Indoor Environment**

**Program Material** | Signal tones, voice, and music

## **AUDIO SPECIFICATIONS**

Average Sensitivity Loudspeaker Power Rating Frequency Response | 80 Hz - 17 kHz EIA 426A Standard

96 dB SPL, 1W/1M 10W RMS, EIA 426A Standard Calculated Output | 103 dB SPL, 5W/ 1M Magnet Type & Weight | BeFe Ceramic, 5 oz. Nominal


Nominal Coverage Angle 90° Included Angle, -6 dB / 2 kHz, Half space


Audio Connection 0.205" Spade lug



## **RECOMMENDED QUAM ACCESSORIES**

**BR4WS Only** Mounting Device | SSB-4 Only





Recommended construction sequences, installation instructions, and A&E Specifications are available in various formats in the QUAM Architects' and Engineers' Resources section on the web at: www.QuamSpeakers.com

