

General Information

Extended Product Type: 463RS6

 Product ID:
 2CMA167484R1000

 EAN:
 7392696674843

Catalog Description: Surface socket-outlet, 6h, 63A, IP44, 3P+N+E

Long Description: Surface socket-outlet, earthing sleeve position 6h, rated current 63A, IP44 splashproof, 3-

poles+neutral+earth, frequency 50-60 Hz, color code Red

Categories

Products » Low Voltage Products and Systems » Industrial Plugs and Sockets » Plugs & Sockets » Surface Socket Outlets

Ordering

EAN: 7392696674843 Minimum Order Quantity: 1 piece

Country of Origin: Czech Republic (CZ)

Dimensions

Product Net Width: 107 mm

Product Net Height: 254 mm

Product Net Length: 136 mm

Product Net Depth: 254 mm

Product Net Weight: 1.05 kg

Container Information

Package Level 1 Width: 116 mm
Package Level 1 Length: 267 mm
Package Level 1 Height: 145 mm
Package Level 1 Gross Weight: 1.06 kg
Package Level 1 EAN: 7392696674843
Package Level 1 Units: 1 piece

Environmental

RoHS Status: Planned to follow EU Directive 2002/95/EC August 18, 2005 and amendment after 2006-03-01

Certificates and Declarations (Document Number)

 Declaration of Conformity - CE:
 2CMC700005D0001

 Environmental Information:
 2CMC700001D0002

 RoHS Information:
 2CMC700057D0001

Additional Information

 Additional Information:
 Cable entry, M32, alternative rear knock-out cable entry

 Cable Cross-Section:
 6 ... 25 mm²

 Color:
 Red

Degree of Protection: acc. to IEC 60529 IP44

Enclosure Material: Thermoplastic polyester (PBT)

Frequency (f): 60 Hz

Function: Surface socket outlet
IIT Publishing Status: Level 0 - Information enabled
Invoice Description: Ind. P&S#463RS6

Number of Poles: 4

Object Classification Code:2CMT005069Product Main Type:TRS

Product Name: Industrial Socket Outlet

Protection Type: Splashproof
Rated Current (I_n): 63 A

Rated Voltage (U_r): $346 \diamondsuit 415 \lor 346 \dots 415 \lor$

RoHS Date: L23 Standards: IEC

Standards: IEC 60309-1,-2
Suitable For: Surface Socket Outlets

Suitable for Product Class:

Industrial Plugs and Sockets

Classifications

E-nummer: 2416518 **UNSPSC:** 39120000



