# multicomp PRO



# RoHS Compliant

#### **Environmental & Mechanical Characteristics**

Temperature : -40°C to +70°C
Humidity : 95% @55°C
Waterproof Rating : IP67
Housing Color : Grey

Housing Material : PC (UL 94 V-0 f1)
 Cable length : L=1.5m, LMR100A × 3

• Dimensions : 240mm (L) × 65.6mm (W) × 38.7mm (T)

### LTE-1 / LTE-2 Specification

Frequency Range : 698MHz to 960MHz / 1710MHz to 2170MHz / 2300MHz to 2690MHz

Polarization : Linear
 HPBW / Horizontal : 360°
 HPBW / Vertical : 60°

Peak Gain : 3.3dBi Max. (exclude cable loss)

Efficiency : 70% typ.
 V.S.W.R : 3 max:1 typ
 Power Handing : 2W (cw)
 Impedance : 50Ω

Connector : STD - SMA Plug

#### **GPS/GLONASS Antenna Specification**

### Overall Specification. (Through Antenna, LNA, without cable loss)

 Frequency Domain : 1575.42MHz to 1602MHz
 Zenith Gain : 1575.42MHz @ 29.2 ±3dB 1602MHz @ 29 ±3dB

 $\begin{array}{lll} \bullet & \mbox{Output Impedance} & : 50\Omega \\ \bullet & \mbox{Output V.S.W.R} & : 2 \mbox{ max:1 typ.} \\ \bullet & \mbox{Operation Voltage} & : 3V \pm 0.1V \\ \end{array}$ 

• Current : 6 ±2mA

## **LNA Specification**

Frequency Domain : 1565.42MHz to 1605.89MHz
 Gain : 1575.42MHz @ 28 ±3dB

1602MHz @ 27 ±3dB

Frequency Domain : 1575.42MHz to 1602MHz • Noise Figure : 3dB typ

Zenith Gain : 1575.42MHz @ 1.2dBic • Filter Outband attenuation : 25dB typ. @ ±50MHz

Newark.com/multicomp-pro Farnell.com/multicomp-pro Element14.com/multicomp-pro

**Patch Specification** 






## **Performance Summary**

**VSWR** 

Frequency (MHz)	698 to 960	1710 to 2170	2500 to 2690
VSWR	4 Max. :1	2.5 Max. :1	

## Gain Table – LTE-1 / LTE-2 Antenna EFFICIENCY



Newark.com/multicomp-pro Farnell.com/multicomp-pro Element14.com/multicomp-pro




LTE-2

# multicomp PRO

## **Radiation Pattern**

LTE-1 Antenna




Newark.com/multicomp-pro Farnell.com/multicomp-pro Element14.com/multicomp-pro



# multicomp PRO

## **Radiation Pattern**






Newark.com/multicomp-pro Farnell.com/multicomp-pro Element14.com/multicomp-pro







- 1. Antenna TOP Cover
- 2. Panel(housing)
- 3. Washer
- 4. Nut
- 5. SMA Plug x3
- 6. connector

### **Part Number Table**

Description	Part Number
Outdoor Antenna, 2 × LTE and 1 × GPS, Linear, Thru-hole Mount, 1.5m Cable, IP67	MP001579

Important Notice: This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.

Newark.com/multicomp-pro Farnell.com/multicomp-pro Element14.com/multicomp-pro

