

Datasheet revision 1.1 www.chipquik.com

# Liquid Flux Water Washable in 30ml (1.0oz) Squeeze Bottle w/tip

# **Product Highlights**

A liquid flux that is non-flammable Low solids Water soluble Highly activated rosin **VOC Free** 

Ideal for all rework, solder, and de-solder applications

Excellent wetting

Easily cleaned with water or isopropyl alcohol (IPA) Can be used with Leaded and Lead-Free applications

RoHS II and REACH compliant



## **Specifications**

Flux Type: Water Washable Liquid Flux (for Leaded and Lead-Free applications) Flux Classification: ROM1 (Water Soluble, Must be cleaned off post-use using Water or IPA)

VOC Content: **VOC Free** Specific Gravity: 1.09

Packaging: 30ml Squeeze Bottle

Shelf Life: Refrigerated >24 months, Unrefrigerated >24 months

#### Storage and Handling

Store refrigerated or at room temperature 3-25°C (37-77°F). The liquid flux can be allowed to freeze. Freezing will not degrade this product. Allow 4 hours for flux to reach an operating temperature of 20-25°C (68-77°F) before use.

# **Transportation**

This product has no shipping restrictions. Shipping below 0°C (32°F) or above 25°C (77°F) for normal transit times by ground or air will not impact this product's stated shelf life.

### Cleaning

This is a water soluble liquid flux, post-use cleaning is required. Clean with water or isopropyl alcohol (IPA).

## **Conforms to the following Industry Standards:**

J-STD-004B, Amendment 1 (Solder Fluxes): RoHS 2 Directive 2011/65/EU:

Yes Yes