

Plug - ME 22,5 TBUS 1,5/ 5 VPE1 KMGY - 2202543

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Bus connector to connect ME-MAX modules on the DIN rail; suitable for ME-MAX DEV-KITS; contains ME 22,5 TBUS 1,5/ 5

Why buy this product

- DIN rail connector with overall width of 22.5 mm with 5 positions (parallel)
- Up to 8 A per position can be transmitted
- Can be used up to 125 V

RoHS

Key Commercial Data

Packing unit	1 STK
GTIN	
GTIN	4055626142371
Weight per Piece (excluding packing)	6.900 g
Custom tariff number	85366990
Country of origin	Germany

Technical data

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Classifications

eCl@ss

eCl@ss 4.0	27180401
eCl@ss 4.1	27180401
eCl@ss 5.0	27180506
eCl@ss 5.1	27180506

Plug - ME 22,5 TBUS 1,5/ 5 VPE1 KMGY - 2202543

Classifications

eCl@ss

eCl@ss 6.0	27260704
eCl@ss 7.0	27440402
eCl@ss 8.0	27182702
eCl@ss 9.0	27182702

ETIM

ETIM 2.0	EC001031
ETIM 3.0	EC001031
ETIM 4.0	EC002638
ETIM 5.0	EC001031
ETIM 6.0	EC001031

UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approval details

EAC		B.01742
-----	--	---------

Accessories

Additional products

Plug - ME 22,5 TBUS 1,5/ 5 VPE1 KMGY - 2202543

Accessories

Electronic housing - ME MAX 22,5 2-2 DEV-KIT KMGY - 2202524



DEV-KIT ME MAX: contains 1 x ME MAX 22,5 2-2 housing and pluggable connection technology (4x MSTBO with 4x MSTBT), supplied in individual parts

PCB - ME MAX/16 2-2 TBUS DEV-PCB - 2202542



Perfboard for the ME-MAX DEV-KIT; for 4-pos. MSTBO header; ideal for manual soldering