

dsPIC33EP512GM710 100-Pin TQFP to 100-Pin Plug-In Module (PIM) Information Sheet

OVERVIEW

The dsPIC33EP512GM710 100-Pin TQFP to 100-Pin Plug-In Module (PIM) (MA330035) is designed to demonstrate the capabilities of the dsPIC33EP512GM710 device, which is a high-performance, 16-bit Digital Signal Controller (DSC). Refer to [Figure 1](#) for the device schematics and [Figure 2](#) for the PIM connector schematics.

This PIM can be used for many general purpose applications along with the Explorer 16 Development Board. This routing is intended to maximize the compatibility of the PIM with the Explorer 16 Development Board (DM240001) and its related PICtail™ Plus Daughter Boards.

[Table 1](#) shows the mapping between the 100-pin PIM interface board and the device pins.

TABLE 1: 100-PIN TQFP TO 100-PIN PIM


Device Pin #	dsPIC33EP512GM710 Device Pin Descriptions	PIM Pin #	Device Pin #	dsPIC33EP512GM710 Device Pin Descriptions	PIM Pin #
1	AN23/RP127/RG15	1	21	AN9/RPI27/RA11	21
2	VDD	2	22	OA2OUT/AN0/C2IN4-/C4IN3-/RPI16/RA0	22
3	TDI/PWM4L/PMD5/RA7	3	23	OA2IN+/AN1/C2IN1+/RPI17/RA1	23
4	RPI46/PWM1H/T3CK/T7CK/PMD6/RB14	4	24	PGED3/OA2IN-/AN2/C2IN1-/SS1/RPI32/CTED2/RB0	24
5	RPI47/PWM1L/T5CK/T6CK/PMD7/RB15	5	25	PGEC3/VREF+/(CVREF+)/OA1OUT/AN3/C1IN4-/C4IN2-/RPI33/CTED1/RB1	25
6	PWM5L/RD1	6	26	PGEC1/OA1IN+/AN4/C1IN3-/C1IN1+/C2IN3-/RPI34/RB2	26
7	PWM5H/RD2	7	27	PGED1/OA1IN-/AN5/C1IN1-/(CTMUC)/RP35/RTCC/RB3	27
8	PWM6L/T9CK/RD3	8	29	VREF1+/AN34/PMA7/RF10	28
9	PWM6H/T8CK/RD4	9	28	VREF1-/AN33/PMA6/RF9	29
10	AN19/RP118/PMA5/RG6	10	30	AVDD	30
11	AN18/ASCL1/RPI119/PMA4/RG7	11	31	AVSS	31
12	AN17/ASDA1/RP120/PMA3/RG8	12	32	OA3OUT/AN6/C3IN4-/C4IN4-/C4IN1+/RP48/OCFB/RC0	32
13	MCLR	13	33	OA3IN-/AN7/C3IN1-/C4IN1-/RP49/RC1	33
14	AN16/RPI121/PMA2/RG9	14	34	OA3IN+/AN8/C3IN3-/C3IN1+/RPI50/U1RTS/BCLK1/FLT3/RC2	34
15	VSS	15	35	AN11/C1IN2-/U1CTS/FLT4/PMA12/RC11	35
16	VDD	16	36	VSS	36
17	AN22/RG10	17	37	VDD	37
18	AN21/RE8	18	38	AN35/RG11	38
20	AN10/RPI28/RA12	19	41	AN12/C2IN2-/C5IN2-/U2RTS/BCLK2/FLT5/PMA11/RE12	39
19	AN20/RE9	20	42	AN13/C3IN2-/U2CTS/FLT6/PMA10/RE13	40

dsPIC33EP512GM710

TABLE 1: 100-PIN TQFP TO 100-PIN PIM (CONTINUED)


Device Pin #	dsPIC33EP512GM710 Device Pin Descriptions	PIM Pin #	Device Pin #	dsPIC33EP512GM710 Device Pin Descriptions	PIM Pin #
41	AN12/C2IN2-/C5IN2-/U2RTS/BCLK2/FLT5/PMA11/RE12	41	71	AN48/CVREF20/RPI58/PMCS1/RC10	71
42	AN13/C3IN2-/U2CTS/FLT6/PMA10/RE13	42	72	OA5OUT/AN25/C5IN4-/RP39/INT0/RB7	72
43	AN14/RPI94/FLT7/PMA1/RE14	43	73	SOSCI/RPI61/RC13	73
44	AN15/RPI95/FLT8/PMA0/RE15	44	74	TCK/AN26/CVREF10/SOSCO/RP40/T4CK/RB8	74
45	Vss	45	75	Vss	75
46	VDD	46	76	TMS/OA5IN-/AN27/C5IN1-/RP41/RB9	76
47	AN38/RD14	47	77	RP54/RC6	77
48	AN39/RD15	48	78	RP55/PMBE/RC7	78
49	SDA2/RPI24/PMA9/RA8	49	79	RPI76/RD12	79
50	FLT32/SCL2/RP36/PMA8/RB4	50	80	RPI77/RD13	80
53	AN41/RP81/RE1	51	81	RP56/PMWR/RC8	81
52	AN40/RPI80/RE0	52	82	RP69/PMRD/RD5	82
51	OA5IN+/AN24/C5IN3-/C5IN1+/SDO1/RP20/T1CK/RA4	53	83	RP70/RD6	83
54	AN28/SDI1/RPI25/RA9	54	84	RP57/RC9	84
55	AN29/SCK1/RPI51/RC3	55	85	VCAP	85
56	AN30/SDA1/RPI52/RC4	56	86	VDD	86
57	AN31/SCL1/RPI53/RC5	57	87	RPI96/RF0	87
58	AN42/RG2	58	88	RP97/RF1	88
59	AN43/RG3	59	89	RP113/RG1	89
60	AN44/RF4	60	90	RPI112/RG0	90
61	AN45/RF5	61	91	RF6	91
62	VDD	62	92	RF7	92
63	AN49/OSC1/CLKI/RPI60/RC12	63	93	RP42/PWM3H/PMD0/RB10	93
64	OSC2/CLKO/RPI63/RC15	64	94	RP43/PWM3L/PMD1/RB11	94
65	Vss	65	95	RP126/RG14	95
66	AN46/INT3/RA14	66	96	RPI124/RG12	96
67	AN47/INT4/RA15	67	97	RP125/RG13	97
68	RPI72/RD8	68	98	RPI44/PWM2H/PMD2/RB12	98
69	PGED2/ASDA2/RP37/RB5	69	99	RPI45/PWM2L/CTPLS/PMD3/RB13	99
70	PGEC2/ASCL2/RP38/PMCS2/RB6	70	100	TDO/PWM4H/PMD4/RA10	100

FIGURE 1: 100-PIN DEVICE SCHEMATIC



dsPIC33EP512GM710

FIGURE 2: 100-PIN PIM SOCKET SCHEMATIC



Note the following details of the code protection feature on Microchip devices:

- Microchip products meet the specification contained in their particular Microchip Data Sheet.
- Microchip believes that its family of products is one of the most secure families of its kind on the market today, when used in the intended manner and under normal conditions.
- There are dishonest and possibly illegal methods used to breach the code protection feature. All of these methods, to our knowledge, require using the Microchip products in a manner outside the operating specifications contained in Microchip's Data Sheets. Most likely, the person doing so is engaged in theft of intellectual property.
- Microchip is willing to work with the customer who is concerned about the integrity of their code.
- Neither Microchip nor any other semiconductor manufacturer can guarantee the security of their code. Code protection does not mean that we are guaranteeing the product as “unbreakable.”

Code protection is constantly evolving. We at Microchip are committed to continuously improving the code protection features of our products. Attempts to break Microchip's code protection feature may be a violation of the Digital Millennium Copyright Act. If such acts allow unauthorized access to your software or other copyrighted work, you may have a right to sue for relief under that Act.

Information contained in this publication regarding device applications and the like is provided only for your convenience and may be superseded by updates. It is your responsibility to ensure that your application meets with your specifications. MICROCHIP MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND WHETHER EXPRESS OR IMPLIED, WRITTEN OR ORAL, STATUTORY OR OTHERWISE, RELATED TO THE INFORMATION, INCLUDING BUT NOT LIMITED TO ITS CONDITION, QUALITY, PERFORMANCE, MERCHANTABILITY OR FITNESS FOR PURPOSE. Microchip disclaims all liability arising from this information and its use. Use of Microchip devices in life support and/or safety applications is entirely at the buyer's risk, and the buyer agrees to defend, indemnify and hold harmless Microchip from any and all damages, claims, suits, or expenses resulting from such use. No licenses are conveyed, implicitly or otherwise, under any Microchip intellectual property rights.

Trademarks

The Microchip name and logo, the Microchip logo, dsPIC, FlashFlex, KEELOQ, KEELOQ logo, MPLAB, PIC, PICmicro, PICSTART, PIC³² logo, rPIC, SST, SST Logo, SuperFlash and UNI/O are registered trademarks of Microchip Technology Incorporated in the U.S.A. and other countries.

FilterLab, Hampshire, HI-TECH C, Linear Active Thermistor, MTP, SEEVAL and The Embedded Control Solutions Company are registered trademarks of Microchip Technology Incorporated in the U.S.A.

Silicon Storage Technology is a registered trademark of Microchip Technology Inc. in other countries.

Analog-for-the-Digital Age, Application Maestro, BodyCom, chipKIT, chipKIT logo, CodeGuard, dsPICDEM, dsPICDEM.net, dsPICworks, dsSPEAK, ECAN, ECONOMONITOR, FanSense, HI-TIDE, In-Circuit Serial Programming, ICSP, Mindi, MiWi, MPASM, MPF, MPLAB Certified logo, MPLIB, MPLINK, mTouch, Omniclient Code Generation, PICC, PICC-18, PICDEM, PICDEM.net, PICkit, PICtail, REAL ICE, rLAB, Select Mode, SQI, Serial Quad I/O, Total Endurance, TSHARC, UniWinDriver, WiperLock, ZENA and Z-Scale are trademarks of Microchip Technology Incorporated in the U.S.A. and other countries.

SQTP is a service mark of Microchip Technology Incorporated in the U.S.A.

GestIC and ULPP are registered trademarks of Microchip Technology Germany II GmbH & Co. KG, a subsidiary of Microchip Technology Inc., in other countries.

All other trademarks mentioned herein are property of their respective companies.

© 2013, Microchip Technology Incorporated, Printed in the U.S.A., All Rights Reserved.

 Printed on recycled paper.

ISBN: 978-1-62077-207-2

Microchip received ISO/TS-16949:2009 certification for its worldwide headquarters, design and wafer fabrication facilities in Chandler and Tempe, Arizona; Gresham, Oregon and design centers in California and India. The Company's quality system processes and procedures are for its PIC[®] MCUs and dsPIC[®] DSCs, KEELOQ[®] code hopping devices, Serial EEPROMs, microperipherals, nonvolatile memory and analog products. In addition, Microchip's quality system for the design and manufacture of development systems is ISO 9001:2000 certified.

QUALITY MANAGEMENT SYSTEM
CERTIFIED BY DNV
== ISO/TS 16949 ==



MICROCHIP

Worldwide Sales and Service

AMERICAS

Corporate Office
2355 West Chandler Blvd.
Chandler, AZ 85224-6199
Tel: 480-792-7200
Fax: 480-792-7277
Technical Support:
<http://www.microchip.com/support>
Web Address:
www.microchip.com

Atlanta
Duluth, GA
Tel: 678-957-9614
Fax: 678-957-1455

Boston
Westborough, MA
Tel: 774-760-0087
Fax: 774-760-0088

Chicago
Itasca, IL
Tel: 630-285-0071
Fax: 630-285-0075

Cleveland
Independence, OH
Tel: 216-447-0464
Fax: 216-447-0643

Dallas
Addison, TX
Tel: 972-818-7423
Fax: 972-818-2924

Detroit
Farmington Hills, MI
Tel: 248-538-2250
Fax: 248-538-2260

Indianapolis
Noblesville, IN
Tel: 317-773-8323
Fax: 317-773-5453

Los Angeles
Mission Viejo, CA
Tel: 949-462-9523
Fax: 949-462-9608

Santa Clara
Santa Clara, CA
Tel: 408-961-6444
Fax: 408-961-6445

Toronto
Mississauga, Ontario,
Canada
Tel: 905-673-0699
Fax: 905-673-6509

ASIA/PACIFIC

Asia Pacific Office
Suites 3707-14, 37th Floor
Tower 6, The Gateway
Harbour City, Kowloon
Hong Kong
Tel: 852-2401-1200
Fax: 852-2401-3431

Australia - Sydney
Tel: 61-2-9868-6733
Fax: 61-2-9868-6755

China - Beijing
Tel: 86-10-8569-7000
Fax: 86-10-8528-2104

China - Chengdu
Tel: 86-28-8665-5511
Fax: 86-28-8665-7889

China - Chongqing
Tel: 86-23-8980-9588
Fax: 86-23-8980-9500

China - Hangzhou
Tel: 86-571-2819-3187
Fax: 86-571-2819-3189

China - Hong Kong SAR
Tel: 852-2943-5100
Fax: 852-2401-3431

China - Nanjing
Tel: 86-25-8473-2460
Fax: 86-25-8473-2470

China - Qingdao
Tel: 86-532-8502-7355
Fax: 86-532-8502-7205

China - Shanghai
Tel: 86-21-5407-5533
Fax: 86-21-5407-5066

China - Shenyang
Tel: 86-24-2334-2829
Fax: 86-24-2334-2393

China - Shenzhen
Tel: 86-755-8864-2200
Fax: 86-755-8203-1760

China - Wuhan
Tel: 86-27-5980-5300
Fax: 86-27-5980-5118

China - Xian
Tel: 86-29-8833-7252
Fax: 86-29-8833-7256

China - Xiamen
Tel: 86-592-2388138
Fax: 86-592-2388130

China - Zhuhai
Tel: 86-756-3210040
Fax: 86-756-3210049

ASIA/PACIFIC

India - Bangalore
Tel: 91-80-3090-4444
Fax: 91-80-3090-4123

India - New Delhi
Tel: 91-11-4160-8631
Fax: 91-11-4160-8632

India - Pune
Tel: 91-20-2566-1512
Fax: 91-20-2566-1513

Japan - Osaka
Tel: 81-6-6152-7160
Fax: 81-6-6152-9310

Japan - Tokyo
Tel: 81-3-6880-3770
Fax: 81-3-6880-3771

Korea - Daegu
Tel: 82-53-744-4301
Fax: 82-53-744-4302

Korea - Seoul
Tel: 82-2-554-7200
Fax: 82-2-558-5932 or
82-2-558-5934

Malaysia - Kuala Lumpur
Tel: 60-3-6201-9857
Fax: 60-3-6201-9859

Malaysia - Penang
Tel: 60-4-227-8870
Fax: 60-4-227-4068

Philippines - Manila
Tel: 63-2-634-9065
Fax: 63-2-634-9069

Singapore
Tel: 65-6334-8870
Fax: 65-6334-8850

Taiwan - Hsin Chu
Tel: 886-3-5778-366
Fax: 886-3-5770-955

Taiwan - Kaohsiung
Tel: 886-7-213-7828
Fax: 886-7-330-9305

Taiwan - Taipei
Tel: 886-2-2508-8600
Fax: 886-2-2508-0102

Thailand - Bangkok
Tel: 66-2-694-1351
Fax: 66-2-694-1350

EUROPE

Austria - Wels
Tel: 43-7242-2244-39
Fax: 43-7242-2244-393

Denmark - Copenhagen
Tel: 45-4450-2828
Fax: 45-4485-2829

France - Paris
Tel: 33-1-69-53-63-20
Fax: 33-1-69-30-90-79

Germany - Munich
Tel: 49-89-627-144-0
Fax: 49-89-627-144-44

Italy - Milan
Tel: 39-0331-742611
Fax: 39-0331-466781

Netherlands - Drunen
Tel: 31-416-690399
Fax: 31-416-690340

Spain - Madrid
Tel: 34-91-708-08-90
Fax: 34-91-708-08-91

UK - Wokingham
Tel: 44-118-921-5869
Fax: 44-118-921-5820

11/29/12