

Printing date 18.12.2020

Version number 303

Revision: 18.12.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier 600010
- · Trade name: High viscosity superglue E-COLL
- · Article number: 4317784425711
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use
- SU21 Consumer uses: Private households / general public / consumers
- SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- Application of the substance / the mixture Adhesives
- · 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

E/D/E - Einkaufsbuero Deutscher Eisenhaendler GmbH EDE Platz 1 D-42389 Wuppertal Germany

Tel. +49 202 6096-0 e-mail: sdb@ede.de

- · Further information obtainable from: Product safety department
- · 1.4 Emergency telephone number: Giftinformationszentrum Mainz Tel.: +49 (6131) 19240

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.Eye Irrit. 2 H319 Causes serious eye irritation.STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



- · Signal word Warning
- Hazard-determining components of labelling: ethyl 2-cyanoacrylate

Printing date 18.12.2020

Version number 303

Revision: 18.12.2020

Trade name: High viscosity superglue E-COLL

(Contd. of page 1)

	mauc	name.	ingn	viscosity	Super	giuc	L-00
1							

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

· Precautionary statements

i rooddionary olatomonic				
P101	If medical advice is needed, have product container or label at hand.			
P102 Keep out of reach of children.				
P261	Avoid breathing vapours.			
P271	Use only outdoors or in a well-ventilated area.			
P280	Wear protective gloves / eye protection.			
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if			
	present and easy to do. Continue rinsing.			
P312	Call a POISON CENTER/doctor if you feel unwell.			
P337+P313	If eye irritation persists: Get medical advice/attention.			
P405	Store locked up.			
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.			
	5			

· Additional information:

EUH202 Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

• 2.3 Other hazards People who are allergic to acrylates should avoid handling the product.

· Results of PBT and vPvB assessment

· PBT: Not applicable.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:				
CAS: 7085-85-0 EINECS: 230-391-5 Index number: 607-236-00-9 Reg.nr.: 01-2119527766-29-xxxx	ethyl 2-cyanoacrylate Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	70-90%		
CAS: 123-31-9 EINECS: 204-617-8 Index number: 604-005-00-4	1,4-dihydroxybenzene ♦ Muta. 2, H341; Carc. 2, H351 ♦ Eye Dam. 1, H318 ♦ Aquatic Acute 1, H400 ↑ Acute Tox. 4, H302; Skin Sens. 1, H317	0.01-0.1%		

• Additional information: For the wording of the listed hazard phrases refer to section 16.

- FU ----





Printing date 18.12.2020

Version number 303

Revision: 18.12.2020

Trade name: High viscosity superglue E-COLL

(Contd. of page 2)

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air.
- After skin contact: Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Do not induce vomiting; call for medical help immediately. Drink plenty of water and provide fresh air. Call for a doctor immediately.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• **5.2 Special hazards arising from the substance or mixture** Nitrogen oxides (NOx) Carbon monoxide (CO)

· 5.3 Advice for firefighters

· Protective equipment:

Do not inhale explosion gases or combustion gases. Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · 6.2 Environmental precautions: No special measures required.
- \cdot 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). (Contd. on page 4)



Printing date 18.12.2020

Version number 303

Revision: 18.12.2020

Trade name: High viscosity superglue E-COLL

(Contd. of page 3)

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection:



Keep ignition sources away - Do not smoke.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Store away from oxidising agents.
- Further information about storage conditions: Keep container tightly sealed.
- · Storage class: -
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Additional information about design of technical facilities: No further data; see item 7.
- **Ingredients with limit values that require monitoring at the workplace:** The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

```
· DNELs
```

CAS: 7085-85-0 ethyl 2-cyanoacrylate

- Inhalative Long term value for employees 9.25 mg/m³ (industrial use)
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.



Printing date 18.12.2020

Version number 303

Revision: 18.12.2020

Trade name: High viscosity superglue E-COLL

(Contd. of page 4)

Do not inhale dust / smoke / mist. Avoid contact with the skin. Avoid contact with the eyes.

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Protection of hands:



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• For the permanent contact gloves made of the following materials are suitable: Butyl rubber, BR

Recommended thickness of the material: ≥ 0.4 mm Penetration time (min.) : >240 min.

- As protection from splashes gloves made of the following materials are suitable: Nitrile rubber, NBR Recommended thickness of the material: ≥ 0.4 mm Penetration time (min.) : >120min
- · Eye protection: Recommendation: safety glasses with side protection shield

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

 Appearance: Form: Colour: Odour: Odour threshold: 	Fluid Colourless Pungent Not determined.
· pH-value:	Not determined.
 Change in condition Melting point/freezing point: Initial boiling point and boiling range: 	Undetermined. 185 °C
· Flash point:	85 °C
· Flammability (solid, gas):	Not applicable.
· Decomposition temperature:	Not determined.



Printing date 18.12.2020

Version number 303

Revision: 18.12.2020

Trade name: High viscosity superglue E-COLL

(Contd. of page 5) · Auto-ignition temperature: Product is not selfigniting. · Explosive properties: Product does not present an explosion hazard. · Explosion limits: Lower: Not determined. Upper: Not determined. **Oxidising properties** Not determined. · Vapour pressure: Not determined. · Density at 20 °C: 1.04 g/cm³ Relative density Not determined. Not determined. · Vapour density · Evaporation rate Not determined. · Solubility in / Miscibility with water: Not miscible or difficult to mix. · Partition coefficient: n-octanol/water: Not determined. · Viscosity: **Dynamic:** Not determined. **Kinematic:** Not determined. · Solvent separation test: 0.0 % **Organic solvents:** VOCV (CH) 0.00 % No further relevant information available. 9.2 Other information

SECTION 10: Stability and reactivity

• **10.1 Reactivity** No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

EU •



Printing date 18.12.2020

Version number 303

Revision: 18.12.2020

Trade name: High viscosity superglue E-COLL

(Contd. of page 6)

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

CAS: 7085-85-0 ethyl 2-cyanoacrylate			
Oral	LD50	>5,000 mg/kg (rat)	
Dermal	LD50	>2,000 mg/kg (rabbit) (OCED 402)	
CAS: 123-31-9 1,4-dihydroxybenzene			
Oral	LD50	320 mg/kg (rat)	
Dermal	LD50	>2,000 mg/kg (rabbit)	

· Primary irritant effect:

· Skin corrosion/irritation

Causes skin irritation.

• Serious eye damage/irritation Causes serious eye irritation.

• **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met. • **Additional toxicological information:**

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- **STOT-single exposure** May cause respiratory irritation.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

CAS: 123-31-9 1,4-dihydroxybenzene

EC50/24h 0.12 mg/l (daphnia)

96h LC50 0.044 mg/l (Pimephales promelas)

• **12.2 Persistence and degradability** No further relevant information available.



Printing date 18.12.2020

Version number 303

Revision: 18.12.2020

Trade name: High viscosity superglue E-COLL

(Contd. of page 7)

- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· 12.5 Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods:

Containers can be recycled if completely empty; if not, dispose product/containers as dangerous waste. Observe local regulations.

· Recommendation

Completely emptied packagings can be given for recycling. (In accordance with local authority regulations, take to chemical/physical treatment plant.)

· European waste catalogue

08 04 09* waste adhesives and sealants containing organic solvents or other hazardous substances

SECTION 14: Transport information

· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
 · 14.2 UN proper shipping name · ADR · ADN, IMDG, IATA 	UN- Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
 • 14.5 Environmental hazards: • Marine pollutant: 	No	(C



Printing date 18.12.2020

Safety data sheet according to 1907/2006/EC, Article 31

Version number 303

Revision: 18.12.2020

(Contd. of page 8)

Trade name: High viscosity superglue E-COLL

· 14.6 Special precautions for user

Not applicable.

· 14.7 Transport in bulk according to Annex II of

Marpol and the IBC Code · UN "Model Regulation": Not applicable. UN-, -

SECTION 15: Regulatory information

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H341 Suspected of causing genetic defects.
- H351 Suspected of causing cancer.

H400 Very toxic to aquatic life.

- · Department issuing SDS: Product safety department
- · Contact: Head of Product Safety Department

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1 Muta. 2: Germ cell mutagenicity - Category 2 Carc. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

• * Data compared to the previous version altered.