

Product / Process Change Notification (PCN)

- Major change
 Minor change



<p>PCN #: PCN_ConBHD_20220901</p> <p>Affected Series: WE-ConBHD-6123xx20621</p> <p>PCN Date: June 01, 2022</p> <p>Effective Date: September 01, 2022</p>	<p>Change Category:</p> <p><input checked="" type="checkbox"/> Equipment / Location <input type="checkbox"/> General Data <input type="checkbox"/> Material <input type="checkbox"/> Process <input checked="" type="checkbox"/> Product Design <input checked="" type="checkbox"/> Shipping / Packaging <input type="checkbox"/> Supplier <input type="checkbox"/> Software</p>
<p>Contact: Product Management</p> <p>Phone: +49 (0) 7942 - 945 5001</p> <p>Fax: +49 (0) 7942 - 945 5179</p> <p>E-Mail: pcn.eican@we-online.com</p>	<p>Data Sheet Change:</p> <p><input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Attachment:</p> <p><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p>







Description and purpose of change:

Due to an improvement of the production capability, Würth Elektronik will change the production location and production equipment. Plastic housing design, PCB layout and quantity of product per reel and per carton will also change. Additionally the WE logo will be added on the plastic housing.

All products with date code 2022-03-29 or later, will be affected by this change.
 There will be no change in function, quality or reliability of the product.

Detail of Change:

CHANGE	6123XX20621	
	BEFORE CHANGE	AFTER CHANGE
<p>HOUSING AND TERMINAL DESIGN OPTIMIZATION (DIMENSIONS AND TOLERANCING)</p>		

		
<p>VISUAL APPEARANCE (FIRST PIN ARROW, PART DETAIL, WE LOGO)</p>		
<p>LAYOUT MODIFICATION</p>		



<i>PACKAGING MODIFICATION</i>	<table border="1"> <thead> <tr> <th>P/N</th> <th>PRODUCT PER REEL</th> <th>PRODUCT PER CARTON</th> </tr> </thead> <tbody> <tr><td>61231020621</td><td>250</td><td>1500</td></tr> <tr><td>61231420621</td><td>250</td><td>1500</td></tr> <tr><td>61231620621</td><td>250</td><td>1500</td></tr> <tr><td>61232020621</td><td>250</td><td>1250</td></tr> <tr><td>61232620621</td><td>250</td><td>1250</td></tr> <tr><td>61233420621</td><td>250</td><td>1000</td></tr> <tr><td>61234020621</td><td>250</td><td>1000</td></tr> </tbody> </table>	P/N	PRODUCT PER REEL	PRODUCT PER CARTON	61231020621	250	1500	61231420621	250	1500	61231620621	250	1500	61232020621	250	1250	61232620621	250	1250	61233420621	250	1000	61234020621	250	1000	<table border="1"> <thead> <tr> <th>P/N</th> <th>PRODUCT PER REEL</th> <th>PRODUCT PER CARTON</th> </tr> </thead> <tbody> <tr><td>61231020621</td><td>300</td><td>2100</td></tr> <tr><td>61231420621</td><td>300</td><td>1500</td></tr> <tr><td>61231620621</td><td>300</td><td>1500</td></tr> <tr><td>61232020621</td><td>300</td><td>1200</td></tr> <tr><td>61232620621</td><td>300</td><td>900</td></tr> <tr><td>61233420621</td><td>300</td><td>900</td></tr> <tr><td>61234020621</td><td>300</td><td>900</td></tr> </tbody> </table>	P/N	PRODUCT PER REEL	PRODUCT PER CARTON	61231020621	300	2100	61231420621	300	1500	61231620621	300	1500	61232020621	300	1200	61232620621	300	900	61233420621	300	900	61234020621	300	900
	P/N	PRODUCT PER REEL	PRODUCT PER CARTON																																															
	61231020621	250	1500																																															
	61231420621	250	1500																																															
	61231620621	250	1500																																															
	61232020621	250	1250																																															
	61232620621	250	1250																																															
	61233420621	250	1000																																															
61234020621	250	1000																																																
P/N	PRODUCT PER REEL	PRODUCT PER CARTON																																																
61231020621	300	2100																																																
61231420621	300	1500																																																
61231620621	300	1500																																																
61232020621	300	1200																																																
61232620621	300	900																																																
61233420621	300	900																																																
61234020621	300	900																																																
<p>Reliability / Qualification Summary:</p> <p>Product approval is according to the specification criteria and is internally released by the Product Management Department.</p> <p>The following items are part of the internal release process:</p> <ul style="list-style-type: none"> - Visual Appearance (Surface, Burr, Material, ...) - Mechanical Parameters (according as specified in the Datasheet) - Electrical properties (Insulation Resistance, Contact Resistance, Withstanding Voltage, Temperature Rise) - Solderability - Approval of production line 																																																		