

**EVO-STIK THE DOG'S B\*LL\*CKS ADHESIVE AND SEALANT WHITE**  
Supersedes Date: 13-Mar-2018

Revision Date 05-Sep-2018

Revision Number 1.01

## Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product Identifier

**Product Name** EVO-STIK THE DOG'S B\*LL\*CKS ADHESIVE AND SEALANT WHITE  
**Pure substance/mixture** Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use** Sealant.  
**Uses advised against** None known

### 1.3. Details of the supplier of the safety data sheet

#### Company Name

Bostik GmbH  
An der Bundesstrasse 16  
33829 Borgholzhausen, Germany  
Tel: +49 (0) 5425 / 801 0  
Fax: +49 (0) 5425 / 801 140

**E-mail address** SDS.box-EU@bostik.com

### 1.4. Emergency telephone number

United Kingdom	+44 (1785) 272650
Ireland	+353 (1) 8624900 (Monday- Friday 9am-5pm)

## Section 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

### 2.2. Label Elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

#### **Signal word**

None

#### **EU Specific Hazard Statements**

EUH208 - Contains Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine. May produce an allergic reaction  
EUH210 - Safety data sheet available on request

#### **Precautionary statements**

P101 - If medical advice is needed, have product container or label at hand  
P102 - Keep out of reach of children

### 2.3. Other Hazards

# Safety Data Sheet

EVO-STIK THE DOG'S B\*LL\*CKS ADHESIVE AND  
SEALANT WHITE  
Supercedes Date: 13-Mar-2018

Revision Date 05-Sep-2018

Revision Number 1.01

## General Hazards

No information available.

## PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Not applicable

### 3.2 Mixtures

Chemical Name	EC No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Silane, ethenyltrimethoxy-	220-449-8	2768-02-7	1- <2.5	Acute Tox. 4 (H332) Flam. Liq. 3 (H226) STOT RE 2 (H373)		01-2119513215-52 -XXXX
Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine	309-629-8	100545-48-0	0.1 - <1	Skin Sens. 1 (H317) Aquatic Chronic 3 (H412)	Skin Sens. 1 :: C>=25%	01-2119979085-27 -XXXX
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	258-207-9	52829-07-9	0.1 - <1	Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)		01-2119537297-32 -XXXX

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL.

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## Section 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

#### General Advice

If medical advice is needed, have product container or label at hand.

#### Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

#### Skin Contact

Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic reactions see a doctor.

#### Eye contact

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Consult an ophthalmologist.

#### Ingestion

Call a doctor or poison control centre immediately. If swallowed, rinse mouth with water (only if the person is conscious). Small amounts of toxic methanol are released by hydrolysis.

# Safety Data Sheet

EVO-STIK THE DOG'S B\*LL\*CKS ADHESIVE AND  
SEALANT WHITE  
Supercedes Date: 13-Mar-2018

Revision Date 05-Sep-2018

Revision Number 1.01

**Self-Protection of the First Aider** First aider: Pay attention to self-protection!.

## 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** None known.

## 4.3. Indication of any immediate medical attention and special treatment needed

**Note to doctors** Treat symptomatically. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

## **Section 5: FIREFIGHTING MEASURES**

### 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

Carbon dioxide (CO<sub>2</sub>). Alcohol resistant foam. Extinguishing powder. Water spray or fog.

#### **Unsuitable Extinguishing Media**

Strong water jet

### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of toxic/corrosive gases and vapours. Carbon monoxide. Carbon dioxide (CO<sub>2</sub>).

### 5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Do not allow run-off from fire-fighting to enter drains or water courses.

## **Section 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### **Personal Precautions**

Use personal protection equipment. Avoid contact with skin, eyes or clothing. Do not touch or walk through spilled material.

#### **For emergency responders**

Use personal protection recommended in Section 8.

### 6.2. Environmental precautions

Prevent product from entering drains. Do not allow to enter into soil/subsoil.

### 6.3. Methods and material for containment and cleaning up

#### **Methods for Containment**

Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13). Protect from moisture.

#### **Methods for cleaning up**

Take up mechanically, placing in appropriate containers for disposal.

### 6.4. Reference to other sections

#### **Reference to other sections**

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION  
Section 13: DISPOSAL CONSIDERATIONS

## **Section 7: HANDLING AND STORAGE**

### 7.1. Precautions for safe handling

#### **Advice on safe handling**

# Safety Data Sheet

EVO-STIK THE DOG'S B\*LL\*CKS ADHESIVE AND  
SEALANT WHITE  
Supersedes Date: 13-Mar-2018

Revision Date 05-Sep-2018

Revision Number 1.01

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. No special fire protection measures are necessary.

## General Hygiene Considerations

Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice. Wash hands thoroughly after handling.

## 7.2. Conditions for safe storage, including any incompatibilities

### Storage Conditions

Keep away from food, drink and animal feedingstuffs. Recommended storage temperature. 10 - 35 °C. Keep container tightly closed and dry. Protect from moisture.

## 7.3. Specific end use(s)

### Specific Use(s)

Sealant.

### Other Information

Observe technical data sheet.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure Limits

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. As Titanium dioxide (13463-67-7) is inextricably bound in the polymer matrix, it is not expected to be available as an airborne hazard (dust, mist, or spray) under normal condition of uses.

Chemical Name	European Union	Ireland	United Kingdom
Titanium dioxide 13463-67-7	-	TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup> STEL: 12 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup> STEL: 12 mg/m <sup>3</sup>
Methyl alcohol 67-56-1	TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> *	TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> STEL: 600 ppm STEL: 780 mg/m <sup>3</sup> Sk*	TWA: 200 ppm TWA: 266 mg/m <sup>3</sup> STEL: 250 ppm STEL: 333 mg/m <sup>3</sup> Sk*
Calcium stearate 1592-23-0	-	TWA: 10 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup>	-

**Derived No Effect Level (DNEL)** No information available

**Predicted No Effect Concentration (PNEC)** No information available.

### 8.2. Exposure controls

**Engineering Controls** Ensure adequate ventilation, especially in confined areas.

#### Personal Protective Equipment

##### Eye/Face Protection

Wear safety glasses with side shields (or goggles). Eye protection must conform to standard EN 166

##### Hand Protection

Wear suitable gloves. Gloves must conform to standard EN 374. Recommended Use: Neoprene™. Nitrile rubber. Butyl rubber. PVC (Polyvinylchloride). Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time for the mentioned glove material is in general greater than 480 min. Gloves should be replaced regularly and if there is any sign of damage to the glove material.

##### Skin and Body Protection

Wear suitable protective clothing.

##### Respiratory Protection

Ensure adequate ventilation, especially in confined areas. In case of insufficient

# Safety Data Sheet

EVO-STIK THE DOG'S B\*LL\*CKS ADHESIVE AND  
SEALANT WHITE  
Supersedes Date: 13-Mar-2018

Revision Date 05-Sep-2018

Revision Number 1.01

**Recommended filter type:** ventilation, wear suitable respiratory equipment. Wear a respirator conforming to EN 140 with Type A/P2 filter or better.  
Brown. White.

**Environmental Exposure Controls** Do not allow uncontrolled discharge of product into the environment.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

<b>Physical State</b>	Liquid
<b>Appearance</b>	Paste
<b>Colour</b>	White
<b>Odour</b>	Characteristic
<b>Odour Threshold</b>	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>pH</b>	No information available	Not applicable
<b>Melting point / freezing point</b>	No information available	Not applicable
<b>Boiling point / boiling range</b>	No information available	Not applicable
<b>Flash Point</b>	> 61 °C / > 141.8 °F	CC (closed cup)
<b>Evaporation Rate</b>	No information available	
<b>Flammability (solid, gas)</b>	No information available	
<b>Flammability Limit in Air</b>		
Upper flammability or explosive limits	No information available	
Lower flammability or explosive limits	No information available	
<b>Vapour Pressure</b>	No information available	
<b>Vapour Density</b>	No information available	
<b>Relative Density</b>	1.4 - 1.6	
<b>Water Solubility</b>	Reacts with water	
<b>Solubility in Other Solvents</b>	No information available	
<b>Partition coefficient</b>	No information available	
<b>Autoignition Temperature</b>	No information available	
<b>Decomposition Temperature</b>	No information available	
<b>Explosive Properties</b>	No information available	
<b>Oxidising Properties</b>	No information available	
<b>Kinematic Viscosity</b>	No information available	

<b>Dynamic Viscosity</b>	approx. 9000 - 13000 Pa.s	Spindle 4 @ 1 rpm @ 23 °C
--------------------------	---------------------------	---------------------------

### 9.2. Other information

<b>Softening Point</b>	No information available
<b>Molecular Weight</b>	No information available
<b>Solvent content (%)</b>	No information available
<b>Solid content (%)</b>	No information available
<b>Density</b>	ca. 1.5 g/cm <sup>3</sup> @ 20°C
<b>Bulk Density</b>	No data available
<b>VOC (volatile organic compound)</b>	No information available

## Section 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

Product cures with moisture.

### 10.2. Chemical stability

Stable under normal conditions.

#### Explosion Data

# Safety Data Sheet

EVO-STIK THE DOG'S B\*LL\*CKS ADHESIVE AND  
SEALANT WHITE  
Supercedes Date: 13-Mar-2018

Revision Date 05-Sep-2018

Revision Number 1.01

---

Sensitivity to Mechanical Impact None.  
Sensitivity to Static Discharge None.

## 10.3. Possibility of hazardous reactions

### **Possibility of Hazardous Reactions**

None known.

## 10.4. Conditions to avoid

Protect from moisture.

## 10.5. Incompatible materials

Water.

## 10.6. Hazardous decomposition products

None under normal use conditions.

## **Section 11: TOXICOLOGICAL INFORMATION**

### 11.1. Information on toxicological effects

#### Information on likely routes of exposure

#### **Product Information**

<b>Inhalation</b>	Based on available data, the classification criteria are not met.
<b>Eye contact</b>	Based on available data, the classification criteria are not met.
<b>Skin Contact</b>	Based on available data, the classification criteria are not met.
<b>Ingestion</b>	Based on available data, the classification criteria are not met.
<b>Sensitisation</b>	May produce an allergic reaction.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

<b>Skin Corrosion/Irritation</b>	Based on available data, the classification criteria are not met.
<b>Serious eye damage/eye irritation</b>	Based on available data, the classification criteria are not met.
<b>Sensitisation</b>	May produce an allergic reaction.
<b>Germ Cell Mutagenicity</b>	Based on available data, the classification criteria are not met.
<b>Carcinogenicity</b>	Based on available data, the classification criteria are not met.
<b>Reproductive Toxicity</b>	Based on available data, the classification criteria are not met.
<b>STOT - single exposure</b>	Based on available data, the classification criteria are not met.
<b>STOT - repeated exposure</b>	Based on available data, the classification criteria are not met.
<b>Target Organ Effects</b>	Eyes, Lungs, Respiratory system, Skin.
<b>Aspiration hazard</b>	Based on available data, the classification criteria are not met.

#### Numerical measures of toxicity

#### **Acute Toxicity**

# Safety Data Sheet

EVO-STIK THE DOG'S B\*LL\*CKS ADHESIVE AND  
SEALANT WHITE  
Supersedes Date: 13-Mar-2018

Revision Date 05-Sep-2018

Revision Number 1.01

The following values are calculated based on chapter 3.1 of the GHS document  
ATEmix (inhalation-vapour) 566.00 mg/l

## Component Information

**Toxicity Data** Data obtained on the component(s) include

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Silane, ethenyltrimethoxy- 2768-02-7	LD 50 = 7120 -7236 mg/kg ( Rat ) OECD 401	= 3360 µL/kg ( Rabbit )	-
Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine 100545-48-0	LD50 >2000 mg/kg (Rat)	-	LC50 =5.05 mg/kg (Rat)
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate 52829-07-9	LD50 (rat) > 2000 mg/kg OECD 423	LD50 (rat) > 3 170 mg/kg OECD 402	= 500 mg/m <sup>3</sup> ( Rat ) 4 h

## Section 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

**Ecotoxicity** Classification is shown in section 2 of this SDS

### Component Information

Data obtained on the component(s) include

Chemical Name	Algae/aquatic plants	Fish	Crustacea	M-Factor
Silane, ethenyltrimethoxy- 2768-02-7	EC 50 (72h) > 957 mg/l (Desmodesmus subspicatus) EU Method C.3	L50 (96h) = 191 mg/l (Oncorhynchus mykiss)	EC50(48hr) 168.7mg/l (Daphnia magna)	
Octadecanoic acid, 12-hydroxy-, reaction products with ethylenediamine 100545-48-0	EL50 (72h) >100 mg/L Algae (Pseudokirchneriella subcapitata)	LL50 (96h) >10mg/L Fish (Onchohynchus mykiss)	EL50 (48h) >10mg/L Daphnia (Daphnia magna)	
Bis(2,2,6,6-tetramethyl-4-pi peridyl) sebacate 52829-07-9	EC50 72Hr 0.705 mg/l (Pseudokirchnerella subcapitata)	LC50 (96h) = 5.29 mg/l (Oryzias latipes)	LC50 48Hr 8.58 mg/l (Daphnia magna)	

### 12.2. Persistence and degradability

No information available.

### 12.3. Bioaccumulative potential

No information available.

**Partition coefficient** No information available

### 12.4. Mobility in soil

**Mobility in soil** No information available.

### 12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

### 12.6. Other adverse effects

# Safety Data Sheet

EVO-STIK THE DOG'S B\*LL\*CKS ADHESIVE AND  
SEALANT WHITE  
Supersedes Date: 13-Mar-2018

Revision Date 05-Sep-2018

Revision Number 1.01

No information available

## Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors.

## Section 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

<b>Waste from Residues/Unused Products</b>	Dispose of in accordance with federal, state and local regulations. Uncured product should be disposed of as hazardous waste.
<b>Contaminated Packaging</b>	Handle contaminated packages in the same way as the product itself.
<b>European Waste Catalogue</b>	08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09
<b>Other Information</b>	Waste codes should be assigned by the user based on the application for which the product was used.

## Section 14: TRANSPORT INFORMATION

### Land transport (ADR/RID)

14.1 UN Number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special Provisions	None

### IMDG

14.1 UN Number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing Group	Not regulated
14.5 Marine Pollutant	Np
14.6 Special Provisions	None
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	No information available

### Air transport (ICAO-TI / IATA-DGR)

14.1 UN Number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special Provisions	None

## Section 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### European Union

#### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

#### EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No.



# Safety Data Sheet

**EVO-STIK THE DOG'S B\*LL\*CKS ADHESIVE AND SEALANT WHITE**  
Supercedes Date: 13-Mar-2018

Revision Date 05-Sep-2018

Revision Number 1.01

1907/2006 (REACH), Article 59)

## EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical Name	CAS No.	Restricted substance per REACH Annex XVII
Dioctyltin oxide	870-08-6	

## EU-REACH (1907/2006) - Annex XIV - List of substances subject to Authorization

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

## Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

## Persistent Organic Pollutants

Not applicable

## 15.2. Chemical safety assessment

No information available

## Section 16: OTHER INFORMATION

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H317 - May cause an allergic skin reaction

H412 - Harmful to aquatic life with long lasting effects

H332 - Harmful if inhaled

H226 - Flammable liquid and vapour

H373 - May cause damage to organs through prolonged or repeated exposure

H318 - Causes serious eye damage

H400 - Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

#### Legend

SVHC: Substances of Very High Concern for Authorisation:

#### Legend SECTION 8: Exposure controls/personal protection

TWA TWA (time-weighted average)

Ceiling Maximum limit value

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

STOT (RE): Specific target organ toxicity - Repeated exposure

STOT (SE): Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

STEL

\*

STEL (Short Term Exposure Limit)

Skin designation

### Key literature references and sources for data

Classification and labeling data calculated from data received from raw material suppliers

Prepared By Product Safety & Regulatory Affairs

Revision Date 05-Sep-2018

# Safety Data Sheet

**EVO-STIK THE DOG'S B\*LL\*CKS ADHESIVE AND SEALANT WHITE**

**Supersedes Date:** 13-Mar-2018

**Revision Date** 05-Sep-2018

**Revision Number** 1.01

---

## Indication of changes

<b>Revision Note</b>	Not applicable.
<b>Training Advice</b>	When working with hazardous materials, regular training of operators is required by law
<b>Further information</b>	No information available

**This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006**

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**