

TNC Plug, Straight


**RoHS
Compliant**



Specifications

Connector Type	: TNC Coaxial
Connector Body Style	: Straight Plug
Coaxial Termination	: Crimp
Contact Material	: Phosphor Bronze
Contact Plating	: Gold Plated Contacts
Impedance	: 50Ω
Frequency Range	: 4 GHz
Voltage Range	: 500 Volts Peak
Temperature Range	: -65°C to +165°C
Vswr	: 1.3 Max. 4 GHz
Coaxial Cable Types	: RG58, Essex 621-715

Diagram



Item	Description	Material	Finish	Qty.
1	Coupling Nut	Brass	Nickel	1
2	Body	Brass	Nickel	
3	Insulator	PTFE	-	
4	Ferrule Stud	Brass	Nickel	
5	Gasket	Rubber	-	
6	Retaining Ring	Brass	Nickel	
7	Bushing	Delrin	-	
8	Washer	Brass	Nickel	
9	Contact	Phos.B.	Gold	
10	Ferrule	Copper	Nickel	

Part Number Table

Description	Part Number
RF/Coaxial, TNC Plug, Straight, 50Ω, Crimp	SPC10036

Dimensions : Inches (Millimetres)

Important Notice : This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.

Newark.com/multicomp-pro
Farnell.com/multicomp-pro
Element14.com/multicomp-pro