SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Ultra 301

Material number LZB x53

Revision date: 29/6/2022 Version: 1.0 en-GB,IE Language: Date of print: 21/7/2022

Page:

1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

| Trade name: REACH registration No.: | Ultra 301 01-2119487078-27-xxxx |
|--|--|
| | This safety data sheet pertains to the following products: LZB 153: 5 L LZB 253: 10 L LZB 353: 20 L |
| CAS-Number: | 8042-47-5 |

232-455-8 EC-number:

1.2 Relevant identified uses of the substance or mixture and uses advised against

| General use: | Heat transfer fluids |
|--------------|-----------------------------------|
| | Industrial use |
| | Professional uses / Public domain |

1.3 Details of the supplier of the safety data sheet

| Lauda Dr. R. Wobser GmbH & Co. KG | |
|---|--|
| Laudaplatz 1 | |
| DE-97922 Lauda-Königshofen | |
| www.lauda.de | |
| info@lauda.de | |
| +49 (0)9343-503-0 | |
| +49 (0)9343-503-222 | |
| Department responsible for information: | |
| Department Quality Management, | |
| Telephone: +49 9343 503-331, e-mail info@lauda.de | |
| | |

1.4 Emergency telephone number

GIZ-Nord, Göttingen, Germany, Telephone: +49 551-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

This substance is classified as not hazardous.

2.2 Label elements

Labelling (CLP)

Hazard statements: not applicable

not applicable Precautionary statements:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Ultra 301

Material number LZB x53

 Revision date:
 29/6/2022

 Version:
 1.0

 Language:
 en-GB,IE

 Date of print:
 21/7/2022

Page:

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

SECTION 3: Composition/information on ingredients

3.1 Substances

| Chemical characterisation: | White mineral oil (petroleum) |
|----------------------------|-------------------------------|
| CAS-Number: | 8042-47-5 |
| EC-number: | 232-455-8 |

SECTION 4: First aid measures

4.1 Description of first aid measures

| Do not leave affected person unattended. Remove victim out of the danger area. |
|---|
| Provide fresh air. Seek medical treatment in case of troubles. |
| Remove residues with soap and water. Take off contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician. |
| Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist. |
| Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Seek medical attention. |
| |

4.2 Most important symptoms and effects, both acute and delayed

No data available

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

 ${\tt Suitable\ extinguishing\ media:\ atomized\ water,\ alcohol\ resistant\ foam,\ extinguishing\ powder,\ carbon\ dioxide}$

Extinguishing media which must not be used for safety reasons:

Full water jet

5.2 Special hazards arising from the substance or mixture

Combustible. May form dangerous gases and vapours in case of fire. Furthermore, there may develop: carbon monoxide and carbon dioxide

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Ultra 301

Material number LZB x53

 Revision date:
 29/6/2022

 Version:
 1.0

 Language:
 en-GB,IE

 Date of print:
 21/7/2022

Page:

3 of 8

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting protective clothing.

Additional information: Hazchem-Code: -

Do not inhale explosion and combustion gases. Do not allow fire water to penetrate into surface or ground water. Cool endangered containers with water jetspray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid breathing mist/vapours/spray. Provide adequate ventilation. Wear appropriate protective equipment. Keep unprotected people away. Take off contaminated clothing and wash it before reuse.

6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents) and place in closed containers for disposal.

Never return spills in original containers for re-use.

Additional information: Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Avoid breathing mist/vapours/spray. Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Precautions against fire and explosion:

Keep away from sources of ignition and heat. Take precautionary measures against static discharges.

7.2 Conditions for safe storage, including any incompatibilities

| Requirements for storeroom | is and containers: |
|----------------------------|---|
| | Keep container dry, tightly closed and store at cool and aired place. |
| | Keep only in the original container. Protect from heat and direct sunlight. |
| Hints on joint storage: | Keep away from food, drink and animal feedingstuffs. |
| | Do not store together with oxidizing agents or reducing agents. |

7.3 Specific end use(s)

No information available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Ultra 301

Material number LZB x53

 Revision date:
 29/6/2022

 Version:
 1.0

 Language:
 en-GB,IE

 Date of print:
 21/7/2022

Page:

4 of 8

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

| Occupational exposure limit values: | |
|-------------------------------------|--|
| Туре | Limit value |
| Ireland: 8 hours | 5 mg/m ³ (Oil mist mineral, inhalable fraction) |

8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

Personal protection equipment

Occupational exposure controls

| Respiratory protection: | In case of inadequate ventilation wear respiratory protection. Respiratory protection in case of aerosol or vapour formation. The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. |
|------------------------------|---|
| Hand protection: | Protective gloves according to EN 374. |
| | Breakthrough time: >10 min |
| | Observe glove manufacturer's instructions concerning penetrability and breakthrough time. |
| | Protect skin by using skin protective cream. |
| Eye protection: | Tightly sealed goggles according to EN 166. |
| Body protection: | Wear suitable protective clothing. |
| General protection and hygie | ene measures: |
| | Avoid breathing mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Take off contaminated clothing and wash it before reuse. |
| | Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. |

Environmental exposure controls

Refer to "6.2 Environmental precautions".

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| Appearance: | Physical state at 20 °C and 101.3 kPa: liquid Colour: colourless |
|--|---|
| Odour: | odourless |
| Odour threshold: | No data available |
| pH: | No data available |
| Melting point/freezing point: | -18 °C (ASTM D 97) |
| Initial boiling point and boiling range: | No data available |
| Flash point/flash point range: | 245 °C (ASTM D 92) |
| Evaporation rate: | No data available |
| Flammability: | No data available |
| Explosion limits: | No data available |
| Vapour pressure: | No data available |

Document number Q5WA-E_17-033-GB-01, printed by Lauda

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Ultra 301

Material number LZB x53

 Revision date:
 29/6/2022

 Version:
 1.0

 Language:
 en-GB,IE

 Date of print:
 21/7/2022

Page:

5 of 8

| Vapour density: Density: | No data available at 15 °C: 0.835 - 0.875 g/mL |
|--|---|
| Water solubility: | insoluble |
| Partition coefficient: n-octanol/water: | >= 1 log K(o/w) Based on the n-octanol/water partition coefficient accumulation in organisms is possible. |
| Auto-ignition temperature: Decomposition temperature: | No data available No data available |
| Viscosity, kinematic: | at 40 °C: 35 mm²/s |
| Explosive properties: Oxidizing characteristics: | No data available No data available |
| | |

9.2 Other information

Additional information:

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Thermal decomposition:

Refer to subsection "Possilbility of hazardous reactions".

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Reacts with oxidizing agents and acids.

10.4 Conditions to avoid

Keep away from sources of ignition and heat.

10.5 Incompatible materials

Oxidising agent, reducing agent, acids

10.6 Hazardous decomposition products

No hazardous decomposition products when regulations for storage and handling are observed. No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Ultra 301

Material number LZB x53

 Revision date:
 29/6/2022

 Version:
 1.0

 Language:
 en-GB,IE

 Date of print:
 21/7/2022

Page:

6 of 8

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Toxicological effects:

Acute toxicity (oral): Based on available data, the classification criteria are not met. Acute toxicity (dermal): Based on available data, the classification criteria are not met. Acute toxicity (inhalative): Based on available data, the classification criteria are not met. Skin corrosion/irritation: Based on available data, the classification criteria are not met. Serious eye damage/irritation: Based on available data, the classification criteria are not met. Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.

Skin sensitisation: Based on available data, the classification criteria are not met. Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met. Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Further details: No data available

12.2 Persistence and degradability

Further details:

Biodegradation: 50 %/28d, not easily bio-degradable

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

>= 1 log K(o/w)

Based on the n-octanol/water partition coefficient accumulation in organisms is possible.

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

12.6 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Ultra 301

Material number LZB x53

Revision date: 29/6/2022 Version: 1.0 en-GB,IE Language: Date of print: 21/7/2022

Page:

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 13 03 10* = other insulating and heat transmission oils * = Evidence for disposal must be provided. Dispose of waste according to applicable legislation. Do not allow to enter into ground-water, Recommendation. surface water or drains.

Package

Recommendation:

Dispose of waste according to applicable legislation. Handle contaminated packages in the same way as the substance itself. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number

ADR/RID, IMDG, IATA-DGR: not applicable

14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR: Not restricted

14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR: not applicable

14.4 Packing group

ADR/RID, IMDG, IATA-DGR: not applicable

14.5 Environmental hazards

Marine pollutant:

14.6 Special precautions for user

no

No dangerous good in sense of these transport regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Great Britain

Hazchem-Code:

No data available

National regulations - EC member states

Further regulations, limitations and legal requirements:

No data available

7 of 8

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No. 2015/830

Ultra 301

Material number LZB x53

 Revision date:
 29/6/2022

 Version:
 1.0

 Language:
 en-GB,IE

 Date of print:
 21/7/2022

Page:

15.2 Chemical Safety Assessment

No data available

SECTION 16: Other information

Further information

Abbreviations and acronyms: ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road AS/NZS: Australian Standards/New Zealand Standards CAS: Chemical Abstracts Service CFR: Code of Federal Regulations CLP: Classification, Labelling and Packaging DMEL: Derived minimal effect level DNEL: Derived no-effect level EC: European Community EN: European Standard EQ: Excepted quantities EU: European Union IATA: International Air Transport Association IATA-DGR: International Air Transport Association – Dangerous Goods Regulations IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk IMDG Code: International Maritime Dangerous Goods Code MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships **OSHA: Occupational Safety and Health Administration** PBT: Persistent, bioaccumulative and toxic PNEC: Predicted no-effect concentration REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail TRGS: Technical Rules for Hazardous Substances vPvB: Very persistent and very bioaccumulative

Date of first version: 29/6/2022

Department issuing data sheet

Contact person: see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.