

## SAFETY DATA SHEET

### CAT1010 - MACHINE GLASSWASH

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

**Product name** Machine Glasswash  
**UFI** UFI: 3C10-E0QU-R00W-NFPV

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Machine glass washing detergent.  
**Uses advised against** Do not use for personal cleansing. Use only for intended applications.

##### 1.3. Details of the supplier of the safety data sheet

**Supplier** Crown Supplies Limited  
 Unit 3, Vulcan Road North,  
 Norwich,  
 Norfolk, NR6 6AQ  
 +44 (0)1603 403333  
 sales@crownsupplies.co.uk

**Contact person** For content of safety data sheet: technical@orcahygiene.com

**Manufacturer** Orca Hygiene  
 Blackhouse Circle,  
 Blackhouse Industrial Estate,  
 Peterhead, AB42 1BN  
 +44 (0)1779 871945  
 technical@orcahygiene.com

##### 1.4. Emergency telephone number

**Emergency telephone** +44 (0)1779 871945

**National emergency telephone number** For the emergency services - the ambulance, police and fire services - Tel: 999 /  
 When you need medical advice or treatment but it is not an emergency - Tel: 111

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Classification (EC 1272/2008)

**Physical hazards** Not Classified

**Health hazards** Skin Corr. 1A - H314 Eye Dam. 1 - H318

**Environmental hazards** Not Classified

##### 2.2. Label elements

###### Hazard pictograms



## MACHINE GLASSWASH

<b>Signal word</b>	Danger
<b>Hazard statements</b>	H314 Causes severe skin burns and eye damage.
<b>Precautionary statements</b>	<p>P102 Keep out of reach of children.</p> <p>P260 Do not breathe vapour/ spray.</p> <p>P264 Wash contaminated skin thoroughly after handling.</p> <p>P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</p> <p>P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P337+P313 If eye irritation persists: Get medical advice/ attention.</p> <p>P501 Dispose of contents/ container in accordance with local regulations.</p>
<b>Contains</b>	sodium hydroxide
<b>2.3. Other hazards</b>	
<b>Other hazards</b>	None known

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

<b>sodium hydroxide</b>	<b>10-25%</b>
CAS number: 1310-73-2	EC number: 215-185-5
<b>Classification</b>	
Skin Corr. 1A - H314	
Eye Dam. 1 - H318	
<b>L-GLUTAMIC ACID, N-N-DIACETIC ACID TERTASODIUM SALT (GLDA-Na4)</b>	<b>5-10%</b>
CAS number: 51981-21-6	EC number: 257-573-7
<b>Classification</b>	
Not Classified	

The full text for all hazard statements is displayed in Section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

<b>Inhalation</b>	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
<b>Ingestion</b>	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
<b>Skin contact</b>	Rinse immediately with plenty of water. Remove contaminated clothing. Get medical attention if irritation persists after washing.
<b>Eye contact</b>	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention immediately. Show this Safety Data Sheet to the medical personnel.

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>Inhalation</b>	Severe irritation of nose and throat. May cause an asthma-like shortness of breath.
-------------------	---

## MACHINE GLASSWASH

<b>Ingestion</b>	This product is corrosive. Small amounts may cause serious damage. May cause chemical burns in mouth, oesophagus and stomach.
<b>Skin contact</b>	May cause serious chemical burns to the skin.
<b>Eye contact</b>	This product is corrosive. A single exposure may cause the following adverse effects: Severe irritation, burning, tearing and blurred vision. Prolonged contact causes serious eye and tissue damage. Corneal damage.

### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	Treat symptomatically.
-----------------------------	------------------------

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder.
-------------------------------------	---

### 5.2. Special hazards arising from the substance or mixture

<b>Hazardous combustion products</b>	Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic gases or vapours.
--------------------------------------	--

### 5.3. Advice for firefighters

<b>Protective actions during firefighting</b>	Control run-off water by containing and keeping it out of sewers and watercourses.
<b>Special protective equipment for firefighters</b>	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	For personal protection, see Section 8. Contaminated surfaces will be extremely slippery.
-----------------------------	---

### 6.2. Environmental precautions

<b>Environmental precautions</b>	Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground.
----------------------------------	--

### 6.3. Methods and material for containment and cleaning up

<b>Methods for cleaning up</b>	Stop leak if safe to do so. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.
--------------------------------	---

### 6.4. Reference to other sections

<b>Reference to other sections</b>	For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.
------------------------------------	--

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

<b>Usage precautions</b>	Provide adequate ventilation. Avoid contact with skin and eyes.
<b>Advice on general occupational hygiene</b>	No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products. Wash at the end of each work shift and before eating, smoking and using the toilet.

### 7.2. Conditions for safe storage, including any incompatibilities

<b>Storage precautions</b>	Store in tightly-closed, original container in a dry, cool and well-ventilated place.
----------------------------	---

## MACHINE GLASSWASH

**Storage class** Corrosive storage.

### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure controls/Personal protection

### 8.1. Control parameters

#### Occupational exposure limits

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

#### sodium hydroxide

Short-term exposure limit (15-minute): WEL 2 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit.

### 8.2. Exposure controls

#### Protective equipment



#### Appropriate engineering controls

Provide adequate ventilation.

#### Eye/face protection

Wear tight-fitting, chemical splash goggles or face shield.

#### Hand protection

Wear protective gloves.

#### Other skin and body protection

Wear appropriate clothing to prevent repeated or prolonged skin contact.

#### Hygiene measures

When using do not eat, drink or smoke. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Use appropriate skin cream to prevent drying of skin.

#### Respiratory protection

Respiratory protection not required.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Oily liquid.
<b>Colour</b>	Light (or pale). Yellow. Straw.
<b>Odour</b>	Pungent.
<b>pH</b>	pH (concentrated solution): >13.5
<b>Relative density</b>	1.15 @ 20°C
<b>Solubility(ies)</b>	Soluble in water.
<b>Explosive properties</b>	Not applicable.
<b>Comments</b>	Information given is applicable to the product as supplied.

### 9.2. Other information

**Other information** Not applicable.

## SECTION 10: Stability and reactivity

## MACHINE GLASSWASH

### 10.1. Reactivity

**Reactivity** Reactions with the following materials may generate heat: Water. Strong Acids. In contact with some metals can generate hydrogen gas, which can form explosive mixtures with air. Avoid contact with the following materials: Aluminium. Zinc. Tin.

### 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures and when used as recommended.

### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** The following materials may react violently with the product: Acids. Chlorohydrocarbons. Reactions with the following materials may generate heat: Water, moisture.

### 10.4. Conditions to avoid

**Conditions to avoid** Avoid exposure to high temperatures or direct sunlight.

### 10.5. Incompatible materials

**Materials to avoid** Acids. Ammonia. Chlorohydrocarbons. Aluminium. Tin. Zinc.

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Hydrogen.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

**Toxicological effects** Information given is based on data of the components and of similar products.

#### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** Based on available data the classification criteria are not met.

#### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** Based on available data the classification criteria are not met.

#### Acute toxicity - inhalation

**Notes (inhalation LC<sub>50</sub>)** Based on available data the classification criteria are not met.

#### Skin corrosion/irritation

**Skin corrosion/irritation** Causes severe burns.

#### Serious eye damage/irritation

**Serious eye damage/irritation** Corrosivity to eyes is assumed.

#### Respiratory sensitisation

**Respiratory sensitisation** Not sensitising. Based on available data the classification criteria are not met.

#### Skin sensitisation

**Skin sensitisation** Not classified. Based on available data the classification criteria are not met.

#### Germ cell mutagenicity

**Genotoxicity - in vitro** Does not contain any substances known to be mutagenic.

#### Carcinogenicity

**Carcinogenicity** Does not contain any substances known to be carcinogenic.

#### Reproductive toxicity

**Reproductive toxicity - fertility** Does not contain any substances known to be toxic to reproduction.

## MACHINE GLASSWASH

### Specific target organ toxicity - single exposure

**STOT - single exposure** Not classified as a specific target organ toxicant after a single exposure.

### Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Not classified as a specific target organ toxicant after repeated exposure.

<b>Inhalation</b>	Spray/mists may cause respiratory tract irritation. A single exposure may cause the following adverse effects: Coughing. Difficulty in breathing. May cause damage to mucous membranes in nose, throat, lungs and bronchial system.
<b>Ingestion</b>	May cause burns in mucous membranes, throat, oesophagus and stomach.
<b>Skin contact</b>	May cause serious chemical burns to the skin. Repeated exposure may cause skin dryness or cracking.
<b>Eye contact</b>	Causes burns. A single exposure may cause the following adverse effects: Corneal damage. Contact with concentrated chemical may very rapidly cause severe eye damage, possibly loss of sight.

## SECTION 12: Ecological information

### 12.1. Toxicity

**Toxicity** Not considered toxic to fish

### 12.2. Persistence and degradability

**Persistence and degradability** There are no data on the degradability of this product.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

### 12.4. Mobility in soil

**Mobility** The product is water-soluble and may spread in water systems.

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

### 12.6. Other adverse effects

**Other adverse effects** None known.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**General information** The generation of waste should be minimised or avoided wherever possible.

**Disposal methods** The packaging must be empty (drop-free when inverted). Waste packaging should be collected for reuse or recycling. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

**Waste class** Waste code: 06 02 04

## SECTION 14: Transport information

### 14.1. UN number

**UN No. (ADR/RID)** 1824

**UN No. (IMDG)** 1824

## MACHINE GLASSWASH

UN No. (ICAO) 1824

UN No. (ADN) 1824

### 14.2. UN proper shipping name

Proper shipping name (ADR/RID) SODIUM HYDROXIDE SOLUTION

Proper shipping name (IMDG) SODIUM HYDROXIDE SOLUTION

Proper shipping name (ICAO) SODIUM HYDROXIDE SOLUTION

Proper shipping name (ADN) SODIUM HYDROXIDE SOLUTION

### 14.3. Transport hazard class(es)

ADR/RID class 8

ADR/RID classification code C5

ADR/RID label 8

IMDG class 8

ICAO class/division 8

ADN class 8

### Transport labels



### 14.4. Packing group

ADR/RID packing group II

IMDG packing group II

ICAO packing group II

ADN packing group II

### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

### 14.6. Special precautions for user

IMDG Code segregation group 18. Alkalis

EmS F-A, S-B

ADR transport category 2

Emergency Action Code 2R

Hazard Identification Number (ADR/RID) 80

Tunnel restriction code (E)

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

## MACHINE GLASSWASH

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

<b>National regulations</b>	Control of Substances Hazardous to Health Regulations 2002 (as amended). EH40/2005 Workplace exposure limits.
<b>EU legislation</b>	Commission Regulation (EU) No 2015/830 of 28 May 2015. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended). Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents (as amended).

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

### SECTION 16: Other information

<b>Abbreviations and acronyms used in the safety data sheet</b>	PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative.
<b>Revision</b>	1
<b>SDS number</b>	24310
<b>Hazard statements in full</b>	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.

**DIRECTIONS FOR USE**

**PRODUCT LOGO**