




Part Number : [334680002](#)

Product Description : 2.54mm Pitch MX64 Terminal, Tin (Sn) Plating, 22 AWG, Left Reel Payoff, Also used with MX123 Female Receptacle Housing

Series Number : 33468

Status : Active

Product Category : Crimp Terminals



Documents & Resources

Drawings

[Drawing 334680002_sd.pdf](#)

[Packaging Design Drawing PK-30907-759-001.pdf](#)

[Packaging Design Drawing PK-31302-480-001.pdf](#)

Specifications

[Application Specification AS-33468-001-001.pdf](#)

[Product Specification PS-33468-001-001.pdf](#)

Product Environment Compliance

Compliance

GADSL/IMDS	Duty-To-Declare
China RoHS	
EU ELV	Compliant per 2000/53/EC
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2023)3788-DC (14 Jun 2023)
EU RoHS	Compliant per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D

- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	Active
Category	Crimp Terminals
Series	33468
Description	2.54mm Pitch MX64 Terminal, Tin (Sn) Plating, 22 AWG, Left Reel Payoff, Also used with MX123 Female Receptacle Housing
Application	Automotive, Power, Wire-to-Board, Wire-to-Wire
Comments	Left Reel Payoff
Product Family	MX64 Sealed Connectors
Product Name	MX123,MX64
UPC	822348347032

Physical

Gender	Female
Material - Metal	Copper
Material - Plating Mating	Tin
Material - Plating Termination	Tin
Net Weight	0.220/g
Packaging Type	Reel
Plating min - Mating	2.540µm
Plating min - Termination	1.905µm
Termination Interface Style	Crimp or Compression
Wire Insulation Diameter	1.50-2.06mm
Wire Size (AWG)	22
Wire Size mm ²	N/A

Solder Process Data

Lead-Free Process Capability	N/A
------------------------------	-----

Use with Part(s)

Description	Part Number
MX64 Sealed Single Row Receptacle Housings	<u>31403</u>
MX123 Receptacle Housings	<u>34566</u>
MX123 Female Receptacle Housings	<u>34576</u>

Application Tooling

Global

Description	Part Number
FA2 Mechanical Feed Crimp Applicator for MX64 Grip Terminals, 22 AWG	<u>0638088300</u>
PremiumGrade Hand Crimp Tool for 2.54mm MX64 Terminals, 18-22 AWG	<u>0638114200</u>
Extraction Tool for SPOX, MX64, Ditto, MX150CE, Milli-Grid Terminals	<u>0638131400</u>