

### Product type designation

Product description

### Power M12 Cable Connector PRO

M12 power connector socket, 4-pole, A-coded  
IE POWER M12 CABLE CONN. PRO - SOCKET FOR CONNECT.  
OF SCALANCE W-700/X208PRO FOR 24V DC VOLTAGE SUPPLY,  
4-POLE, A-CODED, WITH MOUNTING INSTR., 3 PCS



### Suitability for use

For connection to SCALANCE W-700 / X208PRO for 24 V DC voltage supply

### Interfaces

#### Number of electrical connections

- for network components or terminal equipment

1

#### Type of electrical connection

- for PROFIBUS cables
- for network components or terminal equipment

Integrated screw contacts for 2-core power cables

M12 connector (female insert, A-coded, 4-pin)

#### Type of electrical connection / FastConnect

No

### Mechanical data

#### Material / of the enclosure

plastic

### Design, dimensions and weight

#### Type of cable outlet

180° cable outlet

#### Width

19 mm

#### Height

19 mm

#### Depth

73 mm

#### Net weight

40 g

### Permitted ambient conditions

#### Ambient temperature

- during operation
- during storage
- during transport

-40 ... +70 °C

-40 ... +80 °C

-40 ... +80 °C

Chemical resistance / to water	resistant
Protection class IP	IP65/67

### Product properties, functions, components / general

Product property	
<ul style="list-style-type: none"> <li>• silicon-free</li> </ul>	Yes
Product component	
<ul style="list-style-type: none"> <li>• strain relief</li> </ul>	Yes

### Standards, specifications, approvals

Certificate of suitability	
<ul style="list-style-type: none"> <li>• RoHS conformity</li> </ul>	Yes
<ul style="list-style-type: none"> <li>• UL approval</li> </ul>	No
<ul style="list-style-type: none"> <li>• Railway application in accordance with EN 50155</li> </ul>	No

### Further Information / Internet Links

Internet-Link	
<ul style="list-style-type: none"> <li>• to website: Selector SIMATIC NET SELECTION TOOL</li> </ul>	<a href="http://www.siemens.com/snst">http://www.siemens.com/snst</a>
<ul style="list-style-type: none"> <li>• to website: Industrial communication</li> </ul>	<a href="http://www.siemens.com/simatic-net">http://www.siemens.com/simatic-net</a>
<ul style="list-style-type: none"> <li>• to website: Industry Mall</li> </ul>	<a href="https://mall.industry.siemens.com">https://mall.industry.siemens.com</a>
<ul style="list-style-type: none"> <li>• to website: Information and Download Center</li> </ul>	<a href="http://www.siemens.com/automation/net/catalog">http://www.siemens.com/automation/net/catalog</a>
<ul style="list-style-type: none"> <li>• to website: Image database</li> </ul>	<a href="http://automation.siemens.com/bilddb">http://automation.siemens.com/bilddb</a>
<ul style="list-style-type: none"> <li>• to website: CAx Download Manager</li> </ul>	<a href="http://www.siemens.com/cax">http://www.siemens.com/cax</a>
<ul style="list-style-type: none"> <li>• to website: Industry Online Support</li> </ul>	<a href="https://support.industry.siemens.com">https://support.industry.siemens.com</a>

**last modified:** 09.03.2015