

ALPHA CU distribution busbars, 630A insert nuts, 3-pole for NH00 in-line switch disconnecter W=250 mm 30 mm x 10 mm (3 bars)



Model			
product brand name	ALPHA		
product designation	CU busbar		
design of the product	With press nuts		
busbar design	For NH00 switch disconnectors		
General technical data			
surface processing tin-plated	No		
Main circuit			
operational current rated value	630 A		
Product details			
product feature flexible	No		
Mechanical Design			
width	30 mm		
length	210 mm		
thickness of busbar	10 mm		
material of the busbar	Cu		
General Product Approval			
	Declaration of Conformity	Test Certificates	other

[Confirmation](#)



[Special Test Certificate](#)

[Miscellaneous](#)

other	
	Environment

[Confirmation](#)

[Environmental Confirmations](#)

Further information

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8GK9735-1KK10>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8GK9735-1KK10>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK9735-1KK10

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

7/6/2021 

