

4-1437284-3 ✓ ACTIVE

AMP | SUPERSEAL 1.0mm


TE Internal #: 4-1437284-3

Automotive Seals & Cavity Plugs, Polyacetal, Natural, -40 – 257 °F
[-40 – 125 °C], SUPERSEAL 1.0mm

[View on TE.com >](#)



Connectors > Automotive Connectors > Automotive Seals & Cavity Plugs



Seal Material: **Polyacetal**

Operating Temperature (Max): 65 °C, 70 °C, 75 °C, 80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C [149 °F, 158 °F, 167 °F, 176 °F, 185 °F, 194 °F, 212 °F, 221 °F, 230 °F, 248 °F, 257 °F]

Contains Lubricant: **No**

Primary Product Color: **Natural**

Operating Temperature Range: -40 – 125 °C [-40 – 257 °F]

Features

Body Features

Seal Material	Polyacetal
Primary Product Color	Natural

Usage Conditions

Operating Temperature (Max)	65 °C, 70 °C, 75 °C, 80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C [149 °F] [158 °F][167 °F][176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F][257 °F]
Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]

Packaging Features

Packaging Quantity	1000
Packaging Method	Bag

Other

Contains Lubricant	No
--------------------	----

Product Compliance



[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




Also in the Series | **SUPERSEAL 1.0mm**




Automotive Housings(12)



Automotive Seals & Cavity Plugs(1)



Automotive Terminals(6)



PCB Headers & Receptacles(30)

Customers Also Bought



TE Part #3-1437290-9
SUPERSEAL Connector Housings: 1.0 mm



TE Part #5-2297790-2
2POS,HPF 1.2,REC HSG,ASSY,SLD



TE Part #1-2357686-0
SGI 2.0 Crimp TPA



TE Part #2-2350224-0
SGI 2.0 Plug Housing, 10 Position, Key A



TE Part #7-1437292-4
939600=939600




TE Part #1-2318082-3
2POS,AMP MCP 2.8,REC HSG ASSY, SLD



TE Part #2359943-1
96POS,MCON-1.2 CB,REC HSG,ASSY



TE Part #9-2177810-1
PIN DIA 6.0, L/N, ASSY



TE Part #964705-1
BAJONETTRING

Documents

Product Drawings

[CVTY PLUG,SUPERSEAL,CVTY DIA,2.4](#)

Japanese

CAD Files

[3D PDF](#)

[3D](#)

Customer View Model

[ENG_CVM_CVM_4-1437284-3_A_c-4-1437284-3-a.2d_dxf.zip](#)



English

Customer View Model

[ENG_CVM_CVM_4-1437284-3_A_c-4-1437284-3-a.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_4-1437284-3_A_c-4-1437284-3-a.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[ICT Terminals and Connectors Catalogue](#)

English

[CONNECTOR SELECTOR](#)

English

Product Specifications

[Receptacle Contact, Super Seal Connector](#)

Japanese

[Application Specification](#)

Japanese

[Application Specification](#)

Japanese