

Compact DIN rail power supply

S8VS SERIES

with LED display



Advanced Industrial Automation





Omron's S8VS is the ideal power supply series for manufacturers. It features a unique 3-digit, 7-segment LED display that provides information on output voltage, output current and output peak current for faster, easier diagnostics. It has a built-in run-time monitor that indicates the total operation time of the power supply. Its very compact size requires less panel space than competitors' models. Its DIN rail click-on system makes installation a very easy process. And it is available in a variety of power ratings from 60W to 240W!

Ultra-compact dimensions, unique LED display!

The S8VS series is currently the ONLY power supply family available in Europe with an LED display. Machine builders for the packaging, automotive and textile industries can now enjoy the obvious benefits that the S8VS brings, including ease of installation and maintenance, less panel space requirements and therefore less costs.



• Omron's quality and reliability built-in

- Designed and tested to Omron's renowned high standards, each product in this range meets all relevant international standards and provides consistently superb quality throughout its working life.

Total hardware supplier

 Omron's huge product portfolio ensures that there's always a product available to handle your specific application!

Complete solutions provider

Omron's drive for continuous development and use of innovative technologies, combined with its strict quality-first policy and just-in-time delivery of components and solutions, makes us the ideal business partner for even the most demanding user.

The display that tells you everything!

Looking for the source of a power problem in a typical machine panel requires a lot of time and equipment. Not so with the S8VS! Via this power supply's 3-digit, 7-segment display you can check the status of voltage, current and total run-time of the unit. You can also check the output peak current, and quickly diagnose open-circuits or short-circuits to the system. In fact up to 80% of diagnostics can be quickly solved via this display!

Unique 3-digit, 7-segment LED display of the S8VS!

What it displays

- Output voltage
 - Easy to adjust output voltage during set-up, and monitor it continuously.
- Output current
 - Easy to see whether your load is within the range of the power supply under stable conditions.
- Peak hold current
 - Easy to diagnose maximum load of your machine, and whether there are any errors.
- Run time
 - Indicates the total operating time of the power supply. It also eliminates the need for routine checks, which reduces operational and maintenance costs.
- Undervoltage alarm
 - This indicator lights when the output voltage is insufficient (transistor output is provided for urgent notification (except for 60W model).

Built-in monitor for preventive maintenance

The S8VS has a microprocessor-controlled total run-time monitor that indicates the total operating time of the power supply. Together with the alarm output this feature provides a suitable means of preventive maintenance.

Features at a glance!

3-digit, 7-segment display

Shows at a glance the status of voltage, current and total run-time of the unit. This display makes diagnostics and maintenance easier, and helps detect power supply and power line problems faster.

Ultra-compact dimensions

These power supplies provide more power per cubic centimetre than any competitors' models.

Easy to mount

The DIN rail click-on system ensures fast, easy mounting.

Full range to choose from

Choose from a 60W, 90W, 120W, 180W and 240W model.

Ultra-compact size saves space and money

Each S8VS power supply provides more power per cubic centimetre than any competitor's model. The ultra-compact dimensions of these power supplies means that less panel space is required.



Easy to mount and install

The S8VS features a DIN rail click-on system for easy mounting. The terminal locations are situated at the upper and lower side of the power supply, which makes installation easier and prevents wiring errors.

Environmentally friendly

Omron's policy of environmental awareness is reflected in these products. The soldering in all of the S8VS models is lead-free.

The range

The range includes 60W, 90W, 120W, 180W and 240W models. These models cover 80% of the market requirements. Omron also provides models without the 7-segment display monitor, offering you an even wider selection to choose from!

Protecting your system

To prevent unexpected down-time due to a power failure or to control the shut-down process in the event of a mains fault, Omron has developed the S8T-DCBU-02 buffer block. This buffer block is maintenance-free and is one of the most cost-efficient ways of protecting your system. It provides a back-up power source for at least 500ms (at 2.5A) to 1s (at 1A). Up to four of these blocks can be connected in parallel to increase the back-up time and current handling capacity.

S8VS series specifications

Power	60 W		90 W		120 W		180 W		240 W	
	S8VS-06024A	S8VS-06024	S8VS-09024AP	S8VS-09024	S8VS-12024AP	S8VS-12024	S8VS-18024AP	S8VS-18024	S8VS-24024AP	S8VS-24024
	S8VS-06024B		S8VS-09024BP		S8VS-12024BP		S8VS-18024BP		S8VS-24024BP	
Input voltage	100-240VAC (85-264VAC) 50/60Hz									
Output voltage (current)	24VDC (2.5A)		24VDC (3.75A)		24VDC (5A)		24VDC (7.5A)		24VDC (10A)	
7-segment LED display	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
Alarm output (PNP)	No	No	Yes	No	Yes	No	Yes	No	Yes	No
Dimensions (W x H x D)	40 x 95 x	108.3 mm	50 x 115 x 121.3 mm			75 x 115 x 125.3 mm		100 x 115 x 125.3 mm		
S8T-DCBU-02 buffer unit	Yes (optional)									

AP-Type: With maintenance forecast monitor and undervoltage alarm (sourcing).

BP-Type: With total run-time monitor and undervoltage alarm (sourcing).

OMRON EUROPE B.V. Wegalaan 67-69, NL-2132 JD, Hoofddorp, The Netherlands. Tel: +31 (0) 23 568 13 00 Fax: +31 (0) 23 568 13 88 www.europe.omron.com

UNITED KINGDOM **Omron Electronics Ltd**

Opal Drive, Fox Milne, Milton Keynes, MK15 0DG, UK Tel: +44 (0) 870 752 08 61 Fax: +44 (0) 870 752 08 62 www.omron.co.uk

Austria Tel: +43 (0) 1 80 19 00 www.omron.at

Belgium Tel: +32 (0) 2 466 24 80 www.omron.be

Czech Republic Tel: +420 267 31 12 54 www.omron.cz

Denmark Tel: +45 43 44 00 11 www.omron.dk

Finland Tel: +358 (0) 9 549 58 00 www.omron.fi

France Tel: +33 (0) 1 49 74 70 00 www.omron.fr

Germany Tel: +49 (0) 2173 680 00 www.omron.de

Hungary Tel: +36 (0) 1 399 30 50 www.omron.hu

Italy Tel: +39 02 32 681 www.omron.it

Netherlands Tel: +31 (0) 23 568 11 00 www.omron.nl

Norway Tel: +47 (0) 22 65 75 00 www.omron.no

Poland Tel: +48 (0) 22 645 78 60 www.omron.com.pl

Portugal Tel: +351 21 942 94 00 www.omron.pt

Russia Tel: +7 095 745 26 64 www.russia.omron.com

Spain Tel: +34 913 777 900 www.omron.es

Sweden Tel: +46 (0) 8 632 35 00 www.omron.se

Switzerland Tel: +41 (0) 41 748 13 13 www.omron.ch

Turkey Tel: +90 (0) 216 474 00 40

www.omron.com.tr

For the Middle East, Africa and other countries in Eastern Europe, Tel: +31 (0) 23 568 13 00 www.europe.omron.com

Authorised Distributor:

Automation and Drives

- Programmable logic controllers Networking
- Human-machine interfaces Inverter drives Motion control
- **Industrial Components**
- Electromechanical relays Timers Counters Sockets
- Programmable relays Low voltage switch gear Power supplies
- Temperature & process controllers Solid-state relays
- Panel indicators Level controllers Industrial switches Pushbutton switches

Sensing and Safety

- Photoelectric sensors Proximity sensors Rotary encoders
- Vision systems RFID systems Safety switches
- Safety relays Safety sensors

Although we strive for per fection, Omron Europe BV and/or its subsidiary and affilated companies do not warant or make any representations vegarding the cricretives or complements of the information described in this docu the reserve the right in omake any changes at any time without prior notice.

