

22MM PLASTIC ROUND INDICATOR: INDICATOR LIGHT WITH SMOOTH LENSE ILLUMINABLE WITH HOLDER RED

Design of the product		Single device round
Enclosure:		
Number of control points		0
Actuator:		
Design of the operating mechanism		indicator light
Product expansion optional Light source		Yes
Color		
• of the actuating element		Red
Material of the actuating element		plastic
Shape of the actuating element		Smooth lens
Outer diameter of the actuating element	mm	28
Number of switching positions		0
Front ring:		
Product component front ring		No
Holder:		
Material of the holder		Plastic
General technical data:		
Product function		
• EMERGENCY OFF function		No
• EMERGENCY STOP function		No
Vibration resistance		
• acc. to IEC 60068-2-6		20 ... 200 Hz: 5g
Protection class IP		IP66

Equipment marking		
<ul style="list-style-type: none"> • acc. to DIN 40719 extended according to IEC 204-2 acc. to IEC 750 		H
<ul style="list-style-type: none"> • acc. to DIN EN 61346-2 		P
<ul style="list-style-type: none"> • acc. to DIN EN 81346-2 		P






Ambient conditions:

Ambient temperature		
<ul style="list-style-type: none"> • during operation 	°C	-25 ... +70
<ul style="list-style-type: none"> • during storage 	°C	-40 ... +80

Installation/ mounting/ dimensions:

Mounting type		front mounting
Shape of the installation opening		round
Mounting diameter	mm	22

Certificates/ approvals:

General Product Approval	Declaration of Conformity	Test Certificates	Shipping Approval
 CSA	 UL	 EAC	 EG-Konf.
		Special Test Certificate	 ABS

Shipping Approval	other
 DNV	 LRS
 PRS	 RINA
	other
	Environmental Confirmations

other
Confirmation

Further information

- Information- and Downloadcenter (Catalogs, Brochures,...)**
<http://www.siemens.com/industrial-controls/catalogs>
- Industry Mall (Online ordering system)**
<http://www.siemens.com/industrymall>
- Cax online generator**
<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SB30016AA20>
- Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**
<http://support.automation.siemens.com/WW/view/en/3SB30016AA20/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)
http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SB30016AA20&lang=en

last modified:

09.03.2015