

SAFETY DATA SHEET

Version # Issue date: Revision date: 1,0 22-June-2022 22-June-2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

SOLDABSORB

Registration number

Synonyms None.

Product code

UDS000412BU

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Speciality Uses advised against None known 1.3. Details of the supplier of the safety data sheet

Company name CRC Industries Europe by

Touwslagerstraat 1 **Address**

> 9240 Zele Belgium

+32(0)52/45.60.11 Telephone Fax +32(0)52/45.00.34 E-mail hse@crcind.com Website www.crcind.com

1.4. Emergency telephone

number

Tel.: +32(0)52/45.60.11 (office hours: 9-17h CET)

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

Austria National Poisons

Information Centre

+431 406 4343 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Belgium National Poisons Control Center

Bulgaria National Toxicological Information

Centre

070 245 245 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

+359 2 9154233 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Czech Republic National Poisons Information

Centre

+420 224 919 293, or +420 224 915 402 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Denmark National Poisons Control Center

+45 82 12 12 12 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Estonia National Poisons Information Centre

16662 or abroad: (+372) 626 9390 (Monday 9:00AM to Saturday 9:00AM (closed on Sundays and on national holidays). SDS/Product information may not be available for the Emergency Service.)

Finland National Poison Information Center

(09) 471 977 (direct) or (09) 4711 (exchange) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

France National Poisons Control Center

ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Hungary National Emergency Phone Number

36 80 20 11 99 (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Lithuania Neatidėliotina informacija apsinuodijus +370 5 236 20 52 or +37068753378 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Malta Accident and **Emergency Department**

2545 4030 (Hours of operation not provided. SDS/Product information may not be available for the Emergency Service.)

Netherlands National Poisons Information Center (NVIC)

030-274 88 88 (Only for the purpose of informing medical personnel in cases of acute intoxications)

UDS000412BU Version #: 1,0 Revision date: 22-June-2022 Issue date: 22-June-2022

Norway Norwegian Poison 22 59 13 00 (Available 24 hours a day. SDS/Product information may not be

available for the Emergency Service.) **Information Center**

800 250 250 (Available 24 hours a day. SDS/Product information may not be **Portugal Poison Centre**

available for the Emergency Service.)

Romania Număr de telefon care poate fi apelat în caz

de urgență:

021 5992300, int. 291 Spitalul Clinic de Urgență București:

spital@urgentafloreasca.ro

0265 212111, 0265 211292, 0265 217235 Spitalul Clinic Judetean de Urgentă Romania

Târgu Mures: secretariat@spitjudms.ro

Slovakia National Toxicological Information

Centre

+421 2 5477 4166 (Available 24 hours a day. SDS/Product information may not

be available for the Emergency Service.)

Sweden National Poison Information Center

112 - and ask for Poison Information (Available 24 hours a day. SDS/Product

information may not be available for the Emergency Service.)

Switzerland Tox Info

145 (Available 24 hours a day. SDS/Product information may not be available for

Suisse

the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Skin sensitisation Category 1 H317 - May cause an allergic skin

reaction.

H400 - Very toxic to aquatic life.

Environmental hazards

Hazardous to the aquatic environment, acute Category 1

aquatic hazard

Hazardous to the aquatic environment, Category 2 H411 - Toxic to aquatic life with

long-term aquatic hazard long lasting effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Rosin, oligomers

Hazard pictograms



Signal word Warning

Hazard statements

May cause an allergic skin reaction. H317

Very toxic to aquatic life with long lasting effects. H410

Precautionary statements

Prevention

Keep out of reach of children. P102

Avoid breathing dust/fume/gas/mist/vapours/spray. P261

Avoid release to the environment. P273

Wear protective gloves. P280

Response

If skin irritation or rash occurs: Get medical advice/attention. P333 + P313

IF ON SKIN: Wash with plenty of soap and water. P302 + P352

Take off contaminated clothing and wash it before reuse. P362 + P364

Collect spillage. P391 Storage Not assigned.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental label information

UDS000412BU Version #: 1,0 Revision date: 22-June-2022 Issue date: 22-June-2022

2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
copper	>90	7440-50-8 231-159-6	-	029-024-00-X	
CI	lassification: Aquatic Ad	cute 1;H400, Aquatic	Chronic 2;H411		
Rosin, oligomers	1 - 3	65997-05-9 500-163-2	-	-	
CI	lassification: Skin Sens	. 1;H317			

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#: This substance has been assigned Union workplace exposure limit(s).

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.4.2. Most important symptoms May cause an allergic skin reaction. Dermatitis. Rash.

and effects, both acute and delayed

aeiayea

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Powder. Dry sand.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting

procedures

Use water spray to cool unopened containers.

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

Material name: SOLDABSORB - Kontakt chemie - Europe

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

For emergency responders

Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

6.2. Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

This product is miscible in water. Prevent product from entering drains. Stop the flow of material, if this is without risk. Following product recovery, flush area with water.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

Value

Form

SDS FII

SDS).

Austria. MAK List, OEL Ordinance (GwV), BGBI. II, no. 184/2001

Storage class (TRGS 510): 13 (Non-combustible solids that cannot be assigned to any of the

above storage classes)

Type

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Components

Occupational exposure limits

copper (CAS 7440-50-8)	MAK	1 mg/m3	Inhalable fraction.
		0,1 mg/m3	Fume and respirable dust.
	STEL	4 mg/m3	Inhalable fraction.
		0,4 mg/m3	Fume and respirable dust.
Belgium. Exposure Limit Values Components	Туре	Value	Form
copper (CAS 7440-50-8)	TWA	1 mg/m3	Dust and mist.
		0,2 mg/m3	Fume.
Bulgaria. OELs. Regulation No 13 Components	on protection of workers agai Type	nst risks of exposure to cher Value	mical agents at work
copper (CAS 7440-50-8)	TWA	0,1 mg/m3	
Croatia. Dangerous Substance Ex Components	posure Limit Values in the Wo Type	rkplace (ELVs), Annexes 1 a Value	nd 2, Narodne Novine, 13/ Form
•			
<u> </u>	MAC	1 mg/m3	
copper (CAS 7440-50-8)	MAC	1 mg/m3 0,2 mg/m3	Dust.
<u> </u>	MAC STEL	· ·	Dust.
<u> </u>	STEL	0,2 mg/m3 2 mg/m3	
copper (CAS 7440-50-8) Cyprus. OELs. Control of factory a	STEL atmosphere and dangerous su	0,2 mg/m3 2 mg/m3 abstances in factories regula	tion, PI 311/73, as amende
copper (CAS 7440-50-8) Cyprus. OELs. Control of factory a Components	STEL htmosphere and dangerous su Type TWA	0,2 mg/m3 2 mg/m3 abstances in factories regula Value	tion, PI 311/73, as amende Form
Copper (CAS 7440-50-8) Cyprus. OELs. Control of factory a Components copper (CAS 7440-50-8) Czech Republic. OELs. Governments	STEL htmosphere and dangerous su Type TWA	0,2 mg/m3 2 mg/m3 abstances in factories regula Value	tion, PI 311/73, as amende Form
Copper (CAS 7440-50-8) Cyprus. OELs. Control of factory a Components copper (CAS 7440-50-8)	STEL Itmosphere and dangerous su Type TWA nt Decree 361	0,2 mg/m3 2 mg/m3 abstances in factories regulativalue 0,2 mg/m3	tion, PI 311/73, as amende Form Fume.
Copper (CAS 7440-50-8) Cyprus. OELs. Control of factory a Components copper (CAS 7440-50-8) Czech Republic. OELs. Governme Components	STEL Itmosphere and dangerous su Type TWA Int Decree 361 Type	0,2 mg/m3 2 mg/m3 abstances in factories regular Value 0,2 mg/m3 Value	tion, PI 311/73, as amende Form Fume. Form
Copper (CAS 7440-50-8) Cyprus. OELs. Control of factory a Components copper (CAS 7440-50-8) Czech Republic. OELs. Governme Components	STEL Itmosphere and dangerous su Type TWA Int Decree 361 Type	0,2 mg/m3 2 mg/m3 abstances in factories regular Value 0,2 mg/m3 Value 2 mg/m3	tion, PI 311/73, as amende Form Fume. Form Aerosol, inhalable. Respirable aerosol
Copper (CAS 7440-50-8) Cyprus. OELs. Control of factory a Components copper (CAS 7440-50-8) Czech Republic. OELs. Governme Components	STEL Itmosphere and dangerous su Type TWA Int Decree 361 Type Ceiling	0,2 mg/m3 2 mg/m3 abstances in factories regular Value 0,2 mg/m3 Value 2 mg/m3 0,2 mg/m3	tion, PI 311/73, as amende Form Fume. Form Aerosol, inhalable. Respirable aerosol fraction
Copper (CAS 7440-50-8) Cyprus. OELs. Control of factory a Components copper (CAS 7440-50-8) Czech Republic. OELs. Governme Components	STEL Itmosphere and dangerous su Type TWA Int Decree 361 Type Ceiling	0,2 mg/m3 2 mg/m3 abstances in factories regular Value 0,2 mg/m3 Value 2 mg/m3 0,2 mg/m3 1 mg/m3	tion, PI 311/73, as amende Form Fume. Form Aerosol, inhalable. Respirable aerosol fraction Aerosol, inhalable. Respirable aerosol
Copper (CAS 7440-50-8) Cyprus. OELs. Control of factory a Components copper (CAS 7440-50-8) Czech Republic. OELs. Governme Components copper (CAS 7440-50-8)	STEL Itmosphere and dangerous su Type TWA Int Decree 361 Type Ceiling TWA	0,2 mg/m3 2 mg/m3 abstances in factories regular Value 0,2 mg/m3 Value 2 mg/m3 0,2 mg/m3 1 mg/m3 0,1 mg/m3	Form Fume. Form Aerosol, inhalable. Respirable aerosol fraction Aerosol, inhalable. Respirable aerosol fraction Aerosol, inhalable. Respirable aerosol fraction

Material name: SOLDABSORB - Kontakt chemie - Europe

UDS000412BU Version #: 1,0 Revision date: 22-June-2022 Issue date: 22-June-2022 4 / 11

Components	Type	Value	Form
copper (CAS 7440-50-8)	TWA	1 mg/m3	Total dust.
		0,2 mg/m3	Fine dust.
Finland. Workplace Exposure Lir Components	nits Type	Value	Form
copper (CAS 7440-50-8)	TWA	0,02 mg/m3	Respirable.
		0,02 mg/m3	Respirable dust and/offume.
France. Threshold Limit Values (Components	VLEP) for Occupational Exposu Type	re to Chemicals in France, IN Value	IRS ED 984 Form
copper (CAS 7440-50-8)	VLE	2 mg/m3	Dust.
Regulatory status: Indicativ	ve limit (VL)		
	VME	1 mg/m3	Dust.
Regulatory status: Indication	e limit (VL)		
Demilate me atate e de de e	(a limit (VII)	0,2 mg/m3	Fume.
	/e limit (VL)		
Germany. DFG MAK List (advisor in the Work Area (DFG)	ry OELs). Commission for the In	vestigation of Health Hazard	s of Chemical Compour
Components	Туре	Value	Form
copper (CAS 7440-50-8)	TWA	0,01 mg/m3	Respirable fraction.
Greece. OELs (Decree No. 90/199	9. as amended)	-	
Components	Туре	Value	Form
copper (CAS 7440-50-8)	STEL	2 mg/m3	Dust.
	TWA	1 mg/m3	Dust.
		0,2 mg/m3	Fume.
Hungary. OELs. Joint Decree on	Chemical Safety of Workplaces	-	
Components	Туре	Value	
copper (CAS 7440-50-8)	STEL	0,2 mg/m3	
	TWA	0,1 mg/m3	
Iceland. OELs. Regulation 154/19	99 on occupational exposure li	nits	
Components	Туре	Value	Form
copper (CAS 7440-50-8)	TWA	1 mg/m3	Total dust.
11 (* * * * * * * * * * * * * * * * * *		0,1 mg/m3	Respirable dust.
Ireland. Occupational Exposure I	imite	-, J	'
Components	Туре	Value	Form
copper (CAS 7440-50-8)	TWA	 1 mg/m3	Dust and mist.
35,600		0,2 mg/m3	Fume.
Italy Occupational Exposure Lim	nite	- ,- ··· J ·····	
Italy. Occupational Exposure Lim Components	Type	Value	Form
copper (CAS 7440-50-8)	TWA	1 mg/m3	Dust and mist.
	11111	0,2 mg/m3	Fume.
Latela OFI a Octobrillo	anna Bartenata e de la companya		
Latvia. OELs. Occupational expo Components	sure limit values of chemical su Type	bstances in work environme Value	nt
copper (CAS 7440-50-8)	STEL	1 mg/m3	
00ppei (070 1440-00-0)	TWA	0,5 mg/m3	
Lithuania. OELs. Limit Values fo Components	r Chemical Substances, Genera Type	I Requirements Value	Form
<u> </u>			
copper (CAS 7440-50-8)	TWA	1 mg/m3	Inhalable fraction. Respirable fraction.
		0,2 mg/m3	

Netherlands. OELs (binding) Components	Туре	Value	Form
opper (CAS 7440-50-8)	TWA	0,1 mg/m3	Inhalable fraction.
lorway. Administrative Norms fo	or Contaminants in the Workplace		
Components	Туре	Value	Form
copper (CAS 7440-50-8)	TLV	1 mg/m3	Dust.
		0,1 mg/m3	Fume.
Poland. Ordinance of the Ministe	r of Labour and Social Policy on (S June 2014 on the maximu	ım permissible
concentrations and intensities of	harmful health factors in the wor	k environment, Journal of	
Components	Туре	Value	
copper (CAS 7440-50-8)	TWA	0,2 mg/m3	
	tional exposure to chemical agen	ts (NP 1796)	
Components	Туре	Value	Form
copper (CAS 7440-50-8)	TWA	1 mg/m3	Dust and mist.
		0,2 mg/m3	Fume.
Romania. OELs. Protection of wo	orkers from exposure to chemical	agents at the workplace	
Components	Туре	Value	Form
copper (CAS 7440-50-8)		4.5. 4.0	Dust.
copper (CAS 7440-50-8)	STEL	1,5 mg/m3	Dust.
copper (CAS 7440-50-8)	STEL	1,5 mg/m3 0,2 mg/m3	Fume.
copper (CAS 7440-50-8)	STEL TWA		
	TWA	0,2 mg/m3 0,5 mg/m3	Fume. Dust.
Slovakia. OELs. Regulation No. 3		0,2 mg/m3 0,5 mg/m3	Fume. Dust.
Slovakia. OELs. Regulation No. 3 Components	TWA 00/2007 concerning protection of	0,2 mg/m3 0,5 mg/m3 health in work with chemic	Fume. Dust. cal agents
Slovakia. OELs. Regulation No. 3 Components	TWA 00/2007 concerning protection of Type	0,2 mg/m3 0,5 mg/m3 health in work with chemic	Fume. Dust. cal agents Form
Slovakia. OELs. Regulation No. 3 Components copper (CAS 7440-50-8)	TWA 900/2007 concerning protection of Type TWA	0,2 mg/m3 0,5 mg/m3 health in work with chemic Value 1 mg/m3	Fume. Dust. cal agents Form Inhalable fraction.
Slovakia. OELs. Regulation No. 3 Components copper (CAS 7440-50-8) Spain. Occupational Exposure Li	TWA 900/2007 concerning protection of Type TWA	0,2 mg/m3 0,5 mg/m3 health in work with chemic Value 1 mg/m3	Fume. Dust. cal agents Form Inhalable fraction.
Slovakia. OELs. Regulation No. 3 Components Copper (CAS 7440-50-8) Spain. Occupational Exposure Li Components	TWA 00/2007 concerning protection of Type TWA mits Type	0,2 mg/m3 0,5 mg/m3 health in work with chemic Value 1 mg/m3 0,2 mg/m3 Value	Fume. Dust. cal agents Form Inhalable fraction. Respirable fume. Form
Slovakia. OELs. Regulation No. 3 Components Copper (CAS 7440-50-8) Spain. Occupational Exposure Li Components Copper (CAS 7440-50-8)	TWA 900/2007 concerning protection of Type TWA mits Type TWA	0,2 mg/m3 0,5 mg/m3 health in work with chemic Value 1 mg/m3 0,2 mg/m3 Value 0,1 mg/m3	Fume. Dust. cal agents Form Inhalable fraction. Respirable fume. Form Respirable fraction.
Slovakia. OELs. Regulation No. 3 Components Copper (CAS 7440-50-8) Spain. Occupational Exposure Li Components Copper (CAS 7440-50-8) Sweden. OELs. Work Environment	TWA 00/2007 concerning protection of Type TWA mits Type TWA TWA nt Authority (AV), Occupational E	0,2 mg/m3 0,5 mg/m3 health in work with chemic Value 1 mg/m3 0,2 mg/m3 Value 0,1 mg/m3	Fume. Dust. cal agents Form Inhalable fraction. Respirable fume. Form Respirable fraction.
Slovakia. OELs. Regulation No. 3 Components Copper (CAS 7440-50-8) Spain. Occupational Exposure Li Components Copper (CAS 7440-50-8) Sweden. OELs. Work Environments Components	TWA 00/2007 concerning protection of Type TWA mits Type TWA TWA TWA THE TYPE TWA THE TYPE THE TYPE TYPE TYPE TYPE TYPE	0,2 mg/m3 0,5 mg/m3 health in work with chemic Value 1 mg/m3 0,2 mg/m3 Value 0,1 mg/m3 xposure Limit Values (AFS Value	Fume. Dust. cal agents Form Inhalable fraction. Respirable fume. Form Respirable fraction. 2015:7) Form
Slovakia. OELs. Regulation No. 3 Components Copper (CAS 7440-50-8) Spain. Occupational Exposure Li Components Copper (CAS 7440-50-8) Sweden. OELs. Work Environment Components Copper (CAS 7440-50-8)	TWA 500/2007 concerning protection of Type TWA mits Type TWA nt Authority (AV), Occupational E Type TWA	0,2 mg/m3 0,5 mg/m3 health in work with chemic Value 1 mg/m3 0,2 mg/m3 Value 0,1 mg/m3 xposure Limit Values (AFS	Fume. Dust. cal agents Form Inhalable fraction. Respirable fume. Form Respirable fraction. 2015:7)
Slovakia. OELs. Regulation No. 3 Components Copper (CAS 7440-50-8) Spain. Occupational Exposure Li Components Copper (CAS 7440-50-8) Sweden. OELs. Work Environment Components Copper (CAS 7440-50-8) Switzerland. SUVA Grenzwerte and	TWA 200/2007 concerning protection of Type TWA Type TWA TWA TWA TWA TYPE TWA TYPE TWA TYPE TWA TWA TWA TWA TWA	0,2 mg/m3 0,5 mg/m3 health in work with chemic Value 1 mg/m3 0,2 mg/m3 Value 0,1 mg/m3 xposure Limit Values (AFS Value	Fume. Dust. cal agents Form Inhalable fraction. Respirable fume. Form Respirable fraction. 2015:7) Form
Slovakia. OELs. Regulation No. 3 Components Copper (CAS 7440-50-8) Spain. Occupational Exposure Li Components Copper (CAS 7440-50-8) Sweden. OELs. Work Environment Components Copper (CAS 7440-50-8) Switzerland. SUVA Grenzwerte and	TWA 500/2007 concerning protection of Type TWA mits Type TWA nt Authority (AV), Occupational E Type TWA m Arbeitsplatz Type	0,2 mg/m3 0,5 mg/m3 health in work with chemic Value 1 mg/m3 0,2 mg/m3 Value 0,1 mg/m3 xposure Limit Values (AFS Value) 0,01 mg/m3 Value	Fume. Dust. cal agents Form Inhalable fraction. Respirable fume. Form Respirable fraction. 2015:7) Form Respirable dust. Form
Slovakia. OELs. Regulation No. 3 Components Copper (CAS 7440-50-8) Spain. Occupational Exposure Li Components Copper (CAS 7440-50-8) Sweden. OELs. Work Environment Components Copper (CAS 7440-50-8) Switzerland. SUVA Grenzwerte and	TWA 500/2007 concerning protection of Type TWA Type TWA TWA TYPE TWA TYPE TWA TYPE TWA TWA TWA TWA TWA TWA TWA TW	0,2 mg/m3 0,5 mg/m3 health in work with chemic Value 1 mg/m3 0,2 mg/m3 Value 0,1 mg/m3 xposure Limit Values (AFS Value) 0,01 mg/m3 Value 0,01 mg/m3 Value 0,02 mg/m3	Fume. Dust. cal agents Form Inhalable fraction. Respirable fume. Form Respirable fraction. 2015:7) Form Respirable dust. Form Inhalable fraction.
Slovakia. OELs. Regulation No. 3 Components Copper (CAS 7440-50-8) Spain. Occupational Exposure Li Components Copper (CAS 7440-50-8) Sweden. OELs. Work Environment Components Copper (CAS 7440-50-8) Switzerland. SUVA Grenzwerte and Components Copper (CAS 7440-50-8)	TWA 100/2007 concerning protection of Type TWA Type TWA TWA TYPE STEL TWA	0,2 mg/m3 0,5 mg/m3 health in work with chemic Value 1 mg/m3 0,2 mg/m3 Value 0,1 mg/m3 xposure Limit Values (AFS Value) 0,01 mg/m3 Value	Fume. Dust. cal agents Form Inhalable fraction. Respirable fume. Form Respirable fraction. 2015:7) Form Respirable dust. Form
Slovakia. OELs. Regulation No. 3 Components Copper (CAS 7440-50-8) Spain. Occupational Exposure Li Components Copper (CAS 7440-50-8) Sweden. OELs. Work Environment Components Copper (CAS 7440-50-8) Switzerland. SUVA Grenzwerte and Components Copper (CAS 7440-50-8) Switzerland. SUVA Grenzwerte and Components Copper (CAS 7440-50-8)	TWA 100/2007 concerning protection of Type TWA Twa Type TWA TWA TWA Type TWA Type TWA TWA TWA Type TWA TWA TWA TWA TWA TWA TWA TW	0,2 mg/m3 0,5 mg/m3 health in work with chemic Value 1 mg/m3 0,2 mg/m3 Value 0,1 mg/m3 xposure Limit Values (AFS Value) 0,01 mg/m3 Value 0,01 mg/m3 0,1 mg/m3 0,1 mg/m3	Fume. Dust. cal agents Form Inhalable fraction. Respirable fume. Form Respirable fraction. 2015:7) Form Respirable dust. Form Inhalable fraction. Inhalable fraction.
Slovakia. OELs. Regulation No. 3 Components Copper (CAS 7440-50-8) Spain. Occupational Exposure Li Components Copper (CAS 7440-50-8) Sweden. OELs. Work Environment Components Copper (CAS 7440-50-8) Switzerland. SUVA Grenzwerte and Components Copper (CAS 7440-50-8) Switzerland. SUVA Grenzwerte and Components Copper (CAS 7440-50-8) JK. EH40 Workplace Exposure L Components	TWA 100/2007 concerning protection of Type TWA TWA mits Type TWA nt Authority (AV), Occupational E Type TWA m Arbeitsplatz Type STEL TWA imits (WELs) Type	0,2 mg/m3 0,5 mg/m3 health in work with chemic Value 1 mg/m3 0,2 mg/m3 Value 0,1 mg/m3 xposure Limit Values (AFS Value) 0,01 mg/m3 Value 0,2 mg/m3 0,1 mg/m3 Value 0,2 mg/m3 0,1 mg/m3	Fume. Dust. cal agents Form Inhalable fraction. Respirable fume. Form Respirable fraction. 2015:7) Form Respirable dust. Form Inhalable fraction. Inhalable fraction. Form
Slovakia. OELs. Regulation No. 3 Components Copper (CAS 7440-50-8) Spain. Occupational Exposure Li Components Copper (CAS 7440-50-8) Sweden. OELs. Work Environment Components Copper (CAS 7440-50-8) Switzerland. SUVA Grenzwerte and Components Copper (CAS 7440-50-8) Switzerland. SUVA Grenzwerte and Components Copper (CAS 7440-50-8) JK. EH40 Workplace Exposure L Components	TWA 500/2007 concerning protection of Type TWA Twa Type TWA TWA TWA Type TWA Type TWA TWA Type TWA TWA TWA TWA TWA TWA TWA TW	0,2 mg/m3 0,5 mg/m3 health in work with chemic Value 1 mg/m3 0,2 mg/m3 Value 0,1 mg/m3 xposure Limit Values (AFS Value) 0,01 mg/m3 Value 0,2 mg/m3 0,1 mg/m3 Value 2 mg/m3	Fume. Dust. Cal agents Form Inhalable fraction. Respirable fume. Form Respirable fraction. 2015:7) Form Respirable dust. Form Inhalable fraction. Inhalable fraction. Form Inhalable fraction. Inhalable dusts and mist
Slovakia. OELs. Regulation No. 3 Components Copper (CAS 7440-50-8) Spain. Occupational Exposure Li Components Copper (CAS 7440-50-8)	TWA 100/2007 concerning protection of Type TWA TWA mits Type TWA nt Authority (AV), Occupational E Type TWA m Arbeitsplatz Type STEL TWA imits (WELs) Type	0,2 mg/m3 0,5 mg/m3 health in work with chemic Value 1 mg/m3 0,2 mg/m3 Value 0,1 mg/m3 xposure Limit Values (AFS Value) 0,01 mg/m3 Value 0,2 mg/m3 0,1 mg/m3 Value 0,2 mg/m3 0,1 mg/m3	Fume. Dust. cal agents Form Inhalable fraction. Respirable fume. Form Respirable fraction. 2015:7) Form Respirable dust. Form Inhalable fraction. Inhalable fraction. Form

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Follow standard monitoring procedures.

Derived no effect levels (DNELs)

General Population

Components	Value	Assessment factor	Notes
copper (CAS 7440-50-8)			
Short-term, Systemic, Dermal	273 mg/kg bw/day	50	Repeated dose toxicity
Rosin, oligomers (CAS 65997-05-9)			
Long-term, Systemic, Dermal	1,065 mg/kg	200	Repeated dose toxicity
Long-term, Systemic, Oral	1,065 mg/kg	200	Repeated dose toxicity

Workers	
MACHER	2

Components	Value	Assessment factor	Notes
copper (CAS 7440-50-8)			
Short-term, Systemic, Dermal	273 mg/kg bw/day	50	Repeated dose toxicity
Rosin, oligomers (CAS 65997-05-9)			
Long-term, Local, Inhalation	10 mg/m3		
Long-term, Systemic, Dermal	2,131 mg/kg	100	Repeated dose toxicity
redicted no effect concentrations (PNEC	s)		
Components	Value	Assessment factor	Notes
copper (CAS 7440-50-8)			
Freshwater	7,8 µg/l	1	
Sediment (freshwater)	87 mg/kg	1	
Soil	65 mg/kg	1	
STP	230 µg/l	1	
Rosin, oligomers (CAS 65997-05-9)			
Freshwater	0,002 mg/l	1000	
Sediment (freshwater)	0,007 mg/kg		
Soil	0 mg/kg		
STP	1000 mg/l	10	
2. Exposure controls			
•	neral ventilation should be use	d. Ventilation rates should l	ne matched to conditions

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Personal protection equipment should be chosen according to the CEN standards and in **General information**

discussion with the supplier of the personal protective equipment.

Wear safety glasses with side shields (or goggles). Use eye protection conforming to EN 166. Eye/face protection

Skin protection

- Hand protection When handling the product wear chemical-resistant gloves (standard EN 374). The breakthrough

time of the glove should be longer than the total duration of product use. If work lasts longer than the breakthrough time, gloves should be changed part-way through. Suitable gloves can be

recommended by the glove supplier.

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. - Other

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the

workplace.

Environmental exposure

controls

Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid. Colour Copper. Odourless. Odour Not applicable. Melting point/freezing point Boiling point or initial boiling Not applicable. point and boiling range Flammability (solid, gas) Not available. Flash point Not applicable. **Auto-ignition temperature** Not applicable. **Decomposition temperature** Not applicable. Not applicable. pН

UDS000412BU Version #: 1,0 Revision date: 22-June-2022 Issue date: 22-June-2022 7 / 11

SDS FII

Solubility(ies)

Solubility (water)

Vapour pressure

Vapour density

Relative density

Particle characteristics

Not applicable.

Not applicable.

Not applicable.

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

Aerosol spray enclosed space

Deflagration density Not applicable.

Aerosol spray ignition Not applicable.

distance

Evaporation rateNot applicable.Explosive propertiesNot explosive.Heat of combustionNot applicable.Oxidising propertiesNot oxidising.

SECTION 10: Stability and reactivity

10.1. ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoidContact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous

decomposition products

Not available.

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

InhalationProlonged inhalation may be harmful.Skin contactMay cause an allergic skin reaction.

Eye contact Based on available data, the classification criteria are not met.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms May cause an allergic skin reaction. Dermatitis. Rash.

11.1. Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Components Species Test Results

copper (CAS 7440-50-8)

Acute Dermal

Dermai

Respiratory sensitisation

LD50 Rat > 2000 mg/kg

Oral

LD50 Rat > 2500 mg/kg

Skin corrosion/irritationBased on available data, the classification criteria are not met. **Serious eye damage/eye**Based on available data, the classification criteria are not met.

irritation

Based on available data, the classification criteria are not met.

Skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicityBased on available data, the classification criteria are not met. **Carcinogenicity**Based on available data, the classification criteria are not met.

Material name: SOLDABSORB - Kontakt chemie - Europe

UDS000412BU Version #: 1,0 Revision date: 22-June-2022 Issue date: 22-June-2022

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Mixture versus substance information

Based on available data, the classification criteria are not met.

Not available

11.2. Information on other hazards

Endocrine disrupting properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

Not available. Other information

SECTION 12: Ecological information

12.1. Toxicity Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Components	onents Species Test Results		Test Results	
copper (CAS 7440-50-8)				
Aquatic				
Acute				
Algae	EC50	Algae	> 0,1 - <= 1 mg/l, 72 hours	
Crustacea	EC50	Daphnia	> 0,1 - <= 1 mg/l, 48 hours	
Fish	LC50	Fish	0,193 mg/l, 96 hours	
Chronic				
Crustacea	NOEC	Daphnia	> 0,1 - <= 1 mg/l, 21 days	
Fish	NOEC	Fish	0,188 mg/l, 30 days	

12.2. Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential

Partition coefficient

Not available.

No data available.

n-octanol/water (log Kow)

Not available. **Bioconcentration factor (BCF)** 12.4. Mobility in soil No data available

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

12.7. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

12.8. Additional information

Estonia Dangerous substances in soil Data

copper (CAS 7440-50-8) Copper (Cu) 100 mg/kg Copper (Cu) 150 mg/kg

Copper (Cu) 500 mg/kg

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

UDS000412BU Version #: 1,0 Revision date: 22-June-2022 Issue date: 22-June-2022

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Material name: SOLDABSORB - Kontakt chemie - Europe

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow Disposal methods/information

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Special precautions

SECTION 14: Transport information

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Maritime transport in bulk Not applicable.

according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended copper (CAS 7440-50-8)

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

copper (CAS 7440-50-8)

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Young people under 18 years old are not allowed to work with this product according to EU

Directive 94/33/EC on the protection of young people at work, as amended Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

Material name: SOLDABSORB - Kontakt chemie - Europe

ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).

ATE: Acute Toxicity Estimate according to REGULATION (EC) No 1272/2008 (CLP).

CAS: Chemical Abstract Service.

Ceiling: Short Term Exposure Limit Ceiling value.

CEN: European Committee for Standardization.

CLP: Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification,

labeling and packaging of substances and mixtures.

GWP: Global Warming Potential.

IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MAK: Threshold limit values Germany (Maximale Arbeitsplatzkonzentration - DFG).

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

REACH: Registration, Evaluation and Authorization of Chemicals (REGULATION (EC) No 1907/2006 concerning Registration, Evaluation Authorization and Restriction of Chemicals). RID: Regulations concerning the international carriage of dangerous goods by rail (Règlement International concernant le transport de marchandises dangereuses par chemin de fer).

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

VOC: Volatile organic compounds.

vPvB: Very persistent and very bioaccumulative.

STEL: Short-term Exposure Limit.

methods and test data, if available.

Not available.

Information on evaluation method leading to the classification of mixture

Full text of any H-statements not written out in full under Sections 2 to 15

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

Revision information

Training information

Disclaimer

References

Follow training instructions when handling this material.

CRC Industries Europe byba cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC.

The classification for health and environmental hazards is derived by a combination of calculation

Material name: SOLDABSORB - Kontakt chemie - Europe