

AMPLIMITE

TE Internal #: 1757820-4 Box Mount D-Sub Connectors, Receptacle, Cable-to-Cable, 37 Position, 4 D-Sub Shell Size, Socket, 20 D-Sub Contact Size, 2.77 mm [.109in] Centerline

View on TE.com >



Connectors > D-Shaped Connectors > D-Sub Connectors > Box Mount D-Sub Connectors



Connector & Housing Type: Receptacle

Connector System: Cable-to-Cable

Number of Positions: 37

Power/Signal/Coax Combination: No

D-Sub Shell Size: 4

Features

Product Type Features

Product Type	Connector
Connector & Housing Type	Receptacle
Connector System	Cable-to-Cable

D-Sub Shell Size	4
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Blindmate	No
Configuration Features	
Number of Positions	37
Power/Signal/Coax Combination	No
Body Features	
Box Mount D-Sub Connector Insert Arrangement	MS18276-1
Retention Clip Material	Stainless Steel
Shell Plating Material	Zinc
Shell Material	Steel
Non-Magnetic	No
Contact Features	
Contact Type	Socket

1757820-4

Box Mount D-Sub Connectors, Receptacle, Cable-to-Cable, 37 Position, 4 D-Sub Shell Size, Socket, 20 D-Sub Contact Size, 2.77mm [.109in] Centerline



	50 µin
Contact Mating Area Plating Material	Gold
Contact Underplating Material	Nickel
Contact Base Material	Copper Alloy
D-Sub Contact Size	20
Contact Current Rating (Max)	7.5 A
Mechanical Attachment	
Mounting Hole Diameter	3.05 mm[.12 in]
Housing Features	
Centerline (Pitch)	2.77 mm[.109 in]
Usage Conditions	
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
Operation/Application	
ULTRA-LITE Connector	No
Circuit Application	Signal
Industry Standards	
NASA Qualification	No

Packaging Features

Packaging Method	Carton
Other	
Comment	"Z" is stamped on connectors following M24308 part number as required. "Z" designates zinc shell plating.
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ROHS Directive 2011/65/EU EU ELV Directive 2000/53/EC	Compliant Compliant

(211)

(211)

Candidate List Declared Against: JAN 2021

Does not contain REACH SVHC

1757820-4

Box Mount D-Sub Connectors, Receptacle, Cable-to-Cable, 37 Position, 4 D-Sub Shell Size, Socket, 20 D-Sub Contact Size, 2.77mm [.109in] Centerline



Halogen Content

Not Low Halogen - contains Br or Cl > 900 ppm.

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



K13-1 POSITIONER

TE Part # 601966-1 CRIMPING TOOL M22520/2-01

Customers Also Bought



L For support call+1 800 522 6752

1757820-4

Box Mount D-Sub Connectors, Receptacle, Cable-to-Cable, 37 Position, 4 D-Sub Shell Size, Socket, 20 D-Sub Contact Size, 2.77mm [.109in] Centerline





TE Part #1630019-8 Power Resistors: Aluminum Housed, HSA

TE Part #YDTS24W09-98SNV001 Jam Nut: D38999, 09-98 Insert

Documents

Product Drawings AMPLIMITE,ASY,RCPT,STD,109,ZN,4

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1757820-4_M.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1757820-4_M.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1757820-4_M.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Environmental Compliance TE Material Declaration

English

Agency Approvals

UL Report

English