

Data brief

Connector board for SPC5 MCU discovery boards and MEMS sensor boards in DIL 24 socket





Product summary Connector board for AEK-MCU-C4MLIT1 MCU AEK-CON-SENSOR1 discovery board and MEMS sensor boards in DIL 24 socket MCU discovery board for SPC5 Chorus 4M automotive AEK-MCU-C4MLIT1 microcontroller with CAN transceivers STEVAL-MKI193V1/ STEVAL-MKI206V1/ MEMS sensor STEVAL-MKI208V1K/ boards in DIL 24 STEVAL-MKI209V1K/ socket STEVAL-MKI211V1K/ STEVAL-MIC006V1 AutoDevKit library plugin for STSW-AUTODEVKIT SPC5-STUDIO In-Vehicle Infotainment/ Applications Electro-Mobility/ **Telematics Box**

Features

- Connects the AEK-MCU-C4MLIT1 MCU discovery board to the MEMS sensor boards in DIL 24 socket
- Supports several sensors: digital microphones, 2D and 3D accelerometers, inclinometers
- Hosts a 1.8 V LDO voltage regulator for MEMS board supply
- Compact size: 56 mm x 41 mm
- · WEEE and RoHS compliant
- Included in the AutoDevKit initiative

Description

The AEK-CON-SENSOR1 board has been designed to connect MEMS sensor boards in DIL 24 socket to an SPC5 MCU discovery board like the AEK-MCU-C4MLIT1 hosting a SPC58EC80E5 Chorus family automotive MCU with 4 MB flash.

The connector board hosts a 1.8 V LDO voltage regulator for MEMS boards supply.

Two male strip connectors allow connecting the AEK-MCU-C4MLIT1: the main one (5x2) is used for power supply, SPI interface and signal interrupt, whereas the second one (7x2) is used for optional GPIO connections depending on the plugged MEMS sensor board.

For the MEMS sensor board connection, three female strip connectors are used: the main one (12x2) hosts the MEMS sensors in DIL 24 socket, whereas the other two (3x2) host digital microphones.



1 Block diagram


AEK-CON-SENSOR1 VDD-SEL VDDIO utoDevKit **1** 24 3x2 O NC OO2 (O Microphone RoHS O) SDA O scl O cs <u>)</u> 18 <u>)</u> 17 9 🔾 <u>)</u> 16 12 10 🔾 3x2 Int2 Microphone 11 🔾 Int1 GND STEVAL MEMS sensors in DIL 24 socket

Figure 1. AEK-CON-SENSOR1 block diagram

DB4413 - Rev 1 page 2/5









Revision history

Table 1. Document revision history

Date	Version	Changes
02-Feb-2021	1	Initial release.

DB4413 - Rev 1 page 4/5



IMPORTANT NOTICE - PLEASE READ CAREFULLY

STMicroelectronics NV and its subsidiaries ("ST") reserve the right to make changes, corrections, enhancements, modifications, and improvements to ST products and/or to this document at any time without notice. Purchasers should obtain the latest relevant information on ST products before placing orders. ST products are sold pursuant to ST's terms and conditions of sale in place at the time of order acknowledgement.

Purchasers are solely responsible for the choice, selection, and use of ST products and ST assumes no liability for application assistance or the design of Purchasers' products.

No license, express or implied, to any intellectual property right is granted by ST herein.

Resale of ST products with provisions different from the information set forth herein shall void any warranty granted by ST for such product.

ST and the ST logo are trademarks of ST. For additional information about ST trademarks, please refer to www.st.com/trademarks. All other product or service names are the property of their respective owners.

Information in this document supersedes and replaces information previously supplied in any prior versions of this document.

© 2021 STMicroelectronics - All rights reserved

DB4413 - Rev 1 page 5/5