



| Product / Process Change Notification (PCN) | | | | | |
|--|---|---------------|--------------|------------------|-------------------|
| <input type="checkbox"/> Major change <input checked="" type="checkbox"/> Minor change | | | | | |
| PCN #: PCN_UtLANAQ_20240430 Affected Series: WE-LAN AQ; 749020310, 749023310 PCN Date: January 30, 2024 Effective Date: April 30, 2024 | Change Category: <input type="checkbox"/> Equipment / Location <input checked="" type="checkbox"/> General Data <input type="checkbox"/> Material <input type="checkbox"/> Process <input type="checkbox"/> Product Design <input type="checkbox"/> Shipping / Packaging <input type="checkbox"/> Supplier <input type="checkbox"/> Software | | | | |
| Contact: Product Management Phone: +49 (0) 7942 - 945 5001 Fax: +49 (0) 7942 - 945 5179 E-Mail: pcn.eisos@we-online.com | Data Sheet Change: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Attachment: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | | | | |
| Description and purpose of change: Because the database mismatch, Würth Elektronik will change the operating temperature. All products with date code 2024-04-30 or later, will be affected by this change. This is a datasheet correction only. There will be no change in form, fit, function, quality or reliability of the product. | | | | | |
| Detail of Change: Operating Temperature: <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 5px;"> <thead> <tr> <th style="width: 50%; text-align: center; color: red;">Before change</th> <th style="width: 50%; text-align: center; color: green;">After change</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">-40 up to +85 °C</td> <td style="text-align: center;">-40 up to +105 °C</td> </tr> </tbody> </table> | | Before change | After change | -40 up to +85 °C | -40 up to +105 °C |
| Before change | After change | | | | |
| -40 up to +85 °C | -40 up to +105 °C | | | | |
| Reliability / Qualification Summary: There will be no change of the product, therefore no additional reliability or qualification testing will be performed. | | | | | |