


SIVACON, base, with cable entry, IPXX, D: 1000 mm, W: 400 mm, galvanized



Figure similar

| Model | |
|--|------------------|
| Product brand name | SIVACON |
| Design of the product | With cable entry |
| Design of the surface | galvanized |
| Design of the product / EMC version | No |
| Protection class IP | IPXX |
| Product component | No |
| <ul style="list-style-type: none"> • ventilation | |
| Mechanical Design | |
| Width | 400 mm |
| Depth | 1 000 mm |
| Net weight | 5 000 g |
| Equipment marking | |
| <ul style="list-style-type: none"> • acc. to DIN EN 61346-2 | U |
| <ul style="list-style-type: none"> • acc. to DIN EN 81346-2 | UC |

| | | | |
|-------------------------------|---|--|-------------------------------|
| EMC | Declaration of Conformity | Test Certificates | other |
| Miscellaneous |  EG-Konf. | Special Test Certificate | Miscellaneous |

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8MF1040-2UB32-0>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8MF1040-2UB32-0>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8MF1040-2UB32-0

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

