

Infonote

AO-IN-2022-033-I

Change of reel material and pieces per reel for TOPLED E1608

01.10.2022

Dear Customer,

please take note of this **Infonote**.

This customer notification is for information only and does not require customer approval.

Objective: Change of reel material and pieces per reel for TOPLED E1608

	TOPLED E1608 colorless resin	TOPLED E1608 colorless resin	TOPLED E1608 colored resin
Affected products:	CH DELSS1.22	KR DELMS1.22	KB DELPS2.D2
	CT DELSS1.12	KR DELPS1.22	KB DELPS2.D1
	KB DELPS2.12	KS DELLS1.22	KB DELSS2.D1
	KB DELSS2.12	KS DELMS1.22	KB DELSS2.D2
	KG DELLS1.22	KS DELPS1.22	KP DELPS1.FP
	KG DELMS1.22	KT DELMS1.12	KW DELPS2.RA
	KO DELLS1.22	KT DELQS1.12	KW DELSS2.CC
	KO DELMS1.22	KT DELSS1.12	KW DELSS2.RA
	KO DELPS1.22	KY DELLS1.22	
	KP DELLS1.22	KY DELMS1.22	
	KP DELMS1.22	KY DELPS1.22	

Improvement of reel stability by changing to new reel with better material strength properties.

Current status

Material PS
 Dimensions acc. to IEC 60286-3
 and EIA 481-E
 Geometry / optical appearance:



New status

Material PC-ABS
 Dimensions acc. to IEC 60286-3
 and EIA 481-E
 Geometry / optical appearance:



Description of change:

The geometrical changes are minor and still comply with dimension standards IEC 60286-3 and EIA 481-E. Arbor hole dimensions are equal.

Pieces per reel for TOPLED E1608:

Current Status:
5k for Colorless resin

New Status:
9k for Colorless resin

2k for Colored resin

5k for Colored resin

Exceptions:

CT DELSS1.12 already changed to 9k
 CH DELSS1.22 stays at 2k
 KW DELSS2.CC stays at 2k

Time schedule:

Reel material: Earliest D/C: 2240 (yy/ww)
 Pieces per reel: Earliest D/C: 2248 (yy/ww)

Assessment: No change of product data sheet except pieces per reel

Documentation: n.a.
