





| General technical data: | | |
|---|----|------------------------------|
| product brand name | | SIRIUS |
| Product designation | | adapter for operating module |
| Design of the product | | <kein Wert> |
| Protection class IP | | IP54 |
| Ambient temperature | | |
| • during storage | °C | -40 ... +80 |
| • during operation | °C | -25 ... +60 |
| • during transport | °C | -40 ... +80 |
| Relative humidity during operation | | <kein Wert> ... <kein Wert> |
| Equipment marking acc. to DIN 40719 extended according to IEC 204-2 acc. to IEC 750 | | <kein Wert> |
| Equipment marking acc. to DIN EN 61346-2 | | <kein Wert> |
| Certificates/ approvals: | | |

| | | | | | |
|--|--|---|---|---|--|
| General Product Approval | | | | EMC | Test Certificates |
|  CCC |  CSA |  |  UL |  C-TICK | Type Test Certificates/Test Report |

| | | | | | |
|--|--|--|---|------------------------------|---|
| Test Certificates | Shipping Approval | | | other | |
| Special Test Certificate |  ABS |  DNV |  GL | Confirmation | PROFISafe-Certification |

| | |
|---|--|
| other | |
|  Profibus | PROFINET-Certification |

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<http://www.siemens.com/industrymall>

Cax online generator




<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mfb=3UF79220AA000>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3UF79220AA000>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mfb=3UF79220AA000&lang=en



636